



NASA TECHNICAL MEMORANDUM


NASA TM X-64970

Supersedes TM X-64941

HOT, COLD, AND ANNUAL REFERENCE ATMOSPHERES FOR
EDWARDS AIR FORCE BASE, CALIFORNIA (1975 VERSION)

By D. L. Johnson
Space Sciences Laboratory

November 1975



NASA

*George C. Marshall Space Flight Center
Marshall Space Flight Center, Alabama*

(NASA-TM-X-64970) HOT, COLD, AND ANNUAL
REFERENCE ATMOSPHERES FOR EDWARDS AIR FORCE
BASE, CALIFORNIA (1975 VERSION) (NASA)
111 p HC \$5.50

CSC1 G4A

G3/46

N76-14675

Unclass
05643

1. REPORT NO. NASA TM X-64970	2. GOVERNMENT ACCESSION NO.	3. RECIPIENT'S CATALOG NO.	
4. TITLE AND SUBTITLE Hot, Cold, and Annual Reference Atmospheres for Edwards Air Force Base, California (1975 Version)		5. REPORT DATE November 1975	
		6. PERFORMING ORGANIZATION CODE	
7. AUTHOR(S) D. L. Johnson		8. PERFORMING ORGANIZATION REPORT #	
9. PERFORMING ORGANIZATION NAME AND ADDRESS George C. Marshall Space Flight Center Marshall Space Flight Center, Alabama 35812		10. WORK UNIT NO.	
		11. CONTRACT OR GRANT NO.	
12. SPONSORING AGENCY NAME AND ADDRESS National Aeronautics and Space Administration Washington, D. C. 20546		13. TYPE OF REPORT & PERIOD COVERED Technical Memorandum	
		14. SPONSORING AGENCY CODE	
15. SUPPLEMENTARY NOTES Prepared by Space Sciences Laboratory, Science and Engineering			
16. ABSTRACT Three reference atmospheres pertaining to summer (hot), winter (cold), and mean annual conditions for Edwards Air Force Base, California, are presented from surface to 90 km altitude (700 km for the annual model). Computed values of pressure, kinetic temperature, virtual temperature, and density and relative differences [percentage departure from the Edwards reference atmosphere, 1975 (ERA-75)] of the atmospheric parameters versus altitude are tabulated in 250 m increments. Hydrostatic and gas law equations were used in conjunction with radiosonde and rocketsonde thermodynamic data in determining the vertical structure of these three atmospheric models. The thermodynamic parameters have all been subjected to a fifth degree least-squares curve-fit procedure, and the resulting coefficients were incorporated into Univac 1108 computer subroutines so that any quantity may be recomputed at any desired altitude using these subroutines. This document supersedes NASA TM X-64941 and should be used in place of it.			
17. KEY WORDS Reference Atmospheres Atmospheric Models Extreme Thermodynamic Quantities Atmospheric Temperature Atmospheric Pressure Atmospheric Density High Altitude		18. DISTRIBUTION STATEMENT Unclassified — Unlimited <i>D. L. Johnson</i>	
19. SECURITY CLASSIF. (of this report) Unclassified	20. SECURITY CLASSIF. (of this page) Unclassified	21. NO. OF PAGES 110	22. PRICE NTIS

ACKNOWLEDGMENTS

The author acknowledges Messrs. Joseph Scollard, Raymond Smith (retired), and Paul Harness of the MSFC Data Systems Laboratory for their assistance in preparing the data and computer programs used in this study. Special thanks go to Orvel E. Smith and Robert Turner of the MSFC Space Sciences Laboratory for their assistance and guidance throughout the project. Appreciation is expressed to the NASA Flight Research Center, Edwards, California, for the use of photographs of their facility.

TABLE OF CONTENTS

	Page
INTRODUCTION	1
BACKGROUND	1
GEOGRAPHY	2
SURFACE CLIMATOLOGY	2
CLIMATOLOGY ALOFT	3
CONSTRUCTION OF EDWARDS ANNUAL ATMOSPHERE	4
Model Generation	4
Curve-Fitting Technique	4
EXTREME ATMOSPHERIC PARAMETER RELATIONSHIPS	5
CONSTRUCTION OF EXTREME MODELS	7
Model Generation	7
Curve Fitting Technique	9
SUBROUTINE INFORMATION	10
EQUATIONS USED	10
Equations Used in Generating Profiles	10
Equations Used in Computer Subroutines	12
DATA COMPARISONS	19
HOT AND COLD COMPARISON BY LOCATION	21
CONCLUSIONS	22
REFERENCES	99

LIST OF ILLUSTRATIONS

Figure	Title	Page
1.	NASA Flight Research Center, Edwards, California	23
2.	Edwards AFB monthly mean temperature versus altitude structure	24
3.	Relative deviations of extreme Kennedy Space Center, Florida, density profiles with respect to PRA-63	25
4.	Point Arguello, California, density correlation coefficient profiles, by season, between 2 km and all other altitude levels	26
5.	Seasonal mean and typical extreme temperature profiles representing summer (hot) and winter (cold) conditions over Edwards AFB	27
6.	Temperature profiles of the hot, cold and ERA-75 for Edwards AFB	28
7.	Hot and cold density deviation profiles applicable to Edwards AFB	29
8.	Relative deviations of Edwards hot and cold temperature and pressure profiles with respect to ERA-75.	30
9.	Relative differences of hot and cold temperatures from the US62 for Kennedy Space Center, Vandenberg AFB, and Edwards AFB	31
10.	Relative differences of hot and cold densities from the US62, for Kennedy Space Center, Vandenberg AFB, and Edwards AFB	32

LIST OF TABLES

Table	Title	Page
1.	Edwards AFB Reference Atmosphere 1975 (ERA-75) Versus Geometric Altitude (Annual)	34
2.	Derived Coefficients for Empirical ERA-75 Polynomials	76
3.	Temperature-Altitude Breakpoints Used for the Edwards AFB Hot and Cold Atmosphere Models	77
4.	Virtual Temperature-Temperature Relationship (Mean Difference, ΔT) that Exists Versus Altitude for Hot and Cold Days at Edwards AFB, California	78
5.	Edwards AFB, California, Hot (Summer) Atmosphere, 1975. .	79
6.	Edwards AFB, California, Cold (Winter) Atmosphere, 1975. .	89

DEFINITION OF SYMBOLS AND ABBREVIATIONS

<u>Symbol</u>	<u>Definition</u>
C_s	speed of sound (m s^{-1})
D	atmospheric density (kg m^{-3})
DR	density ratio (percent)
D_0	density at sea level ($1.236178 \text{ kg m}^{-3}$)
e	vapor pressure (mb)
e_s	saturation vapor pressure (mb)
g	acceleration of gravity (m s^{-2})
g_0	acceleration of gravity at sea level (9.80665 m s^{-2})
H	geopotential altitude (geopotential m)
L_k	kinetic temperature gradient dT/dZ (K m^{-1})
L_m	molecular temperature gradient dT_m/dZ (K m^{-1})
M	molecular weight of air (unitless)
M_0	mean molecular weight of air from 0 to 90 km altitude (28.9644)
P	atmospheric pressure (N cm^{-2})
P_0	sea level pressure ($10.1899040 \text{ N cm}^{-2}$)
p	atmospheric pressure (mb)
PR	pressure ratio (percent)
PD	pressure difference (N cm^{-2})

DEFINITION OF SYMBOLS AND ABBREVIATIONS Continued

<u>Symbol</u>	<u>Definition</u>
R^*	universal gas constant ($8.31432 \times 10^3 \text{ m}^2 \text{ s}^{-2} \text{ K}^{-1}$)
$RD(D)$	relative deviation of density (percent) from ERA-74
$RD(P)$	relative deviation of pressure (percent) from ERA-74
$RD(T^*)$	relative deviation of virtual temperature (percent) from ERA-74
RH	relative humidity (percent)
r'	$\left. \begin{array}{l} 6342891 \\ 6348976 \end{array} \right\}$ function of latitude to convert geopotential altitude to geometric altitude (m)
r^*	
S	Sutherland's constant (110.4 K)
T	kinetic temperature (K)
T_m	molecular temperature (K)
T^*	virtual temperature (K)
t	kinetic temperature ($^{\circ}\text{C}$)
Z	geometric altitude (m)
ω	mixing ratio (g kg^{-1})
β	constant used in Sutherland's viscosity equation ($1.458 \times 10^{-6} \text{ kg/s m K}^{1/2}$)
μ	coefficient of viscosity (N s m^{-2})
μ_0	coefficient of viscosity at sea level ($1.778415 \times 10^{-5} \text{ N s m}^{-2}$)
η	kinematic viscosity ($\text{m}^2 \text{ s}^{-1}$)
γ	ratio of specific heat (1.40 unitless)

DEFINITION OF SYMBOLS AND ABBREVIATIONS Concluded

<u>Abbreviation</u>	<u>Meaning</u>
ECA-75	Edwards Cold Atmosphere, 1975
EHA-75	Edwards Hot Atmosphere, 1975
ERA-75	Edwards Reference Atmosphere, 1975
KCA-71	Kennedy Cold Atmosphere, 1971
KHA-71	Kennedy Hot Atmosphere, 1971
PRA-63	Patrick Reference Atmosphere, 1963
VCA-73	Vandenberg Cold Atmosphere, 1973
VHA-73	Vandenberg Hot Atmosphere, 1973
VRA-71	Vandenberg Reference Atmosphere, 1971

HOT, COLD, AND ANNUAL REFERENCE ATMOSPHERES FOR EDWARDS AIR FORCE BASE, CALIFORNIA (1975 VERSION)

INTRODUCTION

This report presents the mean and extreme reference atmospheric models from surface to 90 km altitude¹ that should be used in design studies (launch and re-entry analyses) of aerospace vehicles applicable to the Edwards Air Force Base (AFB), California, region, including the NASA Flight Research Center. The mean model (ERA-75) is an atmosphere giving pressure, temperature, and density on an annual basis. The two extreme atmospheres represent the typical extreme thermodynamic conditions that can exist over Edwards AFB and are designated the Edwards hot atmosphere (EHA-75) (summer type) and Edwards cold atmosphere (ECA-75) (winter type).

The development of the Edwards hot and cold atmospheres is similar to the construction of both the Kennedy Space Center [1] and Vandenberg Air Force Base [2] hot and cold atmospheric models. After the three Edwards atmospheres were generated, each was curve-fitted using a fifth degree polynomial and they were made available as Univac 1108 computer subroutines.

BACKGROUND

As a prelude to the construction of the 1975 Edwards atmospheres, the following was accomplished. An annual Patrick reference atmosphere (PRA-63) [3], and extreme winter (KCA-71) and summer (KHA-71) atmospheres [1], were developed for the Cape Canaveral, Florida, area. The annual Vandenberg AFB, California, reference atmosphere (VRA-71) [4] with extreme winter (VCA-73) and summer (VHA-73) type models [2] was then constructed in response to a need for an atmospheric model at that location. Because of Space Shuttle studies involving the Edwards AFB Test Center, a need for similar atmospheres at this site was realized, resulting in the publication of an extreme winter (ECA-74) and summer (EHA-74) together with an annual Edwards atmosphere (ERA-74) [5]. After the publication of Reference 5, it was discovered that the Edwards AFB (Part I) IRIG Range Reference Atmos-

1. The Edwards (annual) reference atmosphere does extend to 700 km altitude.

phere document [6], which was the document used in modeling the lower levels of the Edwards annual 1974 atmosphere, contained erroneous atmospheres. Therefore, a new 1975 annual atmosphere for Edwards AFB was constructed and is given in this document. The Edwards Hot and Cold atmospheres 1974 as presented in Reference 5 are correct but have been renamed (1975) and are reprinted in this document. Therefore, this document supersedes NASA TM X-64941 [5] and should be used in place of it.

GEOGRAPHY

Edwards Air Force Base is located in the south central part of California on the Mojave Desert at latitude $34^{\circ}55'$ N., longitude $117^{\circ}54'$ W. at an elevation of 706 m (2316 ft) above mean sea level. It is situated approximately 225 km (140 mi) east of Vandenberg AFB, with the Sierra, Nevada, and Coast Range Mountains separating the two sites. Although the distance between these two air bases is small, this geographical obstacle allows Vandenberg a coastal climatology and Edwards an arid, desert surrounding.

Edwards is located on the western end of the Mojave Desert with nearby mountains encompassing it from the northwest, westward through the southeast. Within these quadrants, the mountains are 19 to 64 km (12 to 40 mi) away. In the southern part of the range the mountains have an altitude in excess of 3050 m (10 000 ft).

Edwards AFB occupies 1218 km^2 (301 000 acres) and contains many dry lakes consisting of sun-hardened wind-smoothed clay and silt. Seven natural runways crisscross the 17.7 km (11 mi) length of Rogers Dry Lake providing the Flight Research Center with the ability to handle landings of today's biggest and speediest aircraft, and those envisioned for the future. A 4572 by 91 m (15 000 by 300 ft) concrete runway merging with Rogers Dry Lake can give 19.3 km (12 mi) of available runway. Figure 1 shows the vast, flat, desert lands (with dry lake beds) that surround the NASA Flight Research Center headquarters building. Part of the runway area can be seen between the buildings and distant mountain chain of Figure 1.

SURFACE CLIMATOLOGY

The climate at Edwards is typical of desert regions (see References 7 and 8). During July and August, one can expect a mean of 27 days in which the temperature equals or exceeds 100°F . The highest temperature ever recorded is 113°F , while the lowest is 4°F . The mean annual precipitation is small, being slightly less than 4 in. Most of this, approximately 3.2 in., falls during

the winter months of November through March. The total amount of snowfall is also small, usually totaling approximately 1 in. with most of this occurring during January.

Frontal passages are relatively infrequent in the Edwards AFB area. Edwards is protected by mountain ranges that tend to break up fronts, particularly the Pacific cold fronts or cold type occlusions. Frontal passages generally occur from October through April, with the most intense and greatest number occurring during December through February. Two general types of synoptic conditions have an effect on the weather at Edwards: (1) the Great Basin High pressure cell along with the Thermal Low and (2) the Pacific High pressure cell. The positioning of these three centers either allows or prohibits strong Pacific Ocean frontal passages over the Mojave Desert. The high pressure cells tend to be the governing factor during the winter months, while the thermal low dominates the southwestern United States during the summer months providing good flying weather and no frontal passages. For a more detailed description of the Edwards AFB climatology, please refer to References 1 and 9.

CLIMATOLOGY ALOFT

The climatology of temperature versus altitude for Edwards is similar to that at Vandenberg with the exception of surface and near-surface temperatures for the two sites. The mean summer surface temperature at Edwards is more than 13 K warmer than that at Vandenberg. Also the winter surface mean temperature value at Edwards is approximately 2 K warmer. However, conditions reverse aloft (>5 km during summer and >1 km during winter) with temperatures at Edwards being slightly cooler than at Vandenberg. In comparing the annual mean temperature profiles for both sites, Edwards is more than 7 K warmer at the surface and remains warmer through 3 km. However, above this level annual temperatures at Edwards are cooler, by about 1 K, up through 25 km altitude.

Mean temperatures by month versus altitude for Edwards AFB are shown in Figure 2 as being either cooler or warmer than the annual mean. This relative temperature structure is almost identical to that of Vandenberg [2] with only two minor differences noted. First, the Edwards surface temperatures² indicate a 6 month summer season starting between April and May, while Vandenberg has only a 5 month summer starting between May and June. However, this difference is not noticed at levels above the surface. Secondly, warm temperatures² for winter begin at 13 km for Edwards and at 14 km for Vandenberg.

2. Relative to the annual mean temperature.

CONSTRUCTION OF EDWARDS ANNUAL ATMOSPHERE

Model Generation

The annual Edwards reference atmosphere, 1975 (ERA-75), established by this report used the Uniform Summary of Rawinsonde Observations for Edwards AFB (P.O.R. 1953-1967) and the Vandenberg reference atmosphere [4] as input in construction. Mean temperatures (for annual conditions) were obtained from the Edwards Rawinsonde Summary for the surface, 900 mb, 850 mb, and the other pressure levels aloft. It was then determined that the annual temperature conditions above 3250 m at Edwards were approximately identical to the Vandenberg 1971 model [4], thereby allowing use of the VRA-71 temperatures directly above this level in the modeling process. The mean surface atmospheric pressure was taken from the Revised Uniform Summary of Surface Weather Observations for Edwards AFB (P.O.R. 1962-1972)³. Pressures aloft to 90 km were computed using the hypsometric pressure relationship. Densities were then computed versus altitude using the equation of state. However, using this iterative procedure to compute pressures and densities aloft gave somewhat different values from the VRA-71 [4]. Therefore, this iterative procedure was used only to 3250 m — the altitude where pressure, temperature, and density values approximate the VRA-71 values. Thermodynamic values used above this level are VRA-71 values directly, thereby giving identical atmospheric conditions above 3 km in both the Vandenberg and Edwards annual models. Since the station separation between these two sites is approximately 225 km (140 mi), the thermodynamic conditions aloft should be nearly identical.

Curve-Fitting Technique

The values of pressure, density, temperature, and virtual temperature were subjected to a least-squares curve-fit procedure versus geometric altitude from surface to 81 750 m, the altitude at which the fitted temperature profile intersects the U. S. Standard Atmosphere, 1962. The coefficients generated by this method define a fifth degree polynomial as a function of altitude for each thermodynamic quantity subjected to a curve fit. Using the appropriate polynomial, values of pressure, virtual temperature, kinetic temperature, and density can be computed at any desired altitude. For purposes of this report, tabulated values (Table 1) are given only at discrete altitudes.

3. The Uniform Summary of Rawinsonde Observations and the Uniform Summary of Surface Weather Observations for Edwards AFB can be obtained from NOAA, National Climatic Center, Asheville, NC.

Both kinetic temperature and virtual temperature result from simple curve fits of the quantity versus altitude [see equations (15) and (16) that follow]. Since pressure and density vary logarithmically with height, a slightly different procedure was used in deriving coefficients for these parameters. Instead of curve-fitting linear functions of pressure and density, the quantities

$$\ln \frac{P}{P_1}$$

and

$$\ln \frac{D}{D_1}$$

were curve-fitted as a function of geometric altitude. (Here, P_1 and D_1 are, respectively, 10 N/cm^2 and 1.2172 kg/m^3 .) Therefore, the expressions defining these quantities are exponential functions of the polynomial [see equations (5) and (10) that follow].

In performing the curve fits, each curve is broken into six legs and coefficients are derived for each leg. Therefore, these derived coefficients, as listed in Table 2, are not the same from equation to equation or from leg to leg. In keeping with the procedures of Reference 3, no coefficients are given for virtual temperature or density above the fourth leg (28 250 m). Density is computed above this level via the equation of state.

This annual reference atmosphere is extended to 700 km altitude by integration of basic data from the U.S. Standard Atmosphere, 1962. This extension begins at 81 750 m and assumes an isothermal profile to 90 000 m. In the region from 90 000 to 700 000 m, linear segments of molecular temperature versus altitude are defined by the gradients given in the U.S. Standard Atmosphere, 1962 [9]. Since the Edwards atmospheric profiles are identical to the Vandenberg reference atmosphere, 1971 [4] from 3250 to 700 000 m, the reader should consult this reference if there are further questions concerning procedures followed or equations used within this altitude region.

EXTREME ATMOSPHERIC PARAMETER RELATIONSHIPS

Since the objective of this study is to produce a typical extreme density profile, the question to be answered here is: what actually constitutes a typical extreme atmospheric density profile? The envelopes of extreme density for Cape Kennedy [1], as shown in Figure 3, imply that a typical individual extreme

density profile may be represented by a similarly shaped profile, that is, deviations of density, either all negative or all positive, from sea level to 90 km altitude. However, it is unrealistic for either all low- or all high-density values to occur simultaneously at all altitudes in the atmosphere. Examinations of many individual density profiles show that when large positive deviations (with respect to the mean) of density occur at the surface, correspondingly large negative deviations will occur near 15 km altitude and above. Such a situation occurs during the winter season (cold atmosphere). The reverse is also true — density profiles with large negative deviations at lower levels will have correspondingly large positive deviations at higher levels. This situation occurs in the summer season (hot atmosphere) (Fig. 3).

An idealized vertical temperature profile (associated with an extreme density profile), along with a sea-level pressure value, was used to derive the required pressure versus altitude profile by use of the hypsometric equation. Density was then determined by the ideal gas law. Now, with temperature being the parameter actually used in the modeling program, what is an extreme temperature profile and how are these profiles related to extreme density profiles?

To help answer these questions the National Climatic Center of the National Oceanic and Atmospheric Administration and the U. S. Air Force Environmental Technical Applications Center conducted interlevel and intralevel correlation studies [11,12] on Cape Kennedy, Florida and Vandenberg AFB/Point Arguello, California radiosonde thermodynamic data. The Cape Kennedy interlevel temperature correlation, as a function of altitude, showed a negative correlation between the lower (2 to 10 km) and higher (14 to 19 km) levels. Monthly maximum negative correlations between 4 km and above ranged from -0.345 (at 16 km in July) to -0.735 (at 18 km in May). The interlevel density correlation study for both Vandenberg and Cape Kennedy showed a high negative correlation between the lower (1 to 3 km) and higher (14 to 18 km) levels. For Vandenberg, on a monthly basis, the interlevel correlations between 2 km and above showed a peak negative density correlation occurring at 16 and 17 km from May through November (maximum of -0.837 in June at 17 km) and occurring slightly lower at 14 and 15 km from December through April (maximum of -0.798 in April at 15 km). Figure 4 gives the seasonal and annual interlevel density correlations between 2 km and other levels. It shows density being positively correlated directly below 8 km and negatively correlated above 8 km altitude. The isopycnic (constant density) level is indicated by the zero interlevel correlation near 8 km. Note that a negative correlation exists up to 35 km altitude. Cape Kennedy data showed very similar results. These studies indicated that temperature and density profiles do exhibit negative correlation characteristics of being either of low value near the surface while high near the tropopause, or high near the ground and low aloft.

Cape Kennedy intralevel correlations between temperature and density ranged from -0.929 (September) to -0.980 (December) at the surface. The correlation at the tropopause level ranged from -0.860 (September) to -0.938 (January). These high negative correlations indicate a low temperature — high density, and high temperature — low density relationship both near the earth's surface and at the tropopause level (15 to 18 km).

CONSTRUCTION OF EXTREME MODELS

Model Generation

With the previous correlation relationships in mind, the following procedure was used in the construction of the two Edwards extreme reference atmospheres.

Edwards AFB constant pressure-level radiosonde data (P.O.R. 1/61-5/68) was used in the construction of the hot and cold temperature profiles.⁴ The radiosonde data were visually scanned and extreme temperature profiles were selected as explained in the following.

For the cold "winter type" atmosphere the surface, 900, 850, 800, 750, and 700 mb levels were searched for low (cold) temperatures. Also, the 125, 100, 80, and 70 mb levels were searched for high (hot) temperatures. This searching resulted in the selection of 18 cold temperature profiles (9 cold day and 9 cold night profiles). In most cases profiles with cold temperatures near ground level did exhibit very warm temperatures aloft (near tropopause). This is in keeping with similar results obtained with Vandenberg and Cape Kennedy radiosonde temperature data. Most of the 18 cold temperature profiles were very cold⁵ from ground level through 9 km altitude. From 9 through 14 km, temperatures were more normal with increasing altitude, although they were warming up. Very warm temperatures then prevailed from 14 through 24 km, with temperatures cooling off slowly above this level to the stratopause.

In a similar manner 18 hot temperature profiles were selected (9 day and 9 night profiles) to be used in establishing the hot "summer type" temperature profile. High (hot) temperatures were searched for in the pressure-level

4. Data used above radiosonde levels was taken from Point Mugu, California rocketsonde data [2].

5. All temperatures mentioned here are either cold or hot relative to the annual average.

data close to the ground, and low (cold) temperatures near the tropopause level were also found. The 18 hot temperature profiles selected were all hot (see footnote 5) from surface to 10 km altitude. Temperatures cooled with altitude between 10 and 16 km, and cold temperatures existed between 15 and 17 km altitude. Above this level temperatures warmed with altitude up to the stratopause.

To arrive at one hot and one cold temperature profile, the 36 extreme profiles were plotted versus altitude and two idealized temperature profiles were then determined, based on these extremals and the correlative properties of their vertical structure.

A further example of the "correlative vertical structure properties" is shown in Figure 5. Given here are two actual, observed, extreme temperature profiles that occurred on a summer (7-28-66) and winter (12-14-65) day over Edwards AFB. Also given in Figure 5 are the Edwards mean summer and winter profiles [8] along with the extreme temperature envelopes. It can be seen in this figure that the two extreme "day" profiles follow a similar but more extreme vertical structure than do their respective seasonal profiles; i.e., the cold "day" profile is colder than its seasonal counterpart in the low altitude levels (surface to 9 km). It then became much warmer in the stratosphere (10 to 24 km), and colder again above these levels. The hot "day" profile has a similar but opposite vertical temperature structure when compared to the summer mean profile.

The two extreme temperature profiles selected for use in the Edwards hot and cold atmospheres were modeled not only with this extreme vertical structure in mind, but the earth's surface, tropopause, and stratopause altitude levels were the three key levels used, as breakpoints, in modeling the final vertical temperature profile. First, linear temperature legs were used between the three key altitude levels. Then the temperature profiles were further adjusted with additional linear segments so that the resulting density profiles would be realistic. These two Edwards extreme temperature profiles are shown in Figure 6 and temperature/altitude breakpoints are given in Table 3. A very hot (110° F) surface temperature was used for the final summer model, and a cold (32° F) surface value was used for the winter atmosphere. From 47 to 90 km altitude, for the summer model, temperature values used were taken directly from the Vandenberg hot atmosphere, 1973 [2]. Similarly, from 32 to 90 km altitude, Vandenberg cold atmosphere, 1973 [2] temperatures were used in the cold generating program.

Surface pressure values used, were selected as follows. The range of surface pressure for Edwards AFB varies from 9.20 to 9.56 N/cm² (920 to 956 mb) with a mean annual pressure of 934 mb (see Reference 1, Section 7). Values ± 0.05 N/cm² (± 5 mb) of this mean pressure value were selected to be used in the extreme models, i.e., 9.29 N/cm² (929 mb) for the hot atmosphere and 9.39 N/cm² (939 mb) for the cold atmosphere. These surface pressure values selected are very similar to the Edwards June average of 9.31 N/cm² (931 mb) and the December mean of 9.38 N/cm² (938 mb).

Since virtual temperature (T^*) was used as input in the hypsometric pressure equation, the extreme Edwards surface kinetic temperatures (T) were adjusted to approximate T^* . This was accomplished through the following procedure. Eighteen of the hot summer temperature radiosonde profiles for Edwards were obtained and values of temperature, relative humidity, and pressure were used to compute saturation vapor pressure (e_s) and then T^* . Eighteen of the cold winter profiles were also analyzed separately. The mean difference between T^* and T for the two cases is shown in Table 4 with only slight adjustment. This adjusted mean difference ($\Delta T = T^* - T$) versus altitude was used as a guideline for adding an increment of temperature to the kinetic value on the hot and cold profiles to arrive at virtual temperature versus altitude profiles. The surface hot ΔT used was 1.6 K, with a smaller difference extending up to 7.6 km altitude. The surface cold ΔT had only a small difference, generally about 0.5 K, with a smaller change existing up to 5 km altitude.

Curve Fitting Technique

The values of pressure, density, temperature, and virtual temperature for the Edwards hot and cold profiles were also curve-fitted with fifth degree polynomials from the surface to 90 000 m. This least-squares curve-fitting procedure used on these two extreme atmospheres is identical to that done on the annual model, with the exception that pressure and density were linearly curve-fitted, not logarithmically. That is, the quantities P and D were curve-fitted as a function of geometric altitude. The reason pressure and density were not logarithmically curve-fitted, as was the annual model, is that all the previously constructed hot and cold atmospheres for Kennedy and Vandenberg used a linear fit. Use of a linear fit for pressure and density below 90 km altitude is adequate for the extreme models. However, since all annual models extend to 700 km altitude, a linear fit does not work as well above 90 km and were not used in the annual cases. The hot profile was broken into 11 legs, while the cold model consisted of 9 legs as given in Table 3. Tables 5 and 6 give tabular values at 250 m intervals of the hot and cold Edwards atmospheres, respectively.

SUBROUTINE INFORMATION

The hot (EHA-75) and cold (ECA-75) Edwards computer subroutines were developed using the existing Univac 1108 PRA-63 subroutine [3] as a guide. This procedure was also followed in the construction of the ERA-75 subroutine. The PRA-63 subroutine was revised to fit these new hot and cold Edwards atmospheres, but the methods and functions of these new models were maintained similar to the PRA-63 subroutine. This similarity of all subroutines provides easy utility for the user of computerized atmospheres. Reference 12 gives programmer information pertaining to the similar PRA-63 subroutine. The hot and cold subroutines are in Fortran IV with approximately 600 storage locations. The variable PR has to be dimensioned at least 15 times in the calling program. The same 15 parameters that can be obtained from the PRA-63 are available in the hot, cold, and annual Edwards atmospheres. These 15 parameters are listed below.

<u>PR Call No.</u>	<u>Parameter</u>	<u>Code</u>	<u>Units</u>
PR (1)	= Geometric Altitude	Z	m
PR (2)	= Pressure	PRES	N cm ⁻²
PR (3)	= Kinetic Temperature	TEMPK	K
PR (4)	= Virtual Temperature	TEMPV	K
PR (5)	= Molecular Temperature	TEMPM	K
PR (6)	= Density	DENS	kg m ⁻³
PR (7)	= Viscosity	VISCOS	Ns m ⁻²
PR (8)	= Kinematic Viscosity	VISK	m ² s ⁻¹
PR (9)	= Speed of Sound	SPDSO	ms ⁻¹
PR (10)	= Molecular Weight	MWT	unitless
PR (11)	= Sea Level Pressure	PSL	N cm ⁻²
PR (12)	= Pressure Ratio	PRA	unitless
PR (13)	= Density Ratio	DR	unitless
PR (14)	= Viscosity Ratio	VR	unitless
PR (15)	= Pressure Difference	DELP	N cm ⁻²

EQUATIONS USED

Equations Used in Generating Profiles

As was stated earlier, the hydrostatic and ideal gas equations were used as the two governing atmospheric equations in generating the three models. The

input requirement uses a surface pressure value and a virtual temperature profile. Pressure versus altitude was computed using the following iterative equation:

$$P_i = P_{i-1} \exp \left[\frac{-g_0 M_0 (H_i - H_{i-1})}{R^* \frac{(T_i^* + T_{i-1}^*)}{2}} \right] , \quad (1)$$

where P_{i-1} is the base pressure for the first computation and P_i is the pressure level to be computed, above level $i-1$. This iterative procedure involved an incrementing of 50 m throughout the computation.

Density was computed using the ideal gas law as given in equation (2):

$$D = \frac{10^3 M_0 P}{R^* T^*} . \quad (2)$$

The equation used in converting geometric altitude (Z) to geopotential altitude (H) was

$$H = \frac{Z r^*}{Z + r^*} . \quad (3)$$

The equation used to compute virtual temperature (T^*) in the ΔT computations is taken from Reference 13:

$$T^* = T (1 + 0.61 w) , \quad (4)$$

where

$$w = \frac{0.622e}{p-e} ,$$

$$e = \frac{RH * e_s}{100} ,$$

and

$$e_s = \text{anti } \ln \left[1.80910 + \frac{17.26945t}{237.3 + t} \right] ,$$

where e_s is written from

$$e_s = 6.11 \times 10 \left(\frac{7.5t}{237.3 + t} \right) .$$

See the Definition of Symbols and Abbreviations in the front of this report for the definition of all parameters and constants used in these generation equations.

Equations Used in Computer Subroutines

The following explains the final computation of thermodynamic quantities for the annual Edwards reference atmosphere as listed in Table 1. Analytical equations are presented when applicable. Derived values of the coefficients ($A_0 \dots A_5$) are given in Table 2. Equations similar to these were used in the hot and cold Edwards atmospheric subroutines.

1. Pressure

a. Altitude Region: 706 to 81 750 m

$$P = P_1 \exp(A_0 + A_1Z + A_2Z^2 + A_3Z^3 + A_4Z^4 + A_5Z^5) , \quad (5)$$

where

$$P_1 = 10.0 \text{ N cm}^{-2} .$$

b. Altitude Region: 81 750 to 90 000 m

(1) Analytical Equation

$$P = P_b \exp \left[\frac{-g_0 M_0 r' r^* (Z - Z_b)}{R^* T_b (r^* + Z) (r^* + Z_b)} \right] \quad (6)$$

(2) Computational Equation

$$P = P_b \exp \left[\frac{-1.376598941 \times 10^{12} (Z - Z_b)}{T_b (6348794 + Z) (6348794 + Z_b)} \right] \quad (7)$$

where

P_b = pressure at base

T_b = kinetic temperature at base

Z_b = geometric altitude at base.

c. Altitude Region: 90 000 to 700 000 m

(1) Analytical Equation for $L_m \neq 0$

$$\ln P = \ln P_b + \left[\frac{g_0 M_0 r' r^*}{L_m R^* (r^* + Z) (r^* + Z_b)} \right] \ln \left[\frac{T_{mb}}{T_{mb} + L_m (Z - Z_b)} \right] \quad (8)$$

(2) Computational Equation for $L_m \neq 0$

$$\ln P = \ln P_b + \left[\frac{1.376598941 \times 10^{12}}{L_m (6348794 + Z) (6348794 + Z_b)} \right] \ln \left[\frac{T_{mb}}{T_{mb} + L_m (Z - Z_b)} \right], \quad (9)$$

where T_{mb} equals molecular temperature at base. If L_m equals zero, the analytical equation is the same as equation (6) and the computational equation is the same as equation (7). In this altitude region, however, molecular temperature (T_{mb}) is used instead of kinetic temperature (T_b).

2. Density

a. Altitude Region: 706 to 28 250 m

$$D = D_1 \exp(A_0 + A_1 Z + A_2 Z^2 + A_3 Z^3 + A_4 Z^4 + A_5 Z^5) \quad , \quad (10)$$

where

$$D_1 = 1.2172 \text{ kg m}^{-3} \quad .$$

b. Altitude Region: 28 250 to 700 000 m

(1) Analytical Equation

$$D = \frac{10^4 M_0 P}{R^* T_n} \quad . \quad (11)$$

(2) Computational Equation

$$D = (0.3483676 \times 10^2) \frac{P}{T_n} \quad , \quad (12)$$

where

$$T_n = T \text{ from } 28\,250 \text{ to } 90\,000 \text{ m altitude}$$

$$T_n = T_m \text{ from } 90\,000 \text{ to } 700\,000 \text{ m altitude.}$$

3. Density Ratio

Altitude Region: 706 to 700 000 m

$$DR = D/D_0 \quad , \quad (13)$$

where

$$D_0 = 1.1361175 \quad .$$

4. Pressure Ratio

Altitude Region: 706 to 700 000 m

$$PR = P/P_0 \quad (14)$$

where

$$P_0 = 9.4953873 \quad .$$

5. Virtual Temperature

Altitude Region: 706 to 9950 m

$$T^* = A_0 + A_1Z + A_2Z^2 + A_3Z^3 + A_4Z^4 + A_5Z^5 \quad . \quad (15)$$

Virtual temperature is the same as kinetic temperature above 9950 m altitude.

6. Kinetic Temperature

a. Altitude Region: 706 to 81 750 m

$$T = A_0 + A_1Z + A_2Z^2 + A_3Z^3 + A_4Z^4 + A_5Z^5 \quad . \quad (16)$$

b. Altitude Region: 81 750 to 90 000 m

$$T = T_b + L_k(Z - Z_b) \quad , \quad (17)$$

where

T_b = kinetic temperature at base .

c. Altitude Region: 90 000 to 700 000 m

$$T = \frac{MT_m}{M_0} \quad . \quad (18)$$

7. Molecular Temperature

a. Altitude Region: 706 to 90 000 m

The molecular temperature is equal to the kinetic temperature in this altitude region, since the molecular weight is considered to be of the constant value M_0 .

b. Altitude Region: 90 000 to 700 000 m

$$T_m = T_{mb} + L_m(Z - Z_b) \quad , \quad (19)$$

where

T_{mb} = molecular temperature at base

Z_b = geometric height at base.

8. Coefficient of Viscosity

Altitude Region: 706 to 700 000 m

(1) Analytical Equation

$$\mu = \frac{\beta (T_n)^{3/2}}{T_n + S} \quad . \quad (20)$$

(2) Computational Equation

$$\mu = \frac{1.458 \cdot 10^{-6} (T_n)^{3/2}}{T_n + 110.4} \quad , \quad (21)$$

where

T_n = T from 706 to 90 000 m altitude

T_n = T_m from 90 000 to 700 000 altitude.

9. Kinematic Viscosity

a. Altitude Region: 706 to 90 000 m

$$\eta = \mu/D \quad . \quad (22)$$

b. Altitude Region: 90 000 to 700 000 m

Kinematic viscosity is not computed above 90 000 m altitude.

10. Viscosity Ratio

Altitude Region: 706 to 700 000 m

$$\mu_R = \mu/\mu_0 \quad , \quad (23)$$

where

$$\mu_0 = 1.8004408 \times 10^{-5} \quad . \quad (23)$$

11. Speed of Sound

Altitude Region: 706 to 700 000 m

(1) Analytical Equation

$$C_S = \left[\frac{\gamma R^* T_n}{M_0} \right]^{1/2} \quad . \quad (24)$$

(2) Computational Equation

$$C_S = 20.046707 (T_n)^{1/2} \quad , \quad (25)$$

where

$T_n = T^*$ from 706 to 9950 m altitude

$T_n = T$ from 10 000 to 90 000 m altitude

$T_n = T_m$ from 90 000 to 700 000 m altitude.

12. Pressure Difference

Altitude Region: 706 to 700 000 m

$$PD = P_0 - P \quad . \quad (26)$$

13. Molecular Weight

a. Altitude Region: 706 to 90 000 m

Molecular weight is taken to be of constant value (28.9644) below 90 000 m altitude.

b. Altitude Region: 90 000 to 700 000 m

$$M = M_b + \Delta M (Z - Z_b) \quad , \quad (27)$$

where

M_b = molecular weight at base

ΔM = molecular weight gradient

Z_b = geometric altitude at base.

The equations used in the Edwards hot and cold subroutines are identical to those given above, with the exception of the pressure and density formulas, and different base value constants were used.

DATA COMPARISONS

The wide range of values assumed by the extreme thermodynamic parameters makes it necessary to compute relative comparisons. Such a computation more satisfactorily depicts departures in the higher altitudes where

pressure and density values are small. The relative differences between temperature, pressure, and density values from the atmospheres defined by this report and the annual ERA-75 are computed as follows:

$$RD(T^*) = \frac{T_R - T_S}{T_S} \times 100 \quad , \quad (28)$$

$$RD(P) = \frac{P_R - P_S}{P_S} \times 100 \quad , \quad (29)$$

and

$$RD(D) = \frac{D_R - D_S}{D_S} \times 100 \quad , \quad (30)$$

where the subscript R denotes parameters from the EHA-75 or ECA-75, and the subscript S denotes parameters from the ERA-75.

The two finalized extreme density profiles for Edwards AFB are given in Figure 7. They are shown as relative (percent) deviations from the ERA-75 density values. The two density profiles follow very similar patterns, as did the previously constructed Kennedy and Vandenberg extreme density departures. This comparison is given in the next section. Levels of minimum density variation are noted at approximately 8, 30, and 90 km altitude. Levels of maximum variability occur near the surface, 15 and 74 km. The Edwards hot density profile goes from -9.2 percent at ground level to a peak of 12.2 percent at 16 km, decreasing slightly and then increasing to another peak of 26.4 percent at 74.5 km altitude. The Vandenberg cold density profile is 6.6 percent at the surface and increases to 7.2 percent at 1.25 km. The values then fall to a negative peak of -10.4 percent by 15 km. A slight increase with altitude is followed by another negative peak of -31.1 percent at 72 km altitude. Hot and cold pressure and temperature deviations are given in Figure 8 as percentages from the ERA-75 model. Tables 5 and 6 give the numerical results for all the atmospheric thermodynamic parameters at 250 m intervals.

HOT AND COLD COMPARISON BY LOCATION

A comparison between the three sets of extreme atmospheres (Kennedy Space Center, Vandenberg, and Edwards) is presented as a percentage difference from the U.S. Standard Atmosphere, 1962(US62) [10] in Figures 9 and 10.

Figure 9 gives the vertical temperature profiles of the six extremals as a percent of US62 temperatures. No great differences exist between the three hot or the three cold profiles. Generally, differences are within 5 percent (relative to US62) at most levels below 80 km altitude.

The cold atmospheres have the following properties. At surface level, the greatest difference in temperature is approximately 2 percent between the Vandenberg and Edwards models. At higher altitudes the greatest difference is between the Kennedy and Vandenberg profiles, with a 4.5 percent difference at 9 km, 4.8 percent at 20 km, 4.5 percent at 80 km, and 11.25 percent at 90 km altitude. Above 32 km the Vandenberg and Edwards temperature profiles are identical.

The hot temperature profiles vary by 4.5 percent at the surface between Kennedy and Edwards (3.5 percent between Edwards and Vandenberg). A 4.5 percent difference is also noted between Vandenberg and Kennedy at 15 km and between Vandenberg and Kennedy at 32 km. The largest difference is approximately 5.75 percent between 80 to 90 km altitude for Kennedy and Vandenberg. Above 47 km the Vandenberg and Edwards temperature profiles are identical.

Given in Figure 10 are the density comparisons between the three sets of profiles, relative to the US62 density values. Again the profiles are very similar to one another, as shown in the figure. Cold profile comparisons indicate extreme percentage differences as follows. A 2 percent difference exists between Edwards and Vandenberg at the surface. Vandenberg/Kennedy differences became quite large at certain altitudes. Some of these extreme differences are 21 percent at 90 km, 8 percent at 80 km, and 7.5 percent at 16 km. Kennedy/Edwards differences are as much as 5 percent at 49 km and 4.5 percent at 32 km.

Hot density profiles vary up to 3.75 percent at the surface (Edwards/Kennedy). Vandenberg/Kennedy differences aloft increase to 4 percent at 15 km, 14 percent at 80 km, and 25 percent at 90 km. Edwards/Vandenberg differences range up to 6.75 percent as shown at 30 km altitude. One will notice that there are differences between the Edwards and Vandenberg pressure and density profiles at the altitude levels of equal temperature values. This is

because, even though temperatures are identical, pressures and densities may be somewhat different because they are computed by an iterative scheme based on the computed pressure of the previous level.

CONCLUSIONS

The atmospheres defined by this report provide a consistent set of thermodynamic parameters representative of mean and extreme conditions over Edwards AFB to 90 km altitude. The results presented here are the most current and complete tabulations of thermodynamic profiles for the Edwards area. These reference atmospheres are subject to future revisions as more frequent and accurate measurements are obtained. It is recommended that these atmospheres be used in space vehicle design, performance, heating, and trajectory studies applicable to Edwards Air Force Base, California.

The ERA-75, EHA-75, and ECA-75 have been programmed under those designations as computer subroutines and are available, upon request, from the MSFC Aerospace Environment Division of the Space Sciences Laboratory. The two subroutines will operate similarly to those previously issued to qualified requesters (i.e., the VRA-71 subroutine of Reference 4).

The nine atmospheric subroutines currently on file in the MSFC Aerospace Environment Division are listed below (with appropriate calling code):

<u>Subroutine Title</u>	<u>Subroutine Call Code</u>
1. Patrick Reference Atmosphere, 1963	PRA63
2. Vandenberg Reference Atmosphere, 1971	VRA71
3. Kennedy Hot Atmosphere, 1971	KHA71
4. Kennedy Cold Atmosphere, 1971	KCA71
5. Vandenberg Hot Atmosphere, 1973	VHA73
6. Vandenberg Cold Atmosphere, 1973	VCA73
7. Edwards Reference Atmosphere, 1975	ERA75
8. Edwards Hot Atmosphere, 1975	EHA75
9. Edwards Cold Atmosphere, 1975	ECA75

Although this report presents pressure, temperature, and density values, other associated parameters may be of interest to users (i.e., the coefficient of viscosity, kinematic viscosity, speed of sound, etc.). These parameters can easily be obtained through the use of their respective equations as given in this report. However, the three Edwards computerized subroutines will give all the parameters listed here.

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR



Figure 1. NASA Flight Research Center, Edwards, California.




Figure 2. Edwards AFB monthly mean temperature versus altitude structure (areas designated as cool and warm are either cooler or warmer, respectively, than the annual mean temperature.)




Figure 3. Relative deviations (percent) of extreme Kennedy Space Center, Florida density profiles with respect to PRA-63.




Figure 4. Point Arguello, California, density correlation coefficient profiles, by season, between 2 km and all other altitude levels.




Figure 5. Seasonal mean and typical extreme temperature profiles representing summer (hot) and winter (cold) conditions over Edwards AFB.




Figure 6. Temperature profiles of the hot, cold and ERA-75 for Edwards AFB.




Figure 7. Hot and cold density deviation profiles (as percent of ERA-75) applicable to Edwards AFB.




Figure 8. Relative deviations (percent) of Edwards hot and cold temperature and pressure profiles with respect to ERA-75.




Figure 9. Relative (percent) differences of hot and cold temperatures from the US62 for Kennedy Space Center, Vandenberg AFB, and Edwards AFB.




Figure 10. Relative (percent) differences of hot and cold densities from the US62, for Kennedy Space Center, Vandenberg AFB, and Edwards AFB.

NOTES ON TABULAR VALUES IN TABLES 1, 2, 5, AND 6

The two-digit numbers that are preceded by the plus or minus sign indicate the power of 10 by which the respective principal value must be multiplied. For example, a tabular value indicated as:

$2.8588177 + 02$ is 285.88177

and

$1.5663607 - 05$ is 0.000015663607

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

TABLE 1. EDWARDS AFB REFERENCE ATMOSPHERE 1974 (ERA-75)
VERSUS GEOMETRIC ALTITUDE (ANNUAL)

GEOMETRIC ALTITUDE meters	VIRTUAL TEMPERATURE degrees K	KINETIC TEMPERATURE degrees K	PRESSURE newtons cm ⁻²	DENSITY kg m ⁻³	KINEMATIC VISCOSITY m ² sec ⁻¹	COEFFICIENT OF VISCOSITY newton-sec m ⁻²	SPEED OF SOUND m sec ⁻¹
7500	247.26638+22	248.927295+22	9.3427799+22	1.1210561+00	1.60379931-05	1.7947948-05	3.4154145+02
7500	249.33188+22	248.939135+22	9.2712412+22	1.11188514+00	1.6119432-05	1.7953588-05	3.4157999+02
10000	249.08886+22	248.93519+22	9.2517636+22	1.0829572+00	1.6576782-05	1.7851144-05	3.4085917+02
12500	249.12784+22	248.93169+22	9.2345787+22	1.0549052+00	1.6979237-05	1.7711481-05	3.4085917+02
15000	247.75031+22	248.726215+22	8.4493283+22	1.0289489+00	1.7346732-05	1.7850926-05	3.4004269+02
17500	246.24936+22	248.583208+22	8.2523770+22	1.0040772+00	1.7709570-05	1.7781773-05	3.3916991+02
20000	244.69736+22	248.435157+22	8.0721822+22	9.7979598-01	1.8075130-05	1.7705940-05	3.3824919+02
22500	243.14573+22	248.285765+22	7.8977682+22	9.5555149-01	1.8450102-05	1.7637403-05	3.3732619+02
25000	241.59264+22	248.135777+22	7.7381504+22	9.3257174-01	1.8833743-05	1.7563817-05	3.3639978+02
27500	240.05187+22	247.982219+22	7.5812316+22	9.0973094-01	1.92233458-05	1.7488175-05	3.3545832+02
30000	238.49172+22	247.821671+22	7.4232344+22	8.8743099-01	1.9618973-05	1.7410485-05	3.3449617+02
32500	236.96736+22	247.676821+22	7.2649423+22	8.6652073-01	2.0010280-05	1.7339323-05	3.3362540+02
35000	235.48408+22	247.527428+22	7.1079781+22	8.4471642-01	2.0439693-05	1.7265744-05	3.3271895+02
37500	233.92165+22	247.374133+22	6.9533458+22	8.2337508-01	2.0879945-05	1.7189999-05	3.3178614+02
40000	232.35939+22	247.217236+22	6.8010397+22	8.0276189-01	2.1316059-05	1.7112362-05	3.3082994+02
42500	230.77383+22	247.057486+22	6.6502661+22	7.8254602-01	2.1766137-05	1.7033248-05	3.2985264+02
45000	229.16441+22	246.895171+22	6.5025949+22	7.6280038+01	2.2233744-05	1.6952198-05	3.2885576+02
47500	227.44516+22	246.732261+22	6.3578363+22	7.4352594+01	2.2699357-05	1.6869903-05	3.2784033+02
50000	225.71617+22	246.563136+22	6.2166555+22	7.2468608+01	2.3163579-05	1.6786241-05	3.2680885+02
52500	223.94543+22	246.393697+22	6.0783321+22	7.0625996+01	2.3647245-05	1.6701102-05	3.2575546+02
55000	222.12337+22	246.221941+22	5.9428251+22	6.8825586+01	2.4140392-05	1.6614577-05	3.2468598+02
57500	220.25664+22	246.047824+22	5.8101415+22	6.7064270+01	2.4642721-05	1.6526562-05	3.2359808+02
60000	218.34939+22	245.871178+22	5.6806270+22	6.5338062+01	2.5151518-05	1.6443732-05	3.2249129+02
62500	216.39848+22	245.692248+22	5.5545514+22	6.3650990+01	2.5677380-05	1.6345961-05	3.2138515+02
65000	214.41553+22	245.511228+22	5.4316673+22	6.2012655+01	2.6209540-05	1.6253232-05	3.2021933+02
67500	212.39127+22	245.328066+22	5.3115458+22	6.0402508+01	2.6751979-05	1.6158845-05	3.1905367+02
70000	210.32229+22	245.143470+22	5.1945308+22	5.8827969+01	2.7304716-05	1.6062801-05	3.1786835+02
72500	208.20921+22	244.949304+22	5.0823832+22	5.7287399+01	2.7868495-05	1.5965136-05	3.1666397+02
75000	206.05984+22	244.755555+22	4.9749796+22	5.5780281+01	2.8443735-05	1.5865939-05	3.1544169+02
77500	203.88255+22	244.563731+22	4.8729124+22	5.4304728+01	2.9031288-05	1.5765356-05	3.1420329+02
80000	201.67449+22	244.368493+22	4.7777986+22	5.2859770+01	2.9632266-05	1.5663867-05	3.1295134+02
82500	199.43591+22	244.172125+22	4.6895584+22	5.1444454+01	3.0246140-05	1.5560991-05	3.1168929+02
85000	197.178051+22	243.975626+22	4.6056147+22	5.0050633+01	3.0880927-05	1.5457932-05	3.1042164+02
87500	194.90218+22	243.779914+22	4.5247912+22	4.8694761+01	3.1532769-05	1.5354842-05	3.0915401+02
90000	192.609345+22	243.586414+22	4.44721907+22	4.7357311+01	3.2202424-05	1.5252424-05	3.0789330+02
92500	190.29591+22	243.395644+22	4.3733727+22	4.6042111+01	3.2767477-05	1.5151336-05	3.0664783+02

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ²
700	1.0200000000	1.0000000000	9.9999999999	2.8964400000	0.0300000
750	9.9999999999	9.9999999999	1.0000000000	2.8964400000	4.9534440000
1000	9.9999999999	9.9999999999	1.0000000000	2.8964400000	3.2315800000
1250	9.9999999999	9.9999999999	9.9999999999	2.8964400000	5.8621597000
1500	9.9999999999	9.9999999999	9.9999999999	2.8964400000	8.4146657000
1750	8.8326292000	8.8326292000	9.9999999999	2.8964400000	1.0974171000
2000	8.5723369000	8.5723369000	9.9999999999	2.8964400000	1.3335767000
2250	8.3181017000	8.3181017000	9.9999999999	2.8964400000	1.5710767000
2500	8.0701440000	8.0701440000	9.9999999999	2.8964400000	1.8206389000
2750	7.8284060000	7.8284060000	9.9999999999	2.8964400000	2.0706363000
3000	7.5928890000	7.5928890000	9.9999999999	2.8964400000	2.2904510000
3250	7.3756284000	7.3756284000	9.9999999999	2.8964400000	2.4931377000
3500	7.1511132000	7.1511132000	9.9999999999	2.8964400000	2.6810869000
3750	6.9232845000	6.9232845000	9.9999999999	2.8964400000	2.8554992000
4000	6.7191079000	6.7191079000	9.9999999999	2.8964400000	3.0049141000
4250	6.5112939000	6.5112939000	9.9999999999	2.8964400000	3.2587289000
4500	6.3087370000	6.3087370000	9.9999999999	2.8964400000	3.4479331000
4750	6.1112963000	6.1112963000	9.9999999999	2.8964400000	3.6235844000
5000	5.9188380000	5.9188380000	9.9999999999	2.8964400000	3.8121291000
5250	5.7312362000	5.7312362000	9.9999999999	2.8964400000	3.9973624000
5500	5.5483769000	5.5483769000	9.9999999999	2.8964400000	4.1581699000
5750	5.3721430000	5.3721430000	9.9999999999	2.8964400000	4.3244545000
6000	5.1964314000	5.1964314000	9.9999999999	2.8964400000	4.4849150000
6250	5.0227162000	5.0227162000	9.9999999999	2.8964400000	4.6450435000
6500	4.8621650000	4.8621650000	9.9999999999	2.8964400000	4.7991276000
6750	4.7044600000	4.7044600000	9.9999999999	2.8964400000	4.9492494000
7000	4.5494115000	4.5494115000	9.9999999999	2.8964400000	5.0954863000
7250	4.3924347000	4.3924347000	9.9999999999	2.8964400000	5.2379117000
7500	4.2439640000	4.2439640000	9.9999999999	2.8964400000	5.3765953000
7750	4.0994280000	4.0994280000	9.9999999999	2.8964400000	5.5116025000
8000	3.9587822000	3.9587822000	9.9999999999	2.8964400000	5.6429844000
8250	3.8219000000	3.8219000000	9.9999999999	2.8964400000	5.7736366000
8500	3.6887810000	3.6887810000	9.9999999999	2.8964400000	5.8951803000
8750	3.5593463000	3.5593463000	9.9999999999	2.8964400000	6.0162825000
9000	3.4333373000	3.4333373000	9.9999999999	2.8964400000	6.1335963000
9250	3.3113047000	3.3113047000	9.9999999999	2.8964400000	6.2477729000

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	KINEMATIC VISCOSITY	COEFFICIENT OF VISCOSITY	SPEED OF SOUND
meters	degrees K	degrees K	newtons cm ⁻²	kg m ⁻³	m ² sec ⁻¹	newton-sec m ⁻²	m sec ⁻¹
9500	20321.212+02	20321.212+04	2.6921325+05	4.4779724-01	3.43630763-05	1.4552644-05	3.0512747+02
9750	20333.142+02	20333.142+04	2.6794481+05	4.3471910-01	3.44906635-05	1.4495122-05	3.0424374+02
10000	20345.072+02	20345.072+04	2.67126815+05	4.22202641-01	3.45177524-05	1.44859917-05	3.0303224+02
10250	20357.294+02	20357.294+04	2.6686894+05	4.10271175-01	3.45466632-05	1.44756593-05	3.0174992+02
10500	20369.495+02	20369.495+04	2.66674507+05	3.98031000-01	3.45838961-05	1.44663012-05	3.0059970+02
10750	20381.947+02	20381.947+04	2.6646369+05	3.8576578-01	3.4774273-05	1.44579731+02	2.9957021+02
11000	20393.979+02	20393.979+04	2.6624741+05	3.7353754-01	3.48832351-05	1.44505341-05	2.9865008+02
11250	20407.197+02	20407.197+04	2.6607856+05	3.6139731-01	3.49925998-05	1.44438906-05	2.9782811+02
11500	20420.308+02	20420.308+04	2.6592297+05	3.49339109-01	4.11560094-05	1.44379541-05	2.9709336+02
11750	20433.540+02	20433.540+04	2.6577497+05	3.37558875-01	4.2441150-05	1.44326384-05	2.9643523+02
12000	20446.813+02	20446.813+04	2.6563222+05	3.2593935-01	4.3868243-05	1.44278611+05	2.9584359+02
12250	20460.147+02	20460.147+04	1.9595661+05	3.1454643-01	4.55257340-05	1.44235441-05	2.9530880+02
12500	20473.550+02	20473.550+04	1.8939979+05	3.0341834-01	4.74837367-05	1.44196146-05	2.9482191+02
12750	20487.022+02	20487.022+04	1.8111822+05	2.9256849-01	4.96399111-05	1.44160255-05	2.9437462+02
13000	20500.552+02	20500.552+04	1.7475243+05	2.8201040-01	5.2002246-05	1.4412442-05	2.9395944+02
13250	20514.140+02	20514.140+04	1.6729394+05	2.717553-01	5.45186693-05	1.44095129-05	2.9356972+02
13500	20527.782+02	20527.782+04	1.599281+05	2.6180781-01	5.7373735-05	1.44065293-05	2.9319973+02
13750	20541.472+02	20541.472+04	1.5445922+05	2.5217112-01	5.5663322-05	1.44036677-05	2.9284460+02
14000	20555.210+02	20555.210+04	1.4939231+05	2.4284485-01	5.7666966-05	1.44008983-05	2.9250124+02
14250	20569.002+02	20569.002+04	1.4455133+05	2.3382597-01	5.9779659-05	1.43982012-05	2.9216660+02
14500	20582.842+02	20582.842+04	1.399281+05	2.2510912-01	6.1995074-05	1.43955657-05	2.9183955+02
14750	20596.732+02	20596.732+04	1.3551367+05	2.1668889-01	6.4285924-05	1.43929917-05	2.9152007+02
15000	20610.672+02	20610.672+04	1.3126344+05	2.0855068-01	6.6679154-05	1.43904901-05	2.9120953+02
15250	20624.662+02	20624.662+04	1.2727948+05	2.0066008-01	6.9166167-05	1.43880825-05	2.9091062+02
15500	20638.702+02	20638.702+04	1.2342350+05	1.9306801-01	7.1770177-05	1.43858033-05	2.9062759+02
15750	20652.792+02	20652.792+04	1.1982524+05	1.8574007-01	7.4496472-05	1.43836983-05	2.9036617+02
16000	20666.932+02	20666.932+04	1.1743324+05	1.7852758-01	7.7356002-05	1.43818273-05	2.9013377+02
16250	20681.122+02	20681.122+04	1.1532625+05	1.7173747-01	8.0373311-05	1.43802628-05	2.8993942+02
16500	20695.362+02	20695.362+04	1.1339216+05	1.6505515-01	8.3553362-05	1.43790912-05	2.8979387+02
16750	20709.652+02	20709.652+04	1.1162774+05	1.5856594-01	8.6799960-05	1.43784177-05	2.8970969+02
17000	20723.992+02	20723.992+04	1.1002847+05	1.5225177-01	9.0086717-05	1.43783456-05	2.8970124+02
17250	20738.382+02	20738.382+04	1.0855124+05	1.4610026-01	9.3433317-05	1.43790102-05	2.8978981+02
17500	20752.822+02	20752.822+04	1.0716608+05	1.4011111-01	9.6834932-05	1.43805742-05	2.8997836+02
17750	20767.312+02	20767.312+04	1.0581754+05	1.3424960-01	1.0033328-04	1.43831811-05	2.9030193+02
18000	20781.852+02	20781.852+04	1.0451844+05	1.2851184-01	1.0372833-04	1.43872081-05	2.9077721+02
18250	20796.442+02	20796.442+04	1.0326521+05	1.2321339-01	1.0717171-04	1.43888502-05	2.9100594+02

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ⁻²
9500	3.1925646E-01	3.591678E-01	0.386877E-01	2.8964400E+01	6.3566625E+00
9750	3.277347E-01	3.677348E-01	8.3336722E-01	2.8964400E+01	6.4666340E+00
10000	2.966215E-01	3.7641314E-01	8.2794574E-01	2.8964400E+01	6.5721135E+00
10250	2.8563622E-01	3.859793E-01	8.221611E-01	2.8964400E+01	6.6727256E+00
10500	2.7502603E-01	3.955551E-01	8.1697463E-01	2.8964400E+01	6.7725499E+00
10750	2.6471375E-01	3.991111E-01	8.1233504E-01	2.8964400E+01	6.8681585E+00
11000	2.5476141E-01	3.9326225E-01	8.0281899E-01	2.8964400E+01	6.9611208E+00
11250	2.4513817E-01	3.8223731E-01	7.92448838E-01	2.8964400E+01	7.0510094E+00
11500	2.3586365E-01	3.7116641E-01	7.8211627E-01	2.8964400E+01	7.1376940E+00
11750	2.2684647E-01	3.6211294E-01	7.708219E-01	2.8964400E+01	7.2218451E+00
12000	2.1816796E-01	3.5074421E-01	7.5955748E-01	2.8964400E+01	7.3029329E+00
12250	2.0977961E-01	3.40058195E-01	7.49315195E-01	2.8964400E+01	7.3812269E+00
12500	2.0169567E-01	3.27005547E-01	7.39096257E-01	2.8964400E+01	7.4566797E+00
12750	1.9386952E-01	3.0937718E-01	7.3095173E-01	2.8964400E+01	7.5297127E+00
13000	1.8636619E-01	2.95155457E-01	7.23708562E-01	2.8964400E+01	7.6000427E+00
13250	1.7710352E-01	2.8241137E-01	7.16533428E-01	2.8964400E+01	7.6678556E+00
13500	1.7210262E-01	2.7333301E-01	7.0937192E-01	2.8964400E+01	7.7332197E+00
13750	1.6535962E-01	2.62444188E-01	7.0227731E-01	2.8964400E+01	7.7962028E+00
14000	1.5886476E-01	2.51662265E-01	7.00353447E-01	2.8964400E+01	7.8568718E+00
14250	1.5261028E-01	2.40657763E-01	7.79953174E-01	2.8964400E+01	7.9152337E+00
14500	1.4650934E-01	2.3009022E-01	7.7756333E-01	2.8964400E+01	7.9715340E+00
14750	1.4037945E-01	1.9328921E-01	7.7612917E-01	2.8964400E+01	8.0256582E+00
15000	1.3422241E-01	1.666311E-01	7.7473538E-01	2.8964400E+01	8.0777307E+00
15250	1.2858831E-01	1.7951793E-01	7.7339395E-01	2.8964400E+01	8.1278151E+00
15500	1.2472253E-01	1.7223394E-01	7.721242E-01	2.8964400E+01	8.1759741E+00
15750	1.1974626E-01	1.653847E-01	7.7395124E-01	2.8964400E+01	8.2222498E+00
16000	1.1498248E-01	1.5933352E-01	7.6998873E-01	2.8964400E+01	8.2667235E+00
16250	1.1043629E-01	1.5531933E-01	7.690377E-01	2.8964400E+01	8.3095125E+00
16500	1.0603784E-01	1.4723262E-01	7.6838446E-01	2.8964400E+01	8.3505578E+00
16750	1.0170764E-01	1.414441E-01	7.6803678E-01	2.8964400E+01	8.3920175E+00
17000	9.7733346E-02	1.3641478E-01	7.6796899E-01	2.8964400E+01	8.4278865E+00
17250	9.3841522E-02	1.3333161E-01	7.6834363E-01	2.8964400E+01	8.4642408E+00
17500	9.2135915E-02	1.2498252E-01	7.6921176E-01	2.8964400E+01	8.4991341E+00
17750	8.6521056E-02	1.1975375E-01	7.706633E-01	2.8964400E+01	8.5326195E+00
18000	8.3081413E-02	1.146323E-01	7.7279535E-01	2.8964400E+01	8.5647445E+00
18250	7.9775353E-02	1.0992641E-01	7.7382168E-01	2.8964400E+01	8.5956298E+00

QUALITY OF THE
ORIGINAL PAGE IS POOR

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	KINEMATIC VISCOSITY	COEFFICIENT OF VISCOSITY	SPEED OF SOUND
meters	degrees K	degrees K	newtons cm ⁻²	kg m ⁻³	m ² sec ⁻¹	newton-sec m ⁻²	m sec ⁻¹
1650.	2.1099521+02	2.1197521+02	7.1625661-01	1.1024420-01	1.1758372-04	1.3703352-05	2.9119329+02
16750.	2.1131225+02	2.1131225+02	6.6683317+00-01	1.1344795-01	1.2273399-04	1.3921197-05	2.9141183+02
16900.	2.1166622+02	2.1166622+02	6.1655533-01	1.0662160-01	1.2810381-04	1.3941304-05	2.9165773+02
17250.	2.1226218+02	2.1226218+02	6.3557137-01	1.0347159-01	1.3377896-04	1.3762723-05	2.9197240+02
17500.	2.1244813+02	2.1244813+02	6.1456615-01	1.0008931-01	1.3737375-04	1.3786055-05	2.9221677+02
17750.	2.1272641+02	2.1272641+02	5.6665436-01	9.5471841-02	1.4598788-04	1.4010726-05	2.9252287+02
20500.	2.1339162+02	2.1339162+02	5.6398333-01	9.2151165-02	1.5253866-04	1.4036472-05	2.9284225+02
22250.	2.1387214+02	2.1387214+02	5.4191571-01	8.8226679-02	1.5939668-04	1.4063040-05	2.9317178+02
24500.	2.1436370+02	2.1436370+02	5.2072262-01	8.4564651-02	1.6656414-04	1.4092192-05	2.9350850+02
26750.	2.1486231+02	2.1486231+02	5.0003865-01	8.1130870-02	1.7466301-04	1.4117706-05	2.9384960+02
28000.	2.1539418+02	2.1539418+02	4.8056911-01	7.7770514-02	1.8188514-04	1.4145373-05	2.9419263+02
28250.	2.1586564+02	2.1586564+02	4.6211632-01	7.4578129-02	1.9039231-04	1.4173303-05	2.9453507+02
28500.	2.1636406+02	2.1636406+02	4.4494927-01	7.1523728-02	1.9854126-04	1.4200411-05	2.9487477+02
28750.	2.1685577+02	2.1685577+02	4.2897114-01	6.8032822-02	2.0738867-04	1.4227448-05	2.9520978+02
29000.	2.1733842+02	2.1733842+02	4.1454543-01	6.5425716-02	2.1659138-04	1.4253967-05	2.9553833+02
29250.	2.1781769+02	2.1781769+02	3.9963971-01	6.3114779-02	2.2615638-04	1.4279888-05	2.9585891+02
29500.	2.1826928+02	2.1826928+02	3.7947157-01	6.0591502-02	2.3609067-04	1.4304983-05	2.9617020+02
29750.	2.1871344+02	2.1871344+02	3.6493144-01	5.8153776-02	2.4640246-04	1.4329283-05	2.9647112+02
29900.	2.1914380+02	2.1914380+02	3.5059534-01	5.5825716-02	2.5709958-04	1.4352693-05	2.9676744+02
29950.	2.1953175+02	2.1953175+02	3.3763641-01	5.3600409-02	2.6819108-04	1.4375152-05	2.9703307+02
29950.	2.1994521+02	2.1994521+02	3.2482966-01	5.1474152-02	2.7968686-04	1.4396644-05	2.9730506+02
29950.	2.2032124+02	2.2032124+02	3.1255132-01	4.9491865-02	2.9159841-04	1.4417169-05	2.9755910+02
29950.	2.2068338+02	2.2068338+02	3.0077467-01	4.7498946-02	3.0393812-04	1.4436741-05	2.9780133+02
29950.	2.2102236+02	2.2102236+02	2.8947946-01	4.5584658-02	3.1672055-04	1.4455397-05	2.9803321+02
29950.	2.2134934+02	2.2134934+02	2.7866120-01	4.3663223-02	3.2976225-04	1.4473238-05	2.9825256+02
29950.	2.2166262+02	2.2166262+02	2.6824270-01	4.2161762-02	3.4368256-04	1.4492261-05	2.9846354+02
29950.	2.2196423+02	2.2196423+02	2.5823416-01	4.0322336-02	3.5793303-04	1.4506670-05	2.9866653+02
29950.	2.2226667+02	2.2226667+02	2.4866273-01	3.8970771-02	3.7265097-04	1.4522573-05	2.9886320+02
29950.	2.2254294+02	2.2254294+02	2.3944900-01	3.7473797-02	3.8795445-04	1.4538126-05	2.9905561+02
29950.	2.2286507+02	2.2286507+02	2.3053321-01	3.6371182-02	4.0364834-04	1.4553533-05	2.9924613+02
29950.	2.2311140+02	2.2311140+02	2.2215897-01	3.5379303-04	4.2037229-04	1.4568495-05	2.9943738+02
29950.	2.2340222+02	2.2340222+02	2.1365474-01	3.4331123-02	4.37957205-04	1.4584768-05	2.9963242+02
29950.	2.2370983+02	2.2370983+02	2.0593560-01	3.255122-02	4.5550339-04	1.4601121-05	2.9983461+02
29950.	2.2402197+02	2.2402197+02	1.9839600-01	3.0826228-02	4.74421811-04	1.4618355-05	3.0003476+02
29950.	2.2436256+02	2.2436256+02	1.9094714-01	2.9414506-02	4.9379501-04	1.4636801-05	3.0027575+02
29950.	2.2473233+02	2.2473233+02	1.8391144-01	2.8497772-02	5.1431122-04	1.4656641-05	3.0052319+02

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ⁻²
18500	7.6602477-12	1.547528-11	7.7462246-01	2.8964400-01	8.6245384+00
18750	7.3697344-12	1.5311973-11	7.7584334-01	2.8964400-01	8.6244032+00
19000	7.0823879-12	9.47073413-12	7.7674711-01	2.8964400-01	8.6724373+00
19250	6.8057774-12	9.4313126-12	7.7793712-01	2.8964400-01	8.7350812+00
19500	6.5396591-12	8.4232555-12	7.7925734-01	2.8964400-01	8.7299389+00
19750	6.2837753-12	8.5626077-12	7.8063161-01	2.8964400-01	8.7538406+00
20000	6.0376443-12	7.6202259-12	7.8206650-01	2.8964400-01	8.7764120+00
20250	5.8016247-12	7.6722231-12	7.8354638-01	2.8964400-01	8.7988793+00
20500	5.5747525-12	7.5456049-12	7.8503919-01	2.8964400-01	8.8203687+00
20750	5.3572219-12	7.42349715-12	7.8659218-01	2.8964400-01	8.8404084+00
21000	5.1480514-12	6.9333267-12	7.8813369-01	2.8964400-01	8.8592593+00
21250	4.9476291-12	6.6652641-12	7.8967299-01	2.8964400-01	8.8786490+00
21500	4.7553691-12	6.4832365-12	7.9122244-01	2.8964400-01	8.8966057+00
21750	4.5712354-12	5.1195143-12	7.9278665-01	2.8964400-01	8.9138240+00
22000	4.3943094-12	5.0702533-12	7.9418421-01	2.8964400-01	8.9303316+00
22250	4.2246675-12	5.0632312-12	7.9562621-01	2.8964400-01	8.9461563+00
22500	4.0629003-12	5.4048433-12	7.9702666-01	2.8964400-01	8.9613245+00
22750	3.9068663-12	5.1674555-12	7.9838254-01	2.8964400-01	8.9758636+00
23000	3.7576641-12	4.9797431-12	7.9964478-01	2.8964400-01	8.9897994+00
23250	3.6146433-12	4.7612674-12	8.0093626-01	2.8964400-01	9.0031158+00
23500	3.4775373-12	4.5916214-12	8.0213368-01	2.8964400-01	9.0159653+00
23750	3.3466784-12	4.4123171-12	8.0327727-01	2.8964400-01	9.0282446+00
24000	3.2203117-12	4.2373349-12	8.0436774-01	2.8964400-01	9.0400203+00
24250	3.0993661-12	4.0712594-12	8.0539723-01	2.8964400-01	9.0513155+00
24500	2.9833666-12	3.9126677-12	8.0639958-01	2.8964400-01	9.0621529+00
24750	2.8717113-12	3.7639186-12	8.0734974-01	2.8964400-01	9.0725542+00
25000	2.7644765-12	3.6135686-12	8.0824398-01	2.8964400-01	9.0825409+00
25250	2.6621076-12	3.4732591-12	8.0914989-01	2.8964400-01	9.0921329+00
25500	2.5633424-12	3.3427426-12	8.1001662-01	2.8964400-01	9.1013350+00
25750	2.4688580-12	3.2149558-12	8.1087469-01	2.8964400-01	9.1102120+00
26000	2.3774017-12	3.0918509-12	8.1173654-01	2.8964400-01	9.1187360+00
26250	2.2894744-12	2.9732355-12	8.1261534-01	2.8964400-01	9.1269403+00
26500	2.2048839-12	2.8593335-12	8.1352645-01	2.8964400-01	9.1348413+00
26750	2.1233696-12	2.7497036-12	8.1446871-01	2.8964400-01	9.1424551+00
27000	2.0447633-12	2.6440745-12	8.1541555-01	2.8964400-01	9.1497978+00
27250	1.9684052-12	2.5420784-12	8.1646291-01	2.8964400-01	9.1568836+00

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	KINEMATIC VISCOSITY	COEFFICIENT OF VISCOSITY	SPEED OF SOUND
m	K	K	N cm ⁻²	kg m ⁻³	m ² s ⁻¹	N s m ⁻²	m s ⁻¹
27500.	2.2513896+02	2.2513896+02	1.7704938-01	2.7373095-02	5.358576e-04	1.4678800-05	3.0079484+02
27750.	2.2558981+02	2.2558981+02	1.7045980-01	2.6324278-02	5.5853995-04	1.4703159-05	3.0109587+02
28000.	2.2609358+02	2.2609358+02	1.6405777-01	2.5289117-02	5.8287784-04	1.4730351-05	3.0143187+02
28250.	2.2627700+02	2.2627700+02	1.5804113-01	2.4331204-02	6.0582093-04	1.4740353-05	3.0155845+02
28500.	2.2691562+02	2.2691562+02	1.5228885-01	2.3379836-02	6.3194050-04	1.4774666-05	3.0197935+02
28750.	2.2753574+02	2.2753574+02	1.4675423-01	2.2468741-02	6.5905110-04	1.4808049-05	3.0239170+02
29000.	2.2814065+02	2.2814065+02	1.4142899-01	2.1596011-02	6.8719054-04	1.4840579-05	3.0279339+02
29250.	2.2873169+02	2.2873169+02	1.3630517-01	2.0759829-02	7.1639884-04	1.4872317-05	3.0318535+02
29500.	2.2931017+02	2.2931017+02	1.3113790-01	1.9958480-02	7.4671774-04	1.4903351-05	3.0356850+02
29750.	2.2987726+02	2.2987726+02	1.2663138-01	1.9190358-02	7.7818982-04	1.4933791-05	3.0394344+02
30000.	2.3043928+02	2.3043928+02	1.2204891-01	1.8453921-02	8.1046040-04	1.4963553-05	3.0431145+02
30250.	2.3098234+02	2.3098234+02	1.1767484-01	1.7777772-02	8.4477689-04	1.4992845-05	3.0467333+02
30500.	2.3152265+02	2.3152265+02	1.1344859-01	1.7070386-02	8.7988755-04	1.5021727-05	3.0502947+02
30750.	2.3206435+02	2.3206435+02	1.0938177-01	1.6420609-02	9.1654390-04	1.5050207-05	3.0538084+02
31000.	2.3258450+02	2.3258450+02	1.0546830-01	1.5797158-02	9.5498846-04	1.5078363-05	3.0572815+02
31250.	2.3310822+02	2.3310822+02	1.0170230-01	1.5198888-02	9.9370716-04	1.5106253-05	3.0607217+02
31500.	2.3362848+02	2.3362848+02	9.8078093-02	1.4624599-02	1.0348272-03	1.5133933-05	3.0641354+02
31750.	2.3414630+02	2.3414630+02	9.4950244-02	1.4073328-02	1.0773184-03	1.5161455-05	3.0675292+02
32000.	2.3466267+02	2.3466267+02	9.1233502-02	1.3544035-02	1.1214437-03	1.5188873-05	3.0709098+02
32250.	2.3517847+02	2.3517847+02	8.8002827-02	1.3035774-02	1.1672675-03	1.5216234-05	3.0742830+02
32500.	2.3569462+02	2.3569462+02	8.4893359-02	1.2547633-02	1.2148576-03	1.5243587-05	3.0776544+02
32750.	2.3621191+02	2.3621191+02	8.1900433-02	1.2078754-02	1.2642838-03	1.5270974-05	3.0810302+02
33000.	2.3673119+02	2.3673119+02	7.9019569-02	1.1628319-02	1.3156171-03	1.5298438-05	3.0844149+02
33250.	2.3725320+02	2.3725320+02	7.6246430-02	1.1196544-02	1.3689393-03	1.5326021-05	3.0878137+02
33500.	2.3777848+02	2.3777848+02	7.3574879-02	1.0779448-02	1.4243231-03	1.5353759-05	3.0912313+02
33750.	2.3830832+02	2.3830832+02	7.1004897-02	1.0380041-02	1.4818523-03	1.5381489-05	3.0946722+02
34000.	2.3884268+02	2.3884268+02	6.8532867-02	9.9959356-03	1.5416105-03	1.5409379-05	3.0981379+02
34250.	2.3938245+02	2.3938245+02	6.6150483-02	9.6257225-03	1.6036866-03	1.5438246-05	3.1016387+02
34500.	2.3992809+02	2.3992809+02	6.3856785-02	9.2717927-03	1.6681707-03	1.5466933-05	3.1051715+02
34750.	2.4048017+02	2.4048017+02	6.1648170-02	8.9305596-03	1.7351574-03	1.5495928-05	3.1087421+02
35000.	2.4103908+02	2.4103908+02	5.9521349-02	8.602478-03	1.807490-03	1.5525252-05	3.1123525+02
35250.	2.4160527+02	2.4160527+02	5.7473165-02	8.2869834-03	1.8770312-03	1.5554926-05	3.1160058+02
35500.	2.4217903+02	2.4217903+02	5.5500577-02	7.9835990-03	1.9521228-03	1.5584965-05	3.1197035+02
35750.	2.4276074+02	2.4276074+02	5.3600777-02	7.6918292-03	2.0301270-03	1.5615388-05	3.1234880+02
36000.	2.4335058+02	2.4335058+02	5.1770554-02	7.4112084-03	2.1111540-03	1.5646202-05	3.1272402+02
36250.	2.4394878+02	2.4394878+02	5.0007814-02	7.1412449-03	2.1953186-03	1.5677419-05	3.1310818+02

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ⁻²
27500.	1.8950498-E2	2.4435215-E2	8.1785449-E1	2.8964400-E1	9.1637266-E00
27750.	1.8244826-E2	2.3431603-E2	8.1921166-E1	2.8964400-E1	9.1703402-E00
28000.	1.7560577-E2	2.2353418-E2	8.2672672-E1	2.8964400-E1	9.1747372-E00
28250.	1.6919451-E2	2.1753945-E2	8.2128450-E1	2.8964400-E1	9.1827538-E00
28500.	1.6303629-E2	2.0855355-E2	8.2319581-E1	2.8964400-E1	9.1895061-E00
28750.	1.5711127-E2	2.0042584-E2	8.2505580-E1	2.8964400-E1	9.1940408-E00
29000.	1.5141682-E2	1.9240393-E2	8.2686365-E1	2.8964400-E1	9.1983869-E00
29250.	1.4592246-E2	1.8518199-E2	8.2863665-E1	2.8964400-E1	9.2024489-E00
29500.	1.4064658-E2	1.7803379-E2	8.3036576-E1	2.8964400-E1	9.2062419-E00
29750.	1.3558079-E2	1.7118198-E2	8.3205896-E1	2.8964400-E1	9.2097837-E00
30000.	1.3068158-E2	1.6461261-E2	8.3372024-E1	2.8964400-E1	9.2130844-E00
30250.	1.2597947-E2	1.5831337-E2	8.3535317-E1	2.8964400-E1	9.2161201-E00
30500.	1.2145494-E2	1.5227139-E2	8.3696128-E1	2.8964400-E1	9.2188944-E00
30750.	1.1712011-E2	1.4647524-E2	8.3854837-E1	2.8964400-E1	9.2214132-E00
31000.	1.1291149-E2	1.4091893-E2	8.4011681-E1	2.8964400-E1	9.2236344-E00
31250.	1.0887970-E2	1.3557697-E2	8.4167080-E1	2.8964400-E1	9.2255927-E00
31500.	1.0499973-E2	1.3045147-E2	8.4321450-E1	2.8964400-E1	9.2273464-E00
31750.	1.0126573-E2	1.2553731-E2	8.4474844-E1	2.8964400-E1	9.2288947-E00
32000.	9.7672095-E3	1.2081561-E2	8.4627410-E1	2.8964400-E1	9.2302414-E00
32250.	9.4213423-E3	1.1628181-E2	8.4777957-E1	2.8964400-E1	9.2313921-E00
32500.	9.0844512-E3	1.1192749-E2	8.4932256-E1	2.8964400-E1	9.2323444-E00
32750.	8.7603346-E3	1.0774530-E2	8.5084847-E1	2.8964400-E1	9.2330946-E00
33000.	8.4496492-E3	1.0372232-E2	8.5234870-E1	2.8964400-E1	9.2336444-E00
33250.	8.1627346-E3	9.9866579-E3	8.5391549-E1	2.8964400-E1	9.2340485-E00
33500.	7.8769397-E3	9.6187040-E3	8.5546097-E1	2.8964400-E1	9.2343181-E00
33750.	7.6018045-E3	9.2592126-E3	8.5701713-E1	2.8964400-E1	9.2344680-E00
34000.	7.3469262-E3	8.9165443-E3	8.5856468-E1	2.8964400-E1	9.2345235-E00
34250.	7.0818903-E3	8.5872366-E3	8.6016835-E1	2.8964400-E1	9.2344915-E00
34500.	6.8363330-E3	8.2736318-E3	8.6176649-E1	2.8964400-E1	9.2343322-E00
34750.	6.5998846-E3	7.9642418-E3	8.6332119-E1	2.8964400-E1	9.2339468-E00
35000.	6.3721843-E3	7.6735884-E3	8.6484481-E1	2.8964400-E1	9.2334244-E00
35250.	6.1529201-E3	7.3921614-E3	8.6644937-E1	2.8964400-E1	9.2327719-E00
35500.	5.9417402-E3	7.1215362-E3	8.6803308-E1	2.8964400-E1	9.2320444-E00
35750.	5.7383421-E3	6.8612706-E3	8.7003811-E1	2.8964400-E1	9.2311943-E00
36000.	5.5442449-E3	6.6185614-E3	8.7148464-E1	2.8964400-E1	9.2302344-E00
36250.	5.3537600-E3	6.3731838-E3	8.7349425-E1	2.8964400-E1	9.2291872-E00

TABLE 1. (Continued)

GEOMETRIC ALTITUDE m	VIRTUAL TEMPERATURE K	KINETIC TEMPERATURE K	PRESSURE N cm ⁻²	DENSITY kg m ⁻³	KINEMATIC VISCOSITY m ² s ⁻¹	COEFFICIENT OF VISCOSITY N s m ⁻²	SPEED OF SOUND m s ⁻¹
36500.	2.4455551+02	2.4455551+02	4.0307561-02	6.0816628-03	2.2827397-03	1.5709035-05	3.1349728+02
36750.	2.4517081+02	2.4517081+02	4.06673421-02	6.0319099-03	2.3753367-03	1.5741081-05	3.1389141+02
37000.	2.4579478+02	2.4579478+02	4.1004980-02	6.0319099-03	2.4678352-03	1.5773532-05	3.1429059+02
37250.	2.4642734+02	2.4642734+02	4.13577927-02	6.1604967-03	2.5657657-03	1.5806391-05	3.1469475+02
37500.	2.4706894+02	2.4706894+02	4.1711425-02	5.9301104-03	2.6674571-03	1.5839655-05	3.1510383+02
37750.	2.4771795+02	2.4771795+02	4.2073376-02	5.7241461-03	2.7730451-03	1.5873315-05	3.1551775+02
38000.	2.4837562+02	2.4837562+02	3.9334365-02	5.5182770-03	2.8826474-03	1.5907357-05	3.1593631+02
38250.	2.4904134+02	2.4904134+02	3.8033008-02	5.3201682-03	2.9964661-03	1.5941774-05	3.1635592+02
38500.	2.4971464+02	2.4971464+02	3.6765949-02	5.1275829-03	3.1145088-03	1.5976541-05	3.1678678+02
38750.	2.5039520+02	2.5039520+02	3.5551949-02	4.9461700-03	3.2371772-03	1.6011638-05	3.1721817+02
39000.	2.5108264+02	2.5108264+02	3.4377026-02	4.7666810-03	3.3643858-03	1.6047047-05	3.1765333+02
39250.	2.5177642+02	2.5177642+02	3.3244945-02	4.5998438-03	3.4943657-03	1.6082736-05	3.1809188+02
39500.	2.5247596+02	2.5247596+02	3.2152425-02	4.4349078-03	3.6332720-03	1.6118676-05	3.1853347+02
39750.	2.5318066+02	2.5318066+02	3.1099123-02	4.2771288-03	3.7752428-03	1.6154834-05	3.1897770+02
40000.	2.5388779+02	2.5388779+02	3.0031500-02	4.1277733-03	3.9225942-03	1.6191175-05	3.1942109+02
40250.	2.5460265+02	2.5460265+02	2.9103085-02	3.9821156-03	4.0751351-03	1.6227659-05	3.1987221+02
40500.	2.5531831+02	2.5531831+02	2.8157561-02	3.8419422-03	4.2333378-03	1.6264239-05	3.2032146+02
40750.	2.5603400+02	2.5603400+02	2.7245622-02	3.7070438-03	4.3972707-03	1.6300875-05	3.2077135+02
41000.	2.5675467+02	2.5675467+02	2.6364920-02	3.5772217-03	4.5670959-03	1.6337515-05	3.2122122+02
41250.	2.5747322+02	2.5747322+02	2.5515322-02	3.4522888-03	4.7437034-03	1.6374100-05	3.2167039+02
41500.	2.5819072+02	2.5819072+02	2.4695310-02	3.3320508-03	4.9250704-03	1.6410585-05	3.2211827+02
41750.	2.5890562+02	2.5890562+02	2.3903754-02	3.2163407-03	5.1135444-03	1.6446901-05	3.2256405+02
42000.	2.5961737+02	2.5961737+02	2.3139577-02	3.1098844-03	5.3085585-03	1.6482991-05	3.2300700+02
42250.	2.6032399+02	2.6032399+02	2.2401751-02	2.9978198-03	5.5102642-03	1.6518786-05	3.2344627+02
42500.	2.6102928+02	2.6102928+02	2.1689277-02	2.8946891-03	5.7188231-03	1.6554215-05	3.2388102+02
42750.	2.6171676+02	2.6171676+02	2.1001402-02	2.7954413-03	5.9343778-03	1.6589205-05	3.2431035+02
43000.	2.6239988+02	2.6239988+02	2.0338609-02	2.6999312-03	6.1570753-03	1.6623680-05	3.2473332+02
43250.	2.6307198+02	2.6307198+02	1.9694617-02	2.6060190-03	6.3870540-03	1.6657558-05	3.2514692+02
43500.	2.6373138+02	2.6373138+02	1.9074375-02	2.5179590-03	6.6244502-03	1.6690740-05	3.2555619+02
43750.	2.6437621+02	2.6437621+02	1.8475071-02	2.4349534-03	6.8693002-03	1.6723187-05	3.2595394+02
44000.	2.6500711+02	2.6500711+02	1.7895922-02	2.3525465-03	7.1219733-03	1.6754759-05	3.2633116+02
44250.	2.6561485+02	2.6561485+02	1.7336182-02	2.2737298-03	7.3873087-03	1.6785375-05	3.2671662+02
44500.	2.6620956+02	2.6620956+02	1.6795124-02	2.1978076-03	7.6504980-03	1.6814934-05	3.2707910+02
44750.	2.6677182+02	2.6677182+02	1.6272054-02	2.1249082-03	7.92666201-03	1.6843340-05	3.2742741+02
45000.	2.6731429+02	2.6731429+02	1.5766303-02	2.0546643-03	8.2107314-03	1.6870714-05	3.2776014+02
45250.	2.6783983+02	2.6783983+02	1.5277242-02	1.9871184-03	8.5028871-03	1.6896244-05	3.2807405+02

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ⁻²
36520	5.171897E-3	6.138586E-3	8.752563E-1	2.896440E+01	9.292485E+00
36750	4.996724E-3	5.915831E-3	8.777413E-1	2.896440E+01	9.294121E+00
37000	4.827959E-3	5.714491E-3	8.788493E-1	2.896440E+01	9.295698E+00
37250	4.665337E-3	5.495271E-3	8.826821E-1	2.896440E+01	9.297217E+00
37500	4.508622E-3	5.266917E-3	8.825335E-1	2.896440E+01	9.298680E+00
37750	4.357923E-3	5.046537E-3	8.844089E-1	2.896440E+01	9.300091E+00
38000	4.212243E-3	4.822417E-3	8.863356E-1	2.896440E+01	9.301453E+00
38250	4.071717E-3	4.595718E-3	8.882232E-1	2.896440E+01	9.302762E+00
38500	3.936447E-3	4.375644E-3	8.901633E-1	2.896440E+01	9.304025E+00
38750	3.806542E-3	4.162089E-3	8.921156E-1	2.896440E+01	9.305243E+00
39000	3.680319E-3	3.954654E-3	8.940872E-1	2.896440E+01	9.306417E+00
39250	3.559272E-3	3.753156E-3	8.960771E-1	2.896440E+01	9.307550E+00
39500	3.442152E-3	3.557367E-3	8.980796E-1	2.896440E+01	9.308642E+00
39750	3.329387E-3	3.367271E-3	9.000943E-1	2.896440E+01	9.309695E+00
40000	3.220619E-3	3.182596E-3	9.021194E-1	2.896440E+01	9.310711E+00
40250	3.115698E-3	3.002129E-3	9.041513E-1	2.896440E+01	9.311691E+00
40500	3.014471E-3	2.827923E-3	9.061894E-1	2.896440E+01	9.312637E+00
40750	2.916823E-3	2.658762E-3	9.082312E-1	2.896440E+01	9.313549E+00
41000	2.822556E-3	2.495951E-3	9.102724E-1	2.896440E+01	9.314430E+00
41250	2.731667E-3	2.337951E-3	9.123113E-1	2.896440E+01	9.315279E+00
41500	2.643312E-3	2.182235E-3	9.143438E-1	2.896440E+01	9.316099E+00
41750	2.559277E-3	2.030242E-3	9.163672E-1	2.896440E+01	9.316891E+00
42000	2.477259E-3	1.881716E-3	9.183781E-1	2.896440E+01	9.317654E+00
42250	2.398273E-3	1.737117E-3	9.203724E-1	2.896440E+01	9.318393E+00
42500	2.321994E-3	1.596122E-3	9.223464E-1	2.896440E+01	9.319105E+00
42750	2.248331E-3	1.459351E-3	9.242959E-1	2.896440E+01	9.319793E+00
43000	2.177181E-3	1.326934E-3	9.262168E-1	2.896440E+01	9.320464E+00
43250	2.108451E-3	1.198437E-3	9.281193E-1	2.896440E+01	9.321100E+00
43500	2.042355E-3	1.074753E-3	9.299542E-1	2.896440E+01	9.321720E+00
43750	1.977896E-3	9.55632E-4	9.317613E-1	2.896440E+01	9.322319E+00
44000	1.915846E-3	8.395244E-4	9.335201E-1	2.896440E+01	9.322891E+00
44250	1.855964E-3	7.282143E-4	9.352259E-1	2.896440E+01	9.323458E+00
44500	1.798541E-3	6.196561E-4	9.368728E-1	2.896440E+01	9.323999E+00
44750	1.742416E-3	5.149546E-4	9.384655E-1	2.896440E+01	9.324520E+00
45000	1.687697E-3	4.132828E-4	9.399764E-1	2.896440E+01	9.325032E+00
45250	1.635348E-3	3.172553E-4	9.414031E-1	2.896440E+01	9.325517E+00

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	KINEMATIC VISCOSITY	COEFFICIENT OF VISCOSITY	SPEED OF SOUND
m	K	K	N cm ⁻²	kg m ⁻³	m ² s ⁻¹	N s m ⁻²	m s ⁻¹
45500.	2.6831589+02	2.6831589+02	1.4804243-02	1.7221071-03	8.6031073-03	1.6920515-05	3.2837361+02
45750.	2.6877010+02	2.6877010+02	1.4346717-02	1.6555644-03	9.1114908-03	1.6943176-05	3.2865143+02
46000.	2.6918990+02	2.6918990+02	1.3949100-02	1.7799376-03	9.4277728-03	1.6944107-05	3.2890799+02
46250.	2.6957262+02	2.6957262+02	1.3475842-02	1.7414774-03	9.7521639-03	1.6983175-05	3.2914172+02
46500.	2.6991556+02	2.6991556+02	1.3041420-02	1.6457774-03	1.0084514-02	1.7000250-05	3.2935102+02
46750.	2.7021588+02	2.7021588+02	1.2660328-02	1.4321943-03	1.0724973-02	1.7015195-05	3.2953420+02
47000.	2.7047061+02	2.7047061+02	1.2320811-02	1.5806507-03	1.0772863-02	1.7027864-05	3.2969948+02
47250.	2.7067679+02	2.7067679+02	1.1996217-02	1.5310719-03	1.1128226-02	1.7038115-05	3.2981512+02
47500.	2.7083127+02	2.7083127+02	1.1532281-02	1.4933069-03	1.1491138-02	1.7045793-05	3.2990922+02
47750.	2.7093109+02	2.7093109+02	1.1179850-02	1.4375232-03	1.1841202-02	1.7050763-05	3.2997801+02
48000.	2.7097250+02	2.7097250+02	1.0838504-02	1.3934194-03	1.2238103-02	1.7052811-05	3.2999623+02
48250.	2.7095242+02	2.7095242+02	1.0507849-02	1.3510100-03	1.2521330-02	1.7051613-05	3.2999381+02
48500.	2.7086734+02	2.7086734+02	1.0148750-02	1.3102339-03	1.3011101-02	1.7047586-05	3.2993119+02
48750.	2.7071362+02	2.7071362+02	9.8707076-03	1.2710335-03	1.3506371-02	1.7039946-05	3.2983786+02
49000.	2.7048761+02	2.7048761+02	9.5727799-03	1.2333525-03	1.3806848-02	1.7028710-05	3.2969984+02
49250.	2.7063017+02	2.7063017+02	9.2694900-03	1.1932114-03	1.4277267-02	1.7035798-05	3.2978672+02
49500.	2.7084949+02	2.7084949+02	8.9989748-03	1.1562804-03	1.4742712-02	1.7046708-05	3.2992044+02
49750.	2.7102480+02	2.7102480+02	8.7184679-03	1.1204972-03	1.5219250-02	1.7055909-05	3.3002707+02
50000.	2.7115462+02	2.7115462+02	8.4550115-03	1.0862549-03	1.5707140-02	1.7041957-05	3.3010733+02
50250.	2.7124635+02	2.7124635+02	8.1992726-03	1.0530505-03	1.6206643-02	1.7046413-05	3.3016149+02
50500.	2.7139508+02	2.7139508+02	7.9510153-03	1.0209828-03	1.6718042-02	1.7048833-05	3.3019159+02
50750.	2.7130383+02	2.7130383+02	7.7100180-03	9.9000460-04	1.7241404-02	1.7049248-05	3.3019692+02
51000.	2.7127369+02	2.7127369+02	7.4760436-03	9.6007037-04	1.7777425-02	1.7047771-05	3.3017857+02
51250.	2.7120574+02	2.7120574+02	7.2489410-03	9.3113661-04	1.8326417-02	1.7046398-05	3.3013724+02
51500.	2.7110114+02	2.7110114+02	7.0264473-03	9.0316230-04	1.8868301-02	1.7059201-05	3.3007355+02
51750.	2.7094078+02	2.7094078+02	6.8143876-03	8.7610901-04	1.9463592-02	1.7052229-05	3.2998409+02
52000.	2.7078585+02	2.7078585+02	6.6045708-03	8.4993924-04	2.0052452-02	1.7043536-05	3.2988156+02
52250.	2.7065727+02	2.7065727+02	6.4049138-03	8.2441827-04	2.0555821-02	1.7033188-05	3.2975448+02
52500.	2.7033617+02	2.7033617+02	6.2089363-03	8.0011204-04	2.1273493-02	1.7021178-05	3.2960754+02
52750.	2.7006436+02	2.7006436+02	6.0187683-03	7.7638931-04	2.1700334-02	1.7007611-05	3.2944124+02
53000.	2.6974022+02	2.6974022+02	5.8341918-03	7.5341944-04	2.2553860-02	1.6992517-05	3.2925623+02
53250.	2.6942744+02	2.6942744+02	5.6549499-03	7.3117352-04	2.3217394-02	1.6978944-05	3.2905309+02
53500.	2.6906612+02	2.6906612+02	5.4809709-03	7.0962404-04	2.3897073-02	1.6959738-05	3.2883237+02
53750.	2.6867717+02	2.6867717+02	5.3119200-03	6.8874508-04	2.4593730-02	1.6938542-05	3.2859461+02
54000.	2.6824164+02	2.6824164+02	5.1478915-03	6.6851094-04	2.5306703-02	1.6917008-05	3.2834092+02
54250.	2.6780707+02	2.6780707+02	4.9866446-03	6.4886941-04	2.6037628-02	1.6895776-05	3.2807031+02

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ⁻²
4550.	1.5449019E-23	1.714595E-23	9.427554E-01	2.894440E+01	9.325970E+00
4575.	1.5359214E-23	1.6597929E-23	9.440181E-01	2.894440E+01	9.326448E+00
4600.	1.4883350E-23	1.6053087E-23	9.451842E-01	2.894440E+01	9.326808E+00
4625.	1.4420267E-23	1.5534342E-23	9.462467E-01	2.894440E+01	9.327319E+00
4650.	1.398423E-23	1.5037495E-23	9.471944E-01	2.894440E+01	9.327733E+00
4675.	1.3553812E-23	1.455912E-23	9.480307E-01	2.894440E+01	9.328137E+00
4700.	1.3138155E-23	1.4094733E-23	9.487364E-01	2.894440E+01	9.328522E+00
4725.	1.2735765E-23	1.3657465E-23	9.493327E-01	2.894440E+01	9.328898E+00
4750.	1.2346145E-23	1.324111E-23	9.497355E-01	2.894440E+01	9.329262E+00
4775.	1.1968812E-23	1.282336E-23	9.501193E-01	2.894440E+01	9.329615E+00
4800.	1.160391E-23	1.242591E-23	9.503268E-01	2.894440E+01	9.329955E+00
4825.	1.124941E-23	1.205124E-23	9.503734E-01	2.894440E+01	9.330287E+00
4850.	1.0905462E-23	1.1687559E-23	9.498354E-01	2.894440E+01	9.330607E+00
4875.	1.057415E-23	1.1337503E-23	9.494297E-01	2.894440E+01	9.330917E+00
4900.	1.025213E-23	1.100174E-23	9.487473E-01	2.894440E+01	9.331218E+00
4925.	9.9236627E-24	1.0683633E-23	9.478644E-01	2.894440E+01	9.331525E+00
4950.	9.6243167E-24	1.0374261E-23	9.467665E-01	2.894440E+01	9.331805E+00
4975.	9.3337536E-24	9.7991157E-24	9.4552713E-01	2.894440E+01	9.332076E+00
5000.	9.0517045E-24	9.0896173E-24	9.440319E-01	2.894440E+01	9.332340E+00
5025.	8.777173E-24	8.3934289E-24	9.4258445E-01	2.894440E+01	9.332595E+00
5050.	8.512139E-24	7.707374E-24	9.4121929E-01	2.894440E+01	9.332844E+00
5075.	8.2591347E-24	7.033074E-24	9.401435E-01	2.894440E+01	9.333084E+00
5100.	8.003669E-24	6.363273E-24	9.3929413E-01	2.894440E+01	9.333318E+00
5125.	7.7655183E-24	5.705921E-24	9.387611E-01	2.894440E+01	9.333546E+00
5150.	7.5244638E-24	5.0563955E-24	9.384263E-01	2.894440E+01	9.333766E+00
5175.	7.295271E-24	4.4135245E-24	9.3829413E-01	2.894440E+01	9.333980E+00
5200.	7.0728143E-24	3.7816444E-24	9.3829413E-01	2.894440E+01	9.334188E+00
5225.	6.8588167E-24	3.1557664E-24	9.384263E-01	2.894440E+01	9.334390E+00
5250.	6.647117E-24	2.5377157E-24	9.387364E-01	2.894440E+01	9.334586E+00
5275.	6.4435293E-24	1.9255543E-24	9.3929413E-01	2.894440E+01	9.334776E+00
5300.	6.2450727E-24	1.3184264E-24	9.397364E-01	2.894440E+01	9.334960E+00
5325.	6.0531741E-24	7.0522219E-24	9.401435E-01	2.894440E+01	9.335142E+00
5350.	5.8676727E-24	4.3249939E-24	9.404405E-01	2.894440E+01	9.335319E+00
5375.	5.6887647E-24	3.6119743E-24	9.407364E-01	2.894440E+01	9.335493E+00
5400.	5.511121E-24	2.9042644E-24	9.412546E-01	2.894440E+01	9.335667E+00
5425.	5.3437185E-24	2.2073208E-24	9.413778E-01	2.894440E+01	9.335841E+00

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	KINEMATIC VISCOSITY	COEFFICIENT OF VISCOSITY	SPEED OF SOUND
m	K	K	N cm ⁻²	kg m ⁻³	m ² s ⁻¹	N s m ⁻²	m s ⁻¹
54500.	2.673555+02	2.673555+02	4.834046+03	6.298845+04	2.673463+02	1.687249+05	3.277848+02
54500.	2.668487+02	2.668487+02	4.833949+03	6.111473+04	2.755429+02	1.684799+05	3.274495+02
55000.	2.663523+02	2.663523+02	4.536248+03	5.935643+04	2.831112+02	1.682337+05	3.271598+02
56250.	2.658178+02	2.658178+02	4.396791+03	5.762216+04	2.914772+02	1.679552+05	3.268414+02
55500.	2.652623+02	2.652623+02	4.259471+03	5.569394+04	2.997473+02	1.676768+05	3.264997+02
56750.	2.646846+02	2.646846+02	4.126165+03	5.430657+04	3.082273+02	1.673878+05	3.261452+02
58000.	2.640915+02	2.640915+02	3.976760+03	5.272173+04	3.169241+02	1.670887+05	3.257784+02
56250.	2.634781+02	2.634781+02	3.871145+03	5.118389+04	3.256455+02	1.667801+05	3.253998+02
54500.	2.628470+02	2.628470+02	3.749211+03	4.967061+04	3.349975+02	1.664623+05	3.250100+02
56750.	2.621995+02	2.621995+02	3.630855+03	4.824083+04	3.443881+02	1.661357+05	3.246093+02
57000.	2.615392+02	2.615392+02	3.515975+03	4.683303+04	3.540251+02	1.658007+05	3.241982+02
57250.	2.608571+02	2.608571+02	3.404730+03	4.546587+04	3.633163+02	1.654547+05	3.237773+02
57500.	2.601641+02	2.601641+02	3.296251+03	4.413779+04	3.727072+02	1.651069+05	3.233469+02
57750.	2.594573+02	2.594573+02	3.191219+03	4.284776+04	3.824981+02	1.647488+05	3.229075+02
58000.	2.587362+02	2.587362+02	3.089282+03	4.159443+04	3.925049+02	1.643839+05	3.224594+02
58250.	2.580069+02	2.580069+02	2.990365+03	4.037662+04	4.026265+02	1.640124+05	3.220035+02
58500.	2.572647+02	2.572647+02	2.894437+03	3.919336+04	4.125040+02	1.636346+05	3.215399+02
58750.	2.565112+02	2.565112+02	2.801221+03	3.804358+04	4.229185+02	1.632510+05	3.210680+02
59000.	2.557482+02	2.557482+02	2.710847+03	3.692547+04	4.338582+02	1.628619+05	3.205910+02
59250.	2.549767+02	2.549767+02	2.623183+03	3.583927+04	4.453229+02	1.624672+05	3.201068+02
59500.	2.541958+02	2.541958+02	2.538051+03	3.478332+04	4.569382+02	1.620687+05	3.196164+02
59750.	2.534074+02	2.534074+02	2.455021+03	3.375660+04	4.689125+02	1.616661+05	3.191205+02
60000.	2.526112+02	2.526112+02	2.375495+03	3.275851+04	4.822584+02	1.612565+05	3.186192+02
60250.	2.518101+02	2.518101+02	2.297744+03	3.178808+04	5.059904+02	1.608446+05	3.181137+02
60500.	2.510023+02	2.510023+02	2.222379+03	3.084453+04	5.201217+02	1.604291+05	3.176025+02
60750.	2.501893+02	2.501893+02	2.149290+03	2.992705+04	5.346456+02	1.600102+05	3.170877+02
61000.	2.493719+02	2.493719+02	2.078901+03	2.903981+04	5.494365+02	1.595838+05	3.165691+02
61250.	2.485498+02	2.485498+02	2.009652+03	2.814700+04	5.650545+02	1.591636+05	3.160470+02
61500.	2.477244+02	2.477244+02	1.942982+03	2.732359+04	5.809502+02	1.587365+05	3.155218+02
61750.	2.468940+02	2.468940+02	1.878334+03	2.650397+04	5.973155+02	1.583071+05	3.149938+02
62000.	2.460651+02	2.460651+02	1.815450+03	2.570513+04	6.141798+02	1.578759+05	3.144638+02
62250.	2.452322+02	2.452322+02	1.754876+03	2.492709+04	6.315625+02	1.574428+05	3.139307+02
62500.	2.443978+02	2.443978+02	1.695954+03	2.417460+04	6.494828+02	1.570083+05	3.133962+02
62750.	2.435623+02	2.435623+02	1.638403+03	2.344035+04	6.679471+02	1.565729+05	3.128609+02
63000.	2.427263+02	2.427263+02	1.581477+03	2.272650+04	6.870127+02	1.561358+05	3.123265+02
63250.	2.418905+02	2.418905+02	1.529815+03	2.203225+04	7.066839+02	1.556980+05	3.117841+02

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ⁻²
54500	5.175197E-04	5.016711E-04	9.406777E-01	2.096440E+01	9.335961E+00
54750	5.014514E-04	5.454237E-04	9.387149E-01	2.096440E+01	9.336111E+00
55000	4.856521E-04	5.294745E-04	9.372853E-01	2.096440E+01	9.336256E+00
55250	4.717851E-04	5.142210E-04	9.357929E-01	2.096440E+01	9.336398E+00
55500	4.580273E-04	4.989911E-04	9.344245E-01	2.096440E+01	9.336535E+00
55750	4.441736E-04	4.844259E-04	9.332632E-01	2.096440E+01	9.336668E+00
56000	4.276862E-04	4.702956E-04	9.306637E-01	2.096440E+01	9.336798E+00
56250	4.114342E-04	4.565722E-04	9.292441E-01	2.096440E+01	9.336923E+00
56500	4.013603E-04	4.432546E-04	9.274734E-01	2.096440E+01	9.337048E+00
56750	3.887495E-04	4.303103E-04	9.256537E-01	2.096440E+01	9.337164E+00
57000	3.764107E-04	4.177637E-04	9.237870E-01	2.096440E+01	9.337279E+00
57250	3.644735E-04	4.055644E-04	9.218755E-01	2.096440E+01	9.337390E+00
57500	3.528877E-04	3.937164E-04	9.199216E-01	2.096440E+01	9.337498E+00
57750	3.416432E-04	3.822159E-04	9.179266E-01	2.096440E+01	9.337603E+00
58000	3.307305E-04	3.719316E-04	9.158932E-01	2.096440E+01	9.337705E+00
58250	3.201403E-04	3.601684E-04	9.138232E-01	2.096440E+01	9.337804E+00
58500	3.098635E-04	3.496129E-04	9.117185E-01	2.096440E+01	9.337906E+00
58750	2.998911E-04	3.393546E-04	9.095812E-01	2.096440E+01	9.337993E+00
59000	2.902147E-04	3.293846E-04	9.074131E-01	2.096440E+01	9.338084E+00
59250	2.808263E-04	3.196917E-04	9.052162E-01	2.096440E+01	9.338171E+00
59500	2.717164E-04	3.102746E-04	9.029916E-01	2.096440E+01	9.338257E+00
59750	2.628793E-04	3.011151E-04	9.007428E-01	2.096440E+01	9.338339E+00
60000	2.543059E-04	2.922127E-04	8.984686E-01	2.096440E+01	9.338419E+00
60250	2.459691E-04	2.835563E-04	8.961737E-01	2.096440E+01	9.338497E+00
60500	2.379219E-04	2.751346E-04	8.938593E-01	2.096440E+01	9.338572E+00
60750	2.301712E-04	2.669555E-04	8.915245E-01	2.096440E+01	9.338645E+00
61000	2.226398E-04	2.589977E-04	8.891738E-01	2.096440E+01	9.338714E+00
61250	2.153475E-04	2.512501E-04	8.868077E-01	2.096440E+01	9.338785E+00
61500	2.083014E-04	2.437321E-04	8.844276E-01	2.096440E+01	9.338852E+00
61750	2.015093E-04	2.364131E-04	8.820352E-01	2.096440E+01	9.338916E+00
62000	1.949785E-04	2.292918E-04	8.796333E-01	2.096440E+01	9.338973E+00
62250	1.878721E-04	2.223726E-04	8.772195E-01	2.096440E+01	9.339040E+00
62500	1.815449E-04	2.156403E-04	8.747970E-01	2.096440E+01	9.339099E+00
62750	1.754477E-04	2.091923E-04	8.723712E-01	2.096440E+01	9.339156E+00
63000	1.695226E-04	2.030721E-04	8.699364E-01	2.096440E+01	9.339211E+00
63250	1.637791E-04	1.965322E-04	8.675503E-01	2.096440E+01	9.339265E+00

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	KINEMATIC VISCOSITY	COEFFICIENT OF VISCOSITY	SPEED OF SOUND
m	K	K	N cm ⁻²	kg m ⁻³	m ² s ⁻¹	N s m ⁻²	m s ⁻¹
4300.	2.4105411+02	2.4105411+02	1.4778108-03	2.1357049-04	7.2497341-02	1.5524040-05	3.1124494+02
43750.	2.4021875+02	2.4021875+02	1.4274140-03	2.0700498-04	7.4791440-02	1.5482202-05	3.1070518+02
44000.	2.3938440+02	2.3938440+02	1.3735800-03	2.0061964-04	7.6753251-02	1.5438349-05	3.1016513+02
44250.	2.3855142+02	2.3855142+02	1.3312645-03	1.9441046-04	7.8165445-02	1.5394499-05	3.0962503+02
44500.	2.3772018+02	2.3772018+02	1.2854244-03	1.8837284-04	8.1490899-02	1.5350472-05	3.0908511+02
44750.	2.3689090+02	2.3689090+02	1.2410184-03	1.8230199-04	8.3872400-02	1.5306880-05	3.0854524+02
45000.	2.3604390+02	2.3604390+02	1.1980055-03	1.7629378-04	8.6333018-02	1.5243141-05	3.0800847+02
45250.	2.3523350+02	2.3523350+02	1.1563437-03	1.7124392-04	8.8875970-02	1.5214970-05	3.0746618+02
45500.	2.3441794+02	2.3441794+02	1.1160005-03	1.6584641-04	9.1504539-02	1.5175882-05	3.0693080+02
45750.	2.3359949+02	2.3359949+02	1.0769327-03	1.6050327-04	9.4222172-02	1.5132391-05	3.0639452+02
46000.	2.3278434+02	2.3278434+02	1.0371054-03	1.5550474-04	9.7032473-02	1.5089010-05	3.0585499+02
46250.	2.3197269+02	2.3197269+02	1.0024833-03	1.5054904-04	9.9941444-02	1.5045745-05	3.0532578+02
46500.	2.3114461+02	2.3114461+02	9.6703142-04	1.4573269-04	1.0294405-01	1.5002405-05	3.0479352+02
46750.	2.3034050+02	2.3034050+02	9.3271415-04	1.4105199-04	1.0405742-01	1.4959411-05	3.0424394+02
47000.	2.2954021+02	2.2954021+02	8.9504778-04	1.3650376-04	1.0727747-01	1.4914785-05	3.0373377+02
47250.	2.2874504+02	2.2874504+02	8.6673653-04	1.3200456-04	1.1261007-01	1.4874054-05	3.0320479+02
47500.	2.2797205+02	2.2797205+02	8.3426646-04	1.2779120-04	1.1646051-01	1.4831512-05	3.0268148+02
47750.	2.2718420+02	2.2718420+02	8.0061763-04	1.2320202-04	1.1943319-01	1.4789129-05	3.0215802+02
48000.	2.2640073+02	2.2640073+02	7.7071600-04	1.1956945-04	1.2333327-01	1.4746914-05	3.0163655+02
48250.	2.2562149+02	2.2562149+02	7.4489169-04	1.1543544-04	1.2716576-01	1.4704849-05	3.0111700+02
48500.	2.2484653+02	2.2484653+02	7.2146681-04	1.11191507-04	1.3113407-01	1.4662789-05	3.0059943+02
48750.	2.2407571+02	2.2407571+02	6.9535410-04	1.0810580-04	1.3524944-01	1.4621271-05	3.0008373+02
49000.	2.2330920+02	2.2330920+02	6.6949220-04	1.0450475-04	1.3951253-01	1.4579723-05	2.9957003+02
49250.	2.2254678+02	2.2254678+02	6.4527334-04	1.0100933-04	1.4393041-01	1.4538333-05	2.9905620+02
49500.	2.2178860+02	2.2178860+02	6.2147861-04	9.7616832-05	1.4851042-01	1.4497117-05	2.9854834+02
49750.	2.2103421+02	2.2103421+02	5.9847750-04	9.4344841-05	1.5325807-01	1.4456043-05	2.9804017+02
50000.	2.2028366+02	2.2028366+02	5.7624817-04	9.1120747-05	1.5818059-01	1.4415118-05	2.9753372+02
50250.	2.1953665+02	2.1953665+02	5.5476779-04	8.8032281-05	1.6328472-01	1.4374327-05	2.9702880+02
50500.	2.1879318+02	2.1879318+02	5.3401358-04	8.5024883-05	1.6857808-01	1.4333649-05	2.9652543+02
50750.	2.1805283+02	2.1805283+02	5.1396379-04	8.2112365-05	1.7404784-01	1.4293122-05	2.9602331+02
51000.	2.1731552+02	2.1731552+02	4.9459703-04	7.9246366-05	1.7942099-01	1.4252683-05	2.9552241+02
51250.	2.1658112+02	2.1658112+02	4.7589763-04	7.6546492-05	1.8564408-01	1.4212345-05	2.9502264+02
51500.	2.1584688+02	2.1584688+02	4.5783041-04	7.3891179-05	1.9179446-01	1.4172047-05	2.9452350+02
51750.	2.1511890+02	2.1511890+02	4.4039062-04	7.1317448-05	1.9815357-01	1.4131855-05	2.9402505+02
52000.	2.1439084+02	2.1439084+02	4.2355436-04	6.8824123-05	2.0474924-01	1.4091490-05	2.9352707+02
52250.	2.1366394+02	2.1366394+02	4.0730285-04	6.6408546-05	2.1159222-01	1.4051532-05	2.9302905+02

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ⁻²
6350.	1.562139E-04	1.655367E-04	8.650592E-01	2.896440E+01	9.339317E+00
6375.	1.528150E-04	1.646627E-04	8.626179E-01	2.896440E+01	9.339367E+00
6400.	1.475470E-04	1.629570E-04	8.601735E-01	2.896440E+01	9.339414E+00
6425.	1.425215E-04	1.734183E-04	8.577336E-01	2.896440E+01	9.339463E+00
6450.	1.376145E-04	1.653244E-04	8.552890E-01	2.896440E+01	9.339509E+00
6475.	1.328610E-04	1.627957E-04	8.528493E-01	2.896440E+01	9.339554E+00
6500.	1.282525E-04	1.627637E-04	8.504123E-01	2.896440E+01	9.339597E+00
6525.	1.237952E-04	1.527534E-04	8.479788E-01	2.896440E+01	9.339638E+00
6550.	1.194757E-04	1.479402E-04	8.455502E-01	2.896440E+01	9.339679E+00
6575.	1.152934E-04	1.432617E-04	8.431270E-01	2.896440E+01	9.339718E+00
6600.	1.112438E-04	1.387146E-04	8.407162E-01	2.896440E+01	9.339756E+00
6625.	1.073231E-04	1.342928E-04	8.382994E-01	2.896440E+01	9.339792E+00
6650.	1.035272E-04	1.299959E-04	8.358958E-01	2.896440E+01	9.339827E+00
6675.	9.985444E-05	1.258211E-04	8.335063E-01	2.896440E+01	9.339862E+00
6700.	9.629850E-05	1.217641E-04	8.311255E-01	2.896440E+01	9.339895E+00
6725.	9.285776E-05	1.178221E-04	8.287336E-01	2.896440E+01	9.339927E+00
6750.	8.952426E-05	1.139924E-04	8.263611E-01	2.896440E+01	9.339958E+00
6775.	8.631726E-05	1.102721E-04	8.240016E-01	2.896440E+01	9.339988E+00
6800.	8.319116E-05	1.065662E-04	8.216472E-01	2.896440E+01	9.340017E+00
6825.	8.017760E-05	1.031442E-04	8.193267E-01	2.896440E+01	9.340046E+00
6850.	7.726181E-05	9.974136E-05	8.169735E-01	2.896440E+01	9.340073E+00
6875.	7.444271E-05	9.643261E-05	8.146491E-01	2.896440E+01	9.340099E+00
6900.	7.171863E-05	9.322044E-05	8.123343E-01	2.896440E+01	9.340125E+00
6925.	6.909441E-05	9.012244E-05	8.100282E-01	2.896440E+01	9.340149E+00
6950.	6.653383E-05	8.707624E-05	8.077317E-01	2.896440E+01	9.340173E+00
6975.	6.402713E-05	8.413971E-05	8.054432E-01	2.896440E+01	9.340196E+00
7000.	6.169155E-05	8.127353E-05	8.031631E-01	2.896440E+01	9.340218E+00
7025.	5.949145E-05	7.852665E-05	8.008924E-01	2.896440E+01	9.340240E+00
7050.	5.717613E-05	7.584547E-05	7.986249E-01	2.896440E+01	9.340261E+00
7075.	5.492350E-05	7.324537E-05	7.963627E-01	2.896440E+01	9.340281E+00
7100.	5.295027E-05	7.072507E-05	7.941126E-01	2.896440E+01	9.340304E+00
7125.	5.104476E-05	6.828116E-05	7.918651E-01	2.896440E+01	9.340319E+00
7150.	4.921407E-05	6.591246E-05	7.896297E-01	2.896440E+01	9.340337E+00
7175.	4.747471E-05	6.361666E-05	7.873844E-01	2.896440E+01	9.340354E+00
7200.	4.584453E-05	6.139519E-05	7.851426E-01	2.896440E+01	9.340374E+00
7225.	4.430473E-05	5.923763E-05	7.829051E-01	2.896440E+01	9.340387E+00

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	KINEMATIC VISCOSITY	COEFFICIENT OF VISCOSITY	SPEED OF SOUND
m	K	K	N cm ⁻²	kg m ⁻³	m ² s ⁻¹	N m ⁻²	m s ⁻¹
72500.	2.1293626+02	2.1293626+02	3.9161809-04	6.4068829-05	2.41849245-01	1.4011382-05	2.89253101+02
72750.	2.1221310+02	2.1221310+02	3.7444248-04	6.1803108-05	2.24605988-01	1.3971203-05	2.92023248+02
73000.	2.1148819+02	2.1148819+02	3.6187895-04	5.9409427-05	2.03370430-01	1.3930790-05	2.91833326+02
73250.	2.1076309+02	2.1076309+02	3.4777071-04	5.7485878-05	2.4163651-01	1.3890687-05	2.91033307+02
73500.	2.1003696+02	2.1003696+02	3.3420168-04	5.5430735-05	2.44986640-01	1.3850278-05	2.9053129+02
73750.	2.0930991+02	2.0930991+02	3.2105998-04	5.3442018-05	2.5890639-01	1.3809759-05	2.9002401+02
74000.	2.0858051+02	2.0858051+02	3.0845853-04	5.1518217-05	2.4724563-01	1.3749049-05	2.8952223+02
74250.	2.0784900+02	2.0784900+02	2.9627420-04	4.9657363-05	2.7445372-01	1.3728142-05	2.8901410+02
74500.	2.0711438+02	2.0711438+02	2.84452869-04	4.7857892-05	2.8599335-01	1.3687039-05	2.8850290+02
74750.	2.0637422+02	2.0637422+02	2.7320778-04	4.6114074-05	2.9988522-01	1.3645456-05	2.8798832+02
75000.	2.0563354+02	2.0563354+02	2.6227794-04	4.4436379-05	3.0614461-01	1.3603958-05	2.8746987+02
75250.	2.0488606+02	2.0488606+02	2.5178569-04	4.2811102-05	3.1478523-01	1.3561925-05	2.8694670+02
75500.	2.0413251+02	2.0413251+02	2.4148823-04	4.1240912-05	3.2781817-01	1.3519488-05	2.8641855+02
75750.	2.0337286+02	2.0337286+02	2.3190299-04	3.9723328-05	3.4225835-01	1.3476641-05	2.8588512+02
76000.	2.0260577+02	2.0260577+02	2.2250776-04	3.8258077-05	3.5111694-01	1.3433304-05	2.8534546+02
76250.	2.0183075+02	2.0183075+02	2.1346044-04	3.6844123-05	3.6430812-01	1.3389453-05	2.8479917+02
76500.	2.0104657+02	2.0104657+02	2.0475015-04	3.5478506-05	3.77614357-01	1.3345012-05	2.8424536+02
76750.	2.0026287+02	2.0026287+02	1.9636510-04	3.4140327-05	3.8933816-01	1.3299958-05	2.8368373+02
77000.	1.9944855+02	1.9944855+02	1.8827458-04	3.288548-05	4.0300428-01	1.3254226-05	2.8311344+02
77250.	1.9863269+02	1.9863269+02	1.8052811-04	3.1641527-05	4.1715487-01	1.3207761-05	2.8253380+02
77500.	1.9780426+02	1.9780426+02	1.7305542-04	3.0478041-05	4.3180236-01	1.3160498-05	2.8194401+02
77750.	1.9696228+02	1.9696228+02	1.6586657-04	2.9334855-05	4.4695932-01	1.3112381-05	2.8134330+02
78000.	1.9610583+02	1.9610583+02	1.5893186-04	2.8234628-05	4.6243841-01	1.3068339-05	2.8073094+02
78250.	1.9523389+02	1.9523389+02	1.5230199-04	2.7174163-05	4.7885131-01	1.3013341-05	2.8010616+02
78500.	1.9434546+02	1.9434546+02	1.4590782-04	2.6154228-05	4.9560988-01	1.2962294-05	2.7946811+02
78750.	1.9343915+02	1.9343915+02	1.3974058-04	2.5149702-05	5.1292312-01	1.2910122-05	2.7881571+02
79000.	1.9251422+02	1.9251422+02	1.3381655-04	2.4221368-05	5.3080305-01	1.2856776-05	2.7814833+02
79250.	1.9156915+02	1.9156915+02	1.2817279-04	2.3308161-05	5.4925663-01	1.2802162-05	2.7746476+02
79500.	1.9060278+02	1.9060278+02	1.2271593-04	2.2428978-05	5.6829183-01	1.2746204-05	2.7676405+02
80000.	1.8961407+02	1.8961407+02	1.1747330-04	2.1582728-05	5.8791617-01	1.2688835-05	2.7604529+02
80250.	1.8860150+02	1.8860150+02	1.1243729-04	2.0748391-05	6.0813341-01	1.2629957-05	2.7530724+02
80500.	1.8756433+02	1.8756433+02	1.0740055-04	1.9984901-05	6.2895071-01	1.2569518-05	2.7454920+02
80750.	1.8650031+02	1.8650031+02	1.0295609-04	1.9231362-05	6.5034348-01	1.2507376-05	2.7374935+02
81000.	1.8540649+02	1.8540649+02	9.8446865-05	1.8508748-05	6.7237514-01	1.2443476-05	2.7294687+02
81250.	1.8428839+02	1.8428839+02	9.4216307-05	1.7810079-05	6.9498523-01	1.2377743-05	2.7214104+02
81500.	1.8313770+02	1.8313770+02	9.0107961-05	1.7140487-05	7.1818625-01	1.2310043-05	2.7129008+02

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ²
72500	1.1925563E-05	5.7150272E-05	7.0066817E-01	2.8964440E+01	9.34404033E+00
72750	4.0305186E-05	5.5012965E-05	7.0784295E-01	2.8964440E+01	9.34404185E+00
73000	3.874172E-05	5.3172488E-05	7.1618839E-01	2.8964440E+01	9.34404331E+00
73250	3.7233524E-05	5.1278598E-05	7.2394343E-01	2.8964440E+01	9.34404472E+00
73500	3.5770717E-05	4.9444536E-05	7.3169197E-01	2.8964440E+01	9.34404608E+00
73750	3.4317505E-05	4.7671391E-05	7.3943439E-01	2.8964440E+01	9.34404734E+00
74000	3.2862720E-05	4.5958321E-05	7.4718018E-01	2.8964440E+01	9.34404865E+00
74250	3.1410317E-05	4.4295411E-05	7.5488004E-01	2.8964440E+01	9.34404997E+00
74500	3.0046085E-05	4.2644234E-05	7.6255982E-01	2.8964440E+01	9.34405105E+00
74750	2.8686677E-05	4.1038261E-05	7.7029111E-01	2.8964440E+01	9.34405218E+00
75000	2.7335901E-05	3.9438174E-05	7.780782E-01	2.8964440E+01	9.34405327E+00
75250	2.6055918E-05	3.7818834E-05	7.8582589E-01	2.8964440E+01	9.34405432E+00
75500	2.4821272E-05	3.62767001E-05	7.9352614E-01	2.8964440E+01	9.34405533E+00
75750	2.3620961E-05	3.4734348E-05	8.0127412E-01	2.8964440E+01	9.34405631E+00
76000	2.2462162E-05	3.3192762E-05	8.0904864E-01	2.8964440E+01	9.34405725E+00
76250	2.1342513E-05	3.1665723E-05	8.1681034E-01	2.8964440E+01	9.34405815E+00
76500	2.0261974E-05	3.0147364E-05	8.2458221E-01	2.8964440E+01	9.34405902E+00
76750	1.9222311E-05	2.8637101E-05	8.323594E-01	2.8964440E+01	9.34405986E+00
77000	1.8215835E-05	2.7137264E-05	8.4019190E-01	2.8964440E+01	9.34406070E+00
77250	1.7236847E-05	2.5642741E-05	8.4803311E-01	2.8964440E+01	9.34406144E+00
77500	1.6288841E-05	2.4167044E-05	8.5587972E-01	2.8964440E+01	9.34406219E+00
77750	1.5375221E-05	2.2716904E-05	8.6374744E-01	2.8964440E+01	9.34406291E+00
78000	1.4491845E-05	2.1286662E-05	8.7164889E-01	2.8964440E+01	9.34406360E+00
78250	1.3635033E-05	2.0441172E-05	8.7958660E-01	2.8964440E+01	9.34406427E+00
78500	1.2802492E-05	1.9593115E-05	8.8755942E-01	2.8964440E+01	9.34406491E+00
78750	1.1992366E-05	1.8745107E-05	8.9556957E-01	2.8964440E+01	9.34406552E+00
79000	1.1202774E-05	1.7895944E-05	9.0361373E-01	2.8964440E+01	9.34406612E+00
79250	1.0432162E-05	1.70491304E-05	9.1169437E-01	2.8964440E+01	9.34406668E+00
79500	1.0131703E-05	1.62027113E-05	9.197659E-01	2.8964440E+01	9.34406723E+00
79750	1.257637E-05	1.5352242E-05	9.2789618E-01	2.8964440E+01	9.34406775E+00
80000	1.2537236E-05	1.4505443E-05	9.3604667E-01	2.8964440E+01	9.34406825E+00
80250	1.1519421E-05	1.3658447E-05	9.4423322E-01	2.8964440E+01	9.34406874E+00
80500	1.1022193E-05	1.28154775E-05	9.5246087E-01	2.8964440E+01	9.34406920E+00
80750	1.2544413E-05	1.1973144E-05	9.6073376E-01	2.8964440E+01	9.34406965E+00
81000	1.2506541E-05	1.1128691E-05	9.6904715E-01	2.8964440E+01	9.34407007E+00
81250	1.16467122E-05	1.0289071E-05	9.7737622E-01	2.8964440E+01	9.34407049E+00

TABLE 1. (Continued)

GEOMETRIC ALTITUDE m	VIRTUAL TEMPERATURE K	KINETIC TEMPERATURE K	PRESSURE N cm ⁻²	DENSITY kg m ⁻³	KINEMATIC VISCOSITY m ² s ⁻¹	COEFFICIENT OF VISCOSITY N s m ⁻²	SPEED OF SOUND m s ⁻¹
81500.	1.8045000+02	1.8045000+02	8.6165552-05	1.4497125-05	7.4194597-01	1.2240305-05	2.7041242+02
81750.	1.8045000+02	1.8045000+02	8.2382721-05	1.5086820-05	7.6561405-01	1.2163173-05	2.6944122+02
82000.	1.8045000+02	1.8045000+02	7.8673815-05	1.5711552-05	8.0170920-01	1.2163173-05	2.6944122+02
82250.	1.8045000+02	1.8045000+02	7.5131972-05	1.4488538-05	8.3395030-01	1.2163173-05	2.6944122+02
82500.	1.8045000+02	1.8045000+02	7.1749837-05	1.3836323-05	8.7907547-01	1.2163173-05	2.6944122+02
82750.	1.8045000+02	1.8045000+02	6.8520199-05	1.3213514-05	9.2050590-01	1.2163173-05	2.6944122+02
83000.	1.8045000+02	1.8045000+02	6.5436167-05	1.2618788-05	9.6368930-01	1.2163173-05	2.6944122+02
83250.	1.8045000+02	1.8045000+02	6.2499170-05	1.2050871-05	1.0093189+00	1.2163173-05	2.6944122+02
83500.	1.8045000+02	1.8045000+02	5.9678927-05	1.1508555-05	1.0568810+00	1.2163173-05	2.6944122+02
83750.	1.8045000+02	1.8045000+02	5.6993445-05	1.0990883-05	1.1064803+00	1.2163173-05	2.6944122+02
84000.	1.8045000+02	1.8045000+02	5.4429003-05	1.0496153-05	1.1568219+00	1.2163173-05	2.6944122+02
84250.	1.8045000+02	1.8045000+02	5.1980134-05	1.0023911-05	1.2134159+00	1.2163173-05	2.6944122+02
84500.	1.8045000+02	1.8045000+02	4.9641622-05	9.5729491-06	1.2705774+00	1.2163173-05	2.6944122+02
84750.	1.8045000+02	1.8045000+02	4.7408486-05	9.1423085-06	1.3304248+00	1.2163173-05	2.6944122+02
85000.	1.8045000+02	1.8045000+02	4.5278770-05	8.7310718-06	1.3707005+00	1.2163173-05	2.6944122+02
85250.	1.8045000+02	1.8045000+02	4.3233633-05	8.3383627-06	1.4587003+00	1.2163173-05	2.6944122+02
85500.	1.8045000+02	1.8045000+02	4.1294639-05	7.9633458-06	1.5273947+00	1.2163173-05	2.6944122+02
85750.	1.8045000+02	1.8045000+02	3.9437748-05	7.6052221-06	1.5993185+00	1.2163173-05	2.6944122+02
86000.	1.8045000+02	1.8045000+02	3.766308-05	7.2632298-06	1.6746231+00	1.2163173-05	2.6944122+02
86250.	1.8045000+02	1.8045000+02	3.5970746-05	6.9366412-06	1.7534671+00	1.2163173-05	2.6944122+02
86500.	1.8045000+02	1.8045000+02	3.4355345-05	6.6247612-06	1.8340167+00	1.2163173-05	2.6944122+02
86750.	1.8045000+02	1.8045000+02	3.2809000-05	6.3249263-06	1.9224457+00	1.2163173-05	2.6944122+02
87000.	1.8045000+02	1.8045000+02	3.1334090-05	6.0425029-06	2.0129361+00	1.2163173-05	2.6944122+02
87250.	1.8045000+02	1.8045000+02	2.9925591-05	5.7708864-06	2.1076784+00	1.2163173-05	2.6944122+02
87500.	1.8045000+02	1.8045000+02	2.8580507-05	5.5114989-06	2.2048720+00	1.2163173-05	2.6944122+02
87750.	1.8045000+02	1.8045000+02	2.7295980-05	5.2637891-06	2.3107257+00	1.2163173-05	2.6944122+02
88000.	1.8045000+02	1.8045000+02	2.606278-05	5.0272304-06	2.4194579+00	1.2163173-05	2.6944122+02
88250.	1.8045000+02	1.8045000+02	2.4897793-05	4.8013198-06	2.5332977+00	1.2163173-05	2.6944122+02
88500.	1.8045000+02	1.8045000+02	2.3779037-05	4.5855776-06	2.6524844+00	1.2163173-05	2.6944122+02
88750.	1.8045000+02	1.8045000+02	2.2710632-05	4.379451-06	2.777268+00	1.2163173-05	2.6944122+02
89000.	1.8045000+02	1.8045000+02	2.1670308-05	4.1827847-06	2.9079126+00	1.2163173-05	2.6944122+02
89250.	1.8045000+02	1.8045000+02	2.0715899-05	3.9946914-06	3.0446914+00	1.2163173-05	2.6944122+02
89500.	1.8045000+02	1.8045000+02	1.9785334-05	3.8154273-06	3.1878926+00	1.2163173-05	2.6944122+02
89750.	1.8045000+02	1.8045000+02	1.8886638-05	3.6440501-06	3.3378170+00	1.2163173-05	2.6944122+02

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ⁻²
81520	9.224697-06	1.4715778-05	6.818959-01	2.8964400+01	9.3407089+00
81750	8.819656-06	1.4711374-05	6.776920-01	2.8964400+01	9.3407125+00
82000	8.4226437-06	1.4533339-05	6.776920-01	2.8964400+01	9.3407144+00
82250	8.02434237-06	1.424278-05	6.776920-01	2.8964400+01	9.3407198+00
82500	7.6213418-06	1.4242288-05	6.776920-01	2.8964400+01	9.3407233+00
82750	7.2335654-06	1.4786731-05	6.776920-01	2.8964400+01	9.3407265+00
83000	7.0054173-06	1.4258221-05	6.776920-01	2.8964400+01	9.3407284+00
83250	6.690134-06	1.4749628-05	6.776920-01	2.8964400+01	9.3407325+00
83500	6.3495027-06	1.4266073-05	6.776920-01	2.8964400+01	9.3407353+00
83750	6.1013628-06	1.4003910-05	6.776920-01	2.8964400+01	9.3407379+00
84000	5.8275274-06	1.3627672-05	6.776920-01	2.8964400+01	9.3407404+00
84250	5.5348512-06	1.47415366-05	6.776920-01	2.8964400+01	9.3407429+00
84500	5.3144465-06	8.5372896-06	6.776920-01	2.8964400+01	9.3407453+00
84750	5.075423-06	6.1551272-06	6.776920-01	2.8964400+01	9.3407478+00
85000	4.8471217-06	7.788274-06	6.776920-01	2.8964400+01	9.3407498+00
85250	4.6241063-06	7.4379928-06	6.776920-01	2.8964400+01	9.3407518+00
85500	4.4209127-06	7.103470-06	6.776920-01	2.8964400+01	9.3407537+00
85750	4.2225976-06	6.7840162-06	6.776920-01	2.8964400+01	9.3407556+00
86000	4.0322380-06	6.4769319-06	6.776920-01	2.8964400+01	9.3407574+00
86250	3.8509298-06	6.1676282-06	6.776920-01	2.8964400+01	9.3407590+00
86500	3.6777872-06	5.9094247-06	6.776920-01	2.8964400+01	9.3407608+00
86750	3.5124419-06	5.6437498-06	6.776920-01	2.8964400+01	9.3407621+00
87000	3.3546421-06	5.3908342-06	6.776920-01	2.8964400+01	9.3407637+00
87250	3.2037521-06	5.147736-06	6.776920-01	2.8964400+01	9.3407650+00
87500	3.0597511-06	4.9163716-06	6.776920-01	2.8964400+01	9.3407664+00
87750	2.9222331-06	4.6954093-06	6.776920-01	2.8964400+01	9.3407677+00
88000	2.7909057-06	4.4848346-06	6.776920-01	2.8964400+01	9.3407688+00
88250	2.6654897-06	4.2828771-06	6.776920-01	2.8964400+01	9.3407701+00
88500	2.5457184-06	4.0904366-06	6.776920-01	2.8964400+01	9.3407712+00
88750	2.4313362-06	3.9066453-06	6.776920-01	2.8964400+01	9.3407723+00
89000	2.3233864-06	3.7241438-06	6.776920-01	2.8964400+01	9.3407733+00
89250	2.2177878-06	3.5535147-06	6.776920-01	2.8964400+01	9.3407743+00
89500	2.1181639-06	3.4034445-06	6.776920-01	2.8964400+01	9.3407751+00
89750	2.0232325-06	3.2505644-06	6.776920-01	2.8964400+01	9.3407761+00

TABLE 1. (Continued)

GEOMETRIC ALTITUDE m	MOLECULAR TEMPERATURE K	KINETIC TEMPERATURE K	PRESSURE N cm ⁻²	DENSITY kg m ⁻³	COEFFICIENT OF VISCOSITY N s m ⁻²	SPEED OF SOUND m s ⁻¹
90000.	1.8045000+02	1.8045000+02	1.8049200-05	3.4804292-04	1.2163173-05	2.6944122+02
91000.	1.8359699+02	1.8359699+02	1.5041800-05	2.8532997-04	1.2340215-05	2.7166927+02
92000.	1.8664122+02	1.8664122+02	1.2573282-05	2.3467095-04	1.2516127-05	2.7387920+02
93000.	1.8968921+02	1.8968921+02	1.0354039-05	1.9361701-04	1.2690922-05	2.7607193+02
94000.	1.9274235+02	1.9274235+02	8.8614225-04	1.6024056-04	1.2864619-05	2.7824640+02
95000.	1.9580000+02	1.9580000+02	7.4701982-04	1.3301176-04	1.3037216-05	2.8040450+02
96000.	1.9886000+02	1.9886000+02	6.3141230-04	1.1072721-04	1.3208747-05	2.8258611+02
97000.	2.0193079+02	2.0193079+02	5.3507148-04	9.2436170-07	1.3379216-05	2.847162+02
98000.	2.0499000+02	2.0499000+02	4.5456466-04	7.7378743-07	1.3548638-05	2.8678136+02
99000.	2.0745000+02	2.0745000+02	3.8710864-04	6.4943341-07	1.3717028-05	2.8887571+02
100000.	2.1045000+02	2.1045000+02	3.3040799-04	5.4442031-07	1.3884397-05	2.9095497+02
101000.	2.1345000+02	2.1345000+02	2.8288700-04	4.5498430-07	1.4161117-05	2.9303778+02
102000.	2.1645000+02	2.1645000+02	2.4307500-04	3.8377415-07	1.4435101-05	2.9512102+02
103000.	2.1945000+02	2.1945000+02	2.0968942-04	3.2357107-07	1.4704408-05	3.0113603+02
104000.	2.2245000+02	2.2245000+02	1.8131082-04	2.7384703-07	1.4975077-05	3.0445407+02
105000.	2.2545000+02	2.2545000+02	1.5734398-04	2.3260574-07	1.5241223-05	3.0773633+02
106000.	2.2845000+02	2.2845000+02	1.3695853-04	1.9824248-07	1.5504842-05	3.1098394+02
107000.	2.3145000+02	2.3145000+02	1.1954024-04	1.6955390-07	1.5764004-05	3.1419801+02
108000.	2.3445000+02	2.3445000+02	1.0464290-04	1.4546443-07	1.6024727-05	3.1737953+02
109000.	2.3745000+02	2.3745000+02	9.1864954-07	1.2518471-07	1.6281177-05	3.2052946+02
110000.	2.4045000+02	2.4045000+02	8.0843999-07	1.0805074-07	1.6535285-05	3.2364074+02
111000.	2.4345000+02	2.4345000+02	7.1408613-07	9.1903288-08	1.7036783-05	3.2679980+02
112000.	2.4645000+02	2.4645000+02	6.3447397-07	7.8632390-08	1.7529632-05	3.3583264+02
113000.	2.4945000+02	2.4945000+02	5.6446663-07	6.7469712-08	1.8014180-05	3.4176707+02
114000.	2.5245000+02	2.5245000+02	5.0445583-07	5.8498391-08	1.8490756-05	3.4759671+02
115000.	2.5545000+02	2.5545000+02	4.5325523-07	5.0828725-08	1.8959675-05	3.5333301+02
116000.	2.5845000+02	2.5845000+02	4.0833563-07	4.4363283-08	1.9421230-05	3.5897208+02
117000.	2.6145000+02	2.6145000+02	3.6904139-07	3.8883723-08	1.9875702-05	3.6452648+02
118000.	2.6445000+02	2.6445000+02	3.3458249-07	3.4214262-08	2.0323354-05	3.6997899+02
119000.	2.6745000+02	2.6745000+02	3.0417249-07	3.0321725-08	2.0764442-05	3.7538937+02
120000.	2.7045000+02	2.7045000+02	2.7732500-07	2.6788033-08	2.1199197-05	3.8070451+02
121000.	2.7345000+02	2.7345000+02	2.5376953-07	2.3224767-08	2.2050407-05	3.8611181+02
122000.	2.7645000+02	2.7645000+02	2.3327920-07	2.0283767-08	2.2879253-05	3.9126163+02
123000.	2.7945000+02	2.7945000+02	2.1533093-07	1.7832912-08	2.3666639-05	3.9611549+02
124000.	2.8245000+02	2.8245000+02	1.9950839-07	1.5772667-08	2.4474125-05	4.0081571+02
125000.	2.8545000+02	2.8545000+02	1.8548089-07	1.4027034-08	2.5242944-05	4.0525942+02
126000.	2.8845000+02	2.8845000+02	1.7297904-07	1.2537251-08	2.5994216-05	4.0950046+02
127000.	2.9145000+02	2.9145000+02	1.6178335-07	1.1257381-08	2.6728963-05	4.1355135+02
128000.	2.9445000+02	2.9445000+02	1.5171293-07	1.0151123-08	2.7448117-05	4.1742299+02
129000.	2.9745000+02	2.9745000+02	1.4261771-07	9.1895662-09	2.8152534-05	4.2125862+02

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ⁻²
95000	1.9322901-26	3.1047730-26	6.7769222-31	2.88944420001	9.3407794000
91000	1.6133300-26	2.5451769-26	6.6755622-31	2.89553600001	9.3407794000
92000	1.3460612-26	2.2033072-26	6.9735744-31	2.89475200001	9.3407794000
93000	1.1264422-26	1.7471218-26	7.2737644-31	2.89370800001	9.3407794000
94000	9.4462770-27	1.4293182-26	7.6777399-31	2.89306000001	9.3407794000
95000	7.9973912-27	1.1664145-26	7.2837291-31	2.89222200001	9.3407794000
96000	6.7597270-27	9.8772769-27	7.3594797-31	2.89137600001	9.3407794000
97000	5.7263242-27	8.4756709-27	7.4544595-31	2.89053200001	9.3407794000
98000	4.8667451-27	7.6234440-27	7.54665600001	2.88968800001	9.3407794000
99000	4.1442813-27	5.7931301-27	7.64267700001	2.88884400001	9.3407794000
100000	3.5725777-27	4.0741628-27	7.7357299-31	2.88800000001	9.3407794000
101000	3.0289110-27	4.1763355-27	7.8901209-31	2.88716000001	9.3407794000
102000	2.6023044-27	3.4233455-27	8.0427637-31	2.88632000001	9.3407794000
103000	2.2437960-27	2.8463212-27	8.1937274-31	2.88548000001	9.3407794000
104000	1.9411942-27	2.4427744-27	8.3436242-31	2.88464000001	9.3407794000
105000	1.6844617-27	2.0748516-27	8.4919088-31	2.88380000001	9.3407794000
106000	1.4662710-27	1.7685444-27	8.6387682-31	2.88296000001	9.3407794000
107000	1.2799793-27	1.5124560-27	8.7843301-31	2.88212000001	9.3407794000
108000	1.1204420-27	1.2475728-27	8.9284737-31	2.88128000001	9.3407794000
109000	9.8351252-28	1.1166736-27	9.0713368-31	2.88044000001	9.3407794000
110000	8.6549377-28	9.0363522-28	9.2129172-31	2.87960000001	9.3407794000
111000	7.6434439-28	8.1779643-28	9.4243358-31	2.87876000001	9.3407794000
112000	6.7417944-28	7.0141727-28	9.7669348-31	2.87792000001	9.3407794000
113000	6.0423831-28	6.0344537-28	1.0236979-30	2.87708000001	9.3407794000
114000	5.4654467-28	5.4110701-28	1.0332442-30	2.87624000001	9.3407794000
115000	4.9522687-28	4.9342279-28	1.0563778-30	2.87540000001	9.3407794000
116000	4.3715267-28	3.9572797-28	1.0820371-30	2.87456000001	9.3407794000
117000	3.9512715-28	3.4685569-28	1.1174268-30	2.87372000001	9.3407794000
118000	3.5619509-28	3.0521635-28	1.1323506-30	2.87288000001	9.3407794000
119000	3.2506531-28	2.6958447-28	1.1569264-30	2.87204000001	9.3407794000
120000	2.9667657-28	2.3895443-28	1.1811496-30	2.87120000001	9.3407794000
121000	2.7167673-28	2.1716776-28	1.2285974-30	2.87036000001	9.3407794000
122000	2.4974239-28	1.8933442-28	1.2797568-30	2.86952000001	9.3407794000
123000	2.3152684-28	1.5927128-28	1.3319741-30	2.86868000001	9.3407794000
124000	2.1650202-28	1.4069817-28	1.3636178-30	2.86784000001	9.3407794000
125000	1.9857077-28	1.2512426-28	1.4064539-30	2.86700000001	9.3407794000
126000	1.8516666-28	1.1183448-28	1.4483123-30	2.86616000001	9.3407794000
127000	1.7322504-28	1.0041818-28	1.4892500-30	2.86532000001	9.3407794000
128000	1.6241974-28	9.0555944-29	1.5293189-30	2.86448000001	9.3407794000
129000	1.5268263-28	8.1972641-29	1.5685666-30	2.86364000001	9.3407794000

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	MOLECULAR TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	COEFFICIENT OF VISCOSITY	SPEED OF SOUND
m	K	K	N cm ⁻²	kg m ⁻³	N s m ⁻²	m s ⁻¹
130000.	5.4045000+02	5.3591817+02	1.3437218+07	8.3493992-09	2.8842997-05	4.7466911+02
131000.	5.4045000+02	5.5424752+02	1.2487047-07	7.6117508-09	2.9520227-05	4.8304133+02
132000.	5.4045000+02	5.7256393+02	1.2023376-07	6.9411904-09	3.0184890-05	4.9131022+02
133000.	5.4045000+02	5.9080740+02	1.1375524-07	6.3850245-09	3.0832401-05	4.9942288+02
134000.	5.4045000+02	6.0899794+02	1.0800000-07	5.8727388-09	3.1478928-05	5.0740385+02
135000.	5.4045000+02	6.2713554+02	1.0270173-07	5.4155689-09	3.2109376-05	5.1524615+02
136000.	5.4045000+02	6.4522022+02	9.7811937-08	5.0041720-09	3.2724499-05	5.2300437+02
137000.	7.0045000+02	6.6325196+02	9.2884444-08	4.6383613-09	3.3339492-05	5.3043464+02
138000.	7.2045000+02	6.8123077+02	8.9045255-08	4.3048959-09	3.3940400-05	5.3815484+02
139000.	7.4045000+02	6.9915444+02	8.5197938-08	4.0073140-09	3.4532020-05	5.4557137+02
140000.	7.6045000+02	7.1702957+02	8.1570390-08	3.7358455-09	3.5114925-05	5.5288841+02
141000.	7.8045000+02	7.3484957+02	7.8146923-08	3.4891186-09	3.5689461-05	5.6010988+02
142000.	8.0045000+02	7.5261465+02	7.5025957-08	3.2644087-09	3.6255957-05	5.6723943+02
143000.	8.2045000+02	7.7033078+02	7.2046864-08	3.0524127-09	3.6819718-05	5.7428044+02
144000.	8.4045000+02	7.8799198+02	6.9272605-08	2.8715040-09	3.7346034-05	5.8123621+02
145000.	8.6045000+02	8.0560025+02	6.6688048-08	2.6973499-09	3.7910175-05	5.8810970+02
146000.	8.8045000+02	8.2315558+02	6.4238948-08	2.5411656-09	3.8447399-05	5.9490377+02
147000.	9.0045000+02	8.4065797+02	6.1932848-08	2.3953362-09	3.8977947-05	6.0162112+02
148000.	9.2045000+02	8.5810744+02	5.9758445-08	2.2612182-09	3.9502050-05	6.0824431+02
149000.	9.4045000+02	8.7550397+02	5.7705419-08	2.1371145-09	4.0019922-05	6.1483571+02
150000.	9.6045000+02	8.9284426+02	5.5764306+08	2.0222947-09	4.0531749-05	6.2133762+02
151000.	9.78645000+02	9.0590972+02	5.3920340+08	1.9232907-09	4.0711818-05	6.2618974+02
152000.	9.9045000+02	9.1894824+02	5.2162807-08	1.8343342-09	4.1288664-05	6.3094986+02
153000.	1.0054500+03	9.3195984+02	5.0488206-08	1.7489639-09	4.1662388-05	6.3572382+02
154000.	1.0204500+03	9.4494451+02	4.8891746-08	1.6676037-09	4.2033058-05	6.4048741+02
155000.	1.0354500+03	9.5790224+02	4.7367706-08	1.5923347-09	4.2400743-05	6.4513641+02
156000.	1.0504500+03	9.7083305+02	4.5913187-08	1.5223592-09	4.2765514-05	6.4979156+02
157000.	1.0654500+03	9.8373492+02	4.4523255-08	1.4554928-09	4.3127434-05	6.5441364+02
158000.	1.0804500+03	9.9661348+02	4.3194386-08	1.3924513-09	4.3484646-05	6.5908329+02
159000.	1.0954500+03	1.0094439+03	4.1923098-08	1.3329666-09	4.3842970-05	6.6356118+02
160000.	1.1104500+03	1.0228707+03	4.0705497-08	1.2767727-09	4.4194704-05	6.6808799+02
161000.	1.1204500+03	1.0304854+03	3.9537190-08	1.2270614-09	4.4443107-05	6.7108889+02
162000.	1.1304500+03	1.0386659+03	3.8412889-08	1.1835437-09	4.4664298-05	6.7407643+02
163000.	1.1404500+03	1.0468285+03	3.7329978-08	1.1401004-09	4.4894393-05	6.7705080+02
164000.	1.1504500+03	1.0549731+03	3.6287170-08	1.0986203-09	4.5127375-05	6.8001215+02
165000.	1.1604500+03	1.0630997+03	3.5282442-08	1.0589979-09	4.5357258-05	6.8294066+02
166000.	1.1704500+03	1.0712084+03	3.4314105-08	1.0211355-09	4.5584059-05	6.8589650+02
167000.	1.1804500+03	1.0792991+03	3.3360326-08	9.8493996-10	4.5813789-05	6.8881982+02
168000.	1.1904500+03	1.0873719+03	3.2460190-08	9.5032508-10	4.6040445-05	6.9173079+02
169000.	1.2004500+03	1.0954467+03	3.1611443-08	9.1720918-10	4.6266101-05	6.9462957+02

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ⁻²
132220	1.4355516e-4	7.4476376e-9	1.677337e-6	2.7686721e+1	9.3347949e+33
131220	1.4355247e-4	6.7696397e-9	1.684771e-6	2.7646371e+1	9.3347949e+33
130220	1.4264941e-4	6.2525266e-9	1.691322e-6	2.761324e+1	9.3347949e+33
129220	1.4273333e-4	5.6795746e-9	1.7131597e-6	2.757171e+1	9.3347949e+33
128220	1.4262165e-4	5.2366291e-9	1.7533923e-6	2.753380e+1	9.3347949e+33
127220	1.4249497e-4	4.9327777e-9	1.789731e-6	2.745535e+1	9.3347949e+33
126220	1.4237147e-4	4.6856244e-9	1.8233581e-6	2.745672e+1	9.3347949e+33
125220	1.4224797e-4	4.4375197e-9	1.857576e-6	2.741639e+1	9.3347949e+33
124220	1.4212447e-4	3.8410417e-9	1.891475e-6	2.736256e+1	9.3347949e+33
123220	1.421556e-4	3.5574611e-9	1.924117e-6	2.734173e+1	9.3347949e+33
122220	8.7327231e-5	3.3344251e-9	1.9564082e-6	2.73234e+1	9.3347949e+33
121220	6.4374826e-5	3.1123661e-9	1.9884995e-6	2.726527e+1	9.3347949e+33
120220	8.6232315e-5	2.8119166e-9	2.0202621e-6	2.722674e+1	9.3347949e+33
119220	7.7152517e-5	2.7267257e-9	2.0511951e-6	2.718841e+1	9.3347949e+33
118220	7.4918277e-5	2.5619412e-9	2.0819128e-6	2.715528e+1	9.3347949e+33
117220	7.1139443e-5	2.4067762e-9	2.1122333e-6	2.711753e+1	9.3347949e+33
116220	6.88722485e-5	2.26697725e-9	2.1421627e-6	2.707342e+1	9.3347949e+33
115220	6.66355613e-5	2.133646e-9	2.1717231e-6	2.703592e+1	9.3347949e+33
114220	6.397576e-5	2.0375537e-9	2.2307244e-6	2.699765e+1	9.3347949e+33
113220	6.1778659e-5	1.95635e-9	2.2297765e-6	2.695843e+1	9.3347949e+33
112220	5.9771604e-5	1.8834249e-9	2.2582969e-6	2.692222e+1	9.3347949e+33
111220	5.7726693e-5	1.8173994e-9	2.2794725e-6	2.687431e+1	9.3347949e+33
110220	5.5644777e-5	1.6362642e-9	2.309667e-6	2.686655e+1	9.3347949e+33
109220	5.4351295e-5	1.5651121e-9	2.3212913e-6	2.68423e+1	9.3347949e+33
108220	5.2341666e-5	1.4685549e-9	2.341943e-6	2.681836e+1	9.3347949e+33
107220	5.271177e-5	1.4212734e-9	2.36233e-6	2.679221e+1	9.3347949e+33
106220	4.9915444e-5	1.3557976e-9	2.3827539e-6	2.676453e+1	9.3347949e+33
105220	4.7665317e-5	1.2793249e-9	2.4027184e-6	2.673835e+1	9.3347949e+33
104220	4.664273e-5	1.2423955e-9	2.424265e-6	2.671356e+1	9.3347949e+33
103220	4.4661724e-5	1.186734e-9	2.4427662e-6	2.66865e+1	9.3347949e+33
102220	4.3557419e-5	1.1389726e-9	2.4624952e-6	2.66655e+1	9.3347949e+33
101220	4.2327436e-5	1.1463403e-9	2.4755535e-6	2.663421e+1	9.3347949e+33
100220	4.1123576e-5	1.0557455e-9	2.4885479e-6	2.66055e+1	9.3347949e+33
99220	3.9964455e-5	1.0189732e-9	2.501975e-6	2.65822e+1	9.3347949e+33
98220	3.8646153e-5	9.7999213e-10	2.514446e-6	2.65565e+1	9.3347949e+33
97220	3.7772419e-5	9.4446417e-10	2.5227157e-6	2.65383e+1	9.3347949e+33
96220	3.66735744e-5	9.118746e-10	2.5399253e-6	2.65245e+1	9.3347949e+33
95220	3.5736277e-5	8.7856691e-10	2.5525937e-6	2.64782e+1	9.3347949e+33
94220	3.4772447e-5	8.4726731e-10	2.5652234e-6	2.64508e+1	9.3347949e+33
93220	3.3842561e-5	8.1816766e-10	2.5777951e-6	2.64255e+1	9.3347949e+33

TABLE 1. (Continued)

GEOMETRIC ALTITUDE m	MOLECULAR TEMPERATURE K	KINETIC TEMPERATURE K	PRESSURE N cm ⁻²	DENSITY kg m ⁻³	COEFFICIENT OF VISCOSITY N s m ⁻²	SPEED OF SOUND m s ⁻¹
170000	1.2104500+03	1.1034634+03	3.0773599-08	8.8551017-10	4.6497070-05	6.9751629+02
171800	1.2176500+03	1.1086877+03	2.9963516-08	8.5725111-10	4.6447931+02	6.9952991+02
172000	1.2246500+03	1.1138986+03	2.9179445-08	8.3004723-10	4.6403460-05	7.0153775+02
173000	1.2316500+03	1.1190961+03	2.8420425-08	8.0386111-10	4.6359102-05	7.0363986+02
174000	1.2386500+03	1.1242804+03	2.7685505-08	7.7844874-10	4.7114260-05	7.0563429+02
175000	1.2456500+03	1.1294614+03	2.6973787-08	7.5324869-10	4.7268939-05	7.0752708+02
176000	1.2526500+03	1.1346911+03	2.6284421-08	7.3078157-10	4.7423144-05	7.0951228+02
177000	1.2596500+03	1.1397535+03	2.5614562-08	7.0844921-10	4.7576877-05	7.1149176+02
178000	1.2666500+03	1.1448846+03	2.4967942-08	6.8673624-10	4.7730144-05	7.1346613+02
179000	1.2736500+03	1.1500028+03	2.4342296-08	6.6560828-10	4.7882948-05	7.1543486+02
180000	1.2806500+03	1.1551070+03	2.3733392-08	6.4563255-10	4.8035295-05	7.1739819+02
181000	1.2876500+03	1.1601982+03	2.3145053-08	6.2617842-10	4.8187185-05	7.1935616+02
182000	1.2946500+03	1.1652742+03	2.2573597-08	6.0791590-10	4.8338626-05	7.2130882+02
183000	1.3016500+03	1.1703408+03	2.2019290-08	5.8931679-10	4.8489619-05	7.2325620+02
184000	1.3086500+03	1.1753922+03	2.1481825-08	5.7148438-10	4.8640170-05	7.2519835+02
185000	1.3156500+03	1.1804303+03	2.0960309-08	5.5500268-10	4.8790280-05	7.2713531+02
186000	1.3226500+03	1.1854550+03	2.0454282-08	5.3873732-10	4.8939956-05	7.2906713+02
187000	1.3296500+03	1.1904665+03	1.9963203-08	5.2303486-10	4.9089199-05	7.3099384+02
188000	1.3366500+03	1.1954647+03	1.9486552-08	5.0782931-10	4.9238015-05	7.3291549+02
189000	1.3436500+03	1.2004496+03	1.9023827-08	4.9323001-10	4.9386640-05	7.3483212+02
190000	1.3506500+03	1.2054212+03	1.8574202-08	4.7907675-10	4.9534373-05	7.3674375+02
191000	1.3576500+03	1.2104340+03	1.8137534-08	4.6408853-10	4.9689809-05	7.3864018+02
192000	1.3646500+03	1.2154446+03	1.7712809-08	4.5350153-10	4.9745032-05	7.3946609+02
193000	1.3716500+03	1.2204717+03	1.7296544-08	4.4130188-10	4.9850046-05	7.4027831+02
194000	1.3786500+03	1.2254988+03	1.6897719-08	4.2947637-10	4.9954850-05	7.4217835+02
195000	1.3856500+03	1.2305086+03	1.6506658-08	4.1801220-10	5.0059444-05	7.4353091+02
196000	1.3926500+03	1.2354929+03	1.6128127-08	4.0689674-10	5.0163831-05	7.4488092+02
197000	1.3996500+03	1.2404611+03	1.5755815-08	3.9611845-10	5.0268014-05	7.4622849+02
198000	1.4066500+03	1.2454074+03	1.5398401-08	3.8565611-10	5.0371991-05	7.4757343+02
199000	1.4136500+03	1.2503147+03	1.5044591-08	3.7552739-10	5.0476744-05	7.4891635+02
200000	1.4206500+03	1.2551922+03	1.4703093-08	3.65649315-10	5.0579935-05	7.5025667+02
201000	1.4276500+03	1.2601597+03	1.4370620-08	3.5615256-10	5.0682705-05	7.5159440+02
202000	1.4346500+03	1.2651672+03	1.4048909-08	3.4689596-10	5.0785874-05	7.5293015+02
203000	1.4416500+03	1.2701649+03	1.3731694-08	3.3791369-10	5.0888845-05	7.5426334+02
204000	1.4486500+03	1.2751526+03	1.3427211-08	3.2919703-10	5.0991617-05	7.5559917+02
205000	1.4556500+03	1.2801304+03	1.3125742-08	3.2073675-10	5.1094193-05	7.5692267+02
206000	1.4626500+03	1.2850983+03	1.2833527-08	3.1254262-10	5.1196572-05	7.5824883+02
207000	1.4696500+03	1.2900562+03	1.2550845-08	3.0455248-10	5.1298758-05	7.5957249+02
208000	1.4766500+03	1.2950042+03	1.2274471-08	2.9681241-10	5.1400744-05	7.6089423+02
209000	1.4836500+03	1.3000423+03	1.2005194-08	2.8926689-10	5.1502547-05	7.6221349+02

TABLE 1. (Continued)

GEOMETRIC ALTITUDE meters	PRESSURE RATIO unitless	DENSITY RATIO unitless	VISCOSITY RATIO unitless	MOLECULAR WEIGHT unitless	PRESSURE DIFFERENCE newtons cm ⁻²
17000	3.2945375E-9	7.0896555E-10	2.5933395E-06	2.6843000E-01	9.3407949E-00
17100	3.2676122E-9	7.0860591E-10	2.5977363E-06	2.6372551E-01	9.3407949E-00
17200	3.1236717E-9	7.0641939E-10	2.6077350E-06	2.6034580E-01	9.3407949E-00
17300	3.0261311E-9	7.172602E-10	2.6164608E-06	2.6015151E-01	9.3407949E-00
17400	2.9639345E-9	6.7457308E-10	2.625317E-06	2.6029300E-01	9.3407949E-00
17500	2.887747E-9	6.7291255E-10	2.6336699E-06	2.6028500E-01	9.3407949E-00
17600	2.8139363E-9	6.5255176E-10	2.6422817E-06	2.6023500E-01	9.3407949E-00
17700	2.7424372E-9	6.3195142E-10	2.6500272E-06	2.6020500E-01	9.3407949E-00
17800	2.6731607E-9	6.145031E-10	2.6593688E-06	2.6018000E-01	9.3407949E-00
17900	2.6061197E-9	5.9391483E-10	2.667885E-06	2.6015250E-01	9.3407949E-00
18000	2.5400392E-9	5.7591766E-10	2.6763887E-06	2.6012500E-01	9.3407949E-00
18100	2.4778461E-9	5.6056417E-10	2.6849316E-06	2.6009750E-01	9.3407949E-00
18200	2.4166676E-9	5.4182765E-10	2.6932693E-06	2.6007000E-01	9.3407949E-00
18300	2.3573337E-9	5.2566282E-10	2.7016922E-06	2.6004250E-01	9.3407949E-00
18400	2.2997857E-9	5.1010599E-10	2.7100744E-06	2.6001500E-01	9.3407949E-00
18500	2.2439535E-9	4.9527393E-10	2.7184445E-06	2.5998750E-01	9.3407949E-00
18600	2.1897768E-9	4.8056489E-10	2.7267735E-06	2.5996000E-01	9.3407949E-00
18700	2.1372607E-9	4.6655797E-10	2.7350588E-06	2.5993250E-01	9.3407949E-00
18800	2.0861771E-9	4.5323321E-10	2.7433393E-06	2.5990500E-01	9.3407949E-00
18900	2.0366397E-9	4.4097142E-10	2.7516161E-06	2.5987750E-01	9.3407949E-00
19000	1.9885033E-9	4.2739642E-10	2.7598924E-06	2.5985000E-01	9.3407949E-00
19100	1.9417549E-9	4.1576506E-10	2.7685767E-06	2.5982250E-01	9.3407949E-00
19200	1.8962649E-9	4.0493266E-10	2.7716297E-06	2.5979500E-01	9.3407949E-00
19300	1.8525537E-9	3.9365444E-10	2.774677E-06	2.5976750E-01	9.3407949E-00
19400	1.8102376E-9	3.8315165E-10	2.7773322E-06	2.5974000E-01	9.3407949E-00
19500	1.7687157E-9	3.7287357E-10	2.7799177E-06	2.5971250E-01	9.3407949E-00
19600	1.7284911E-9	3.6296537E-10	2.7824983E-06	2.5968500E-01	9.3407949E-00
19700	1.6887743E-9	3.5334559E-10	2.7850765E-06	2.5965750E-01	9.3407949E-00
19800	1.6488190E-9	3.4402115E-10	2.7876516E-06	2.5963000E-01	9.3407949E-00
19900	1.6103626E-9	3.3497624E-10	2.7812343E-06	2.5960250E-01	9.3407949E-00
20000	1.5743729E-9	3.2623069E-10	2.78191143E-06	2.5957500E-01	9.3407949E-00
20100	1.5384794E-9	3.1769549E-10	2.7826738E-06	2.5954750E-01	9.3407949E-00
20200	1.5036237E-9	3.0943641E-10	2.7834260E-06	2.5952000E-01	9.3407949E-00
20300	1.4702776E-9	3.0142617E-10	2.7841593E-06	2.5949250E-01	9.3407949E-00
20400	1.4372139E-9	2.9365500E-10	2.7848835E-06	2.5946500E-01	9.3407949E-00
20500	1.4052561E-9	2.8611305E-10	2.7855974E-06	2.5943750E-01	9.3407949E-00
20600	1.3743293E-9	2.7877846E-10	2.7863017E-06	2.5941000E-01	9.3407949E-00
20700	1.3443594E-9	2.7166714E-10	2.7869962E-06	2.5938250E-01	9.3407949E-00
20800	1.314713E-9	2.6476284E-10	2.7876808E-06	2.5935500E-01	9.3407949E-00
20900	1.2852437E-9	2.58055624E-10	2.78835526E-06	2.5932750E-01	9.3407949E-00

TABLE 1. (Continued)

GEOMETRIC ALTITUDE m	MOLECULAR TEMPERATURE degrees K	KINETIC TEMPERATURE degrees K	PRESSURE newtons cm ⁻²	DENSITY kg m ⁻³	COEFFICIENT OF VISCOSITY newton-sec m ⁻²	SPEED OF SOUND m ² s ⁻¹
210000.	1.4504500+03	1.2458705+03	1.1742803-08	2.819887-10	5.1404155-05	7.6353097+02
211000.	1.4554500+03	1.2487887+03	1.1497101-08	2.7949104-10	5.1705571-05	7.6498451+02
212000.	1.4604500+03	1.2516970+03	1.1237897-08	2.6802581-10	5.1804798-05	7.6615744+02
213000.	1.4654500+03	1.2545954+03	1.0994995-08	2.6123797-10	5.1903837-05	7.6746785+02
214000.	1.4704500+03	1.2574839+03	1.0758220-08	2.5484074-10	5.2008488-05	7.6877583+02
215000.	1.4754500+03	1.2603424+03	1.0527352-08	2.4852795-10	5.2109355-05	7.7008157+02
216000.	1.4804500+03	1.2632310+03	1.0302376-08	2.4237377-10	5.2209633-05	7.7138512+02
217000.	1.4854500+03	1.2660897+03	1.0082916-08	2.3643261-10	5.2310128-05	7.7268444+02
218000.	1.4904500+03	1.2689385+03	9.8687373-09	2.3063865-10	5.2410240-05	7.7398563+02
219000.	1.4954500+03	1.2717773+03	9.6602626-09	2.2500735-10	5.2510149-05	7.7528261+02
220000.	1.5004500+03	1.2746062+03	9.4547372-09	2.1953292-10	5.2609917-05	7.7657742+02
221000.	1.5054500+03	1.2774352+03	9.2582194-09	2.1421072-10	5.2709489-05	7.7787009+02
222000.	1.5104500+03	1.3002342+03	9.0456270-09	2.0903594-10	5.2808871-05	7.7914059+02
223000.	1.5154500+03	1.3030334+03	8.8764443-09	2.0400402-10	5.2908081-05	7.8040897+02
224000.	1.5204500+03	1.3058226+03	8.6913244-09	1.9911063-10	5.3007112-05	7.8173523+02
225000.	1.5254500+03	1.3086018+03	8.5118739-09	1.9435134-10	5.3105968-05	7.8301938+02
226000.	1.5304500+03	1.3113712+03	8.3337010-09	1.8972219-10	5.3204648-05	7.8430142+02
227000.	1.5354500+03	1.3141306+03	8.1644950-09	1.8521897-10	5.3303148-05	7.8558137+02
228000.	1.5404500+03	1.3168801+03	7.9975339-09	1.8083807-10	5.3401478-05	7.8685923+02
229000.	1.5454500+03	1.3196197+03	7.8343722-09	1.7657544-10	5.3499634-05	7.8813503+02
230000.	1.5504500+03	1.3223493+03	7.6781999-09	1.7243033-10	5.3597417-05	7.8940877+02
231000.	1.5554500+03	1.3251943+03	7.5195949-09	1.6849937-10	5.3695881-05	7.9068267+02
232000.	1.5604500+03	1.3280353+03	7.3675764-09	1.6464975-10	5.3795034-05	7.9194294+02
233000.	1.5654500+03	1.3308822+03	7.2190583-09	1.6093719-10	5.3893208-05	7.9319730+02
234000.	1.5704500+03	1.3337281+03	7.0739410-09	1.5729945-10	5.3991001-05	7.9444709+02
235000.	1.5754500+03	1.3365739+03	6.9321937-09	1.5375381-10	5.4087684-05	7.9569328+02
236000.	1.5804500+03	1.3394107+03	6.7935923-09	1.5029778-10	5.4184557-05	7.9694430+02
237000.	1.5854500+03	1.3422494+03	6.6581715-09	1.4692878-10	5.4281844-05	7.9819404+02
238000.	1.5904500+03	1.3450900+03	6.5258330-09	1.4374444-10	5.4378942-05	7.9944249+02
239000.	1.5954500+03	1.3479327+03	6.3964880-09	1.4064239-10	5.4476049-05	8.0068968+02
240000.	1.6004500+03	1.3507772+03	6.2700468-09	1.3762034-10	5.4573189-05	8.0193559+02
241000.	1.6054500+03	1.3536238+03	6.1467844-09	1.3467610-10	5.4670351-05	8.0318160+02
242000.	1.6104500+03	1.3564715+03	6.0256674-09	1.3180759-10	5.4767536-05	8.0442777+02
243000.	1.6154500+03	1.3593202+03	5.9075629-09	1.2901254-10	5.4864747-05	8.0567405+02
244000.	1.6204500+03	1.3621699+03	5.7920932-09	1.2633534-10	5.4961982-05	8.0692042+02
245000.	1.6254500+03	1.3650206+03	5.6791947-09	1.2376925-10	5.5059234-05	8.0816689+02
246000.	1.6304500+03	1.3678723+03	5.5688008-09	1.2131494-10	5.5156497-05	8.0941347+02
247000.	1.6354500+03	1.3707250+03	5.4608821-09	1.1897295-10	5.5253764-05	8.1066014+02
248000.	1.6404500+03	1.3735777+03	5.3552872-09	1.1677235-10	5.5351031-05	8.1190681+02
249000.	1.6454500+03	1.3764304+03	5.2520459-09	1.1477918-10	5.5448298-05	8.1315348+02
250000.	1.6504500+03	1.3792831+03	5.1505595-09	1.1279918-10	5.5545565-05	8.1440015+02

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ²
210000	1.2571545-19	2.9158058-10	2.6752139+00	2.5275600+01	9.3407949+00
211000	1.2577777-19	2.9222505-10	2.6806848+00	2.5246250+01	9.3407949+00
212000	1.2584000-19	2.9286955-10	2.6861638+00	2.5217500+01	9.3407949+00
213000	1.2590222-19	2.9351102-10	2.6921141+00	2.5188750+01	9.3407949+00
214000	1.2596444-19	2.9415249-10	2.6975319+00	2.5160000+01	9.3407949+00
215000	1.2602666-19	2.9479396-10	2.7029497+00	2.5131250+01	9.3407949+00
216000	1.2608888-19	2.9543543-10	2.7083675+00	2.5102500+01	9.3407949+00
217000	1.2615110-19	2.9607690-10	2.7137853+00	2.5073750+01	9.3407949+00
218000	1.2621332-19	2.9671837-10	2.7192031+00	2.5045000+01	9.3407949+00
219000	1.2627554-19	2.9735984-10	2.7246209+00	2.5016250+01	9.3407949+00
220000	1.2633776-19	2.9800131-10	2.7300387+00	2.4987500+01	9.3407949+00
221000	1.2640000-19	2.9864278-10	2.7354565+00	2.4958750+01	9.3407949+00
222000	1.2646222-19	2.9928425-10	2.7408743+00	2.4930000+01	9.3407949+00
223000	1.2652444-19	2.9992572-10	2.7462921+00	2.4901250+01	9.3407949+00
224000	1.2658666-19	3.0056719-10	2.7517099+00	2.4872500+01	9.3407949+00
225000	1.2664888-19	3.0120866-10	2.7571277+00	2.4843750+01	9.3407949+00
226000	1.2671110-19	3.0185013-10	2.7625455+00	2.4815000+01	9.3407949+00
227000	1.2677332-19	3.0249160-10	2.7679633+00	2.4786250+01	9.3407949+00
228000	1.2683554-19	3.0313307-10	2.7733811+00	2.4757500+01	9.3407949+00
229000	1.2689776-19	3.0377454-10	2.7787989+00	2.4728750+01	9.3407949+00
230000	1.2696000-19	3.0441601-10	2.7842167+00	2.4700000+01	9.3407949+00
231000	1.2702222-19	3.0505748-10	2.7896345+00	2.4671250+01	9.3407949+00
232000	1.2708444-19	3.0569895-10	2.7950523+00	2.4642500+01	9.3407949+00
233000	1.2714666-19	3.0634042-10	2.8004701+00	2.4613750+01	9.3407949+00
234000	1.2720888-19	3.0698189-10	2.8058879+00	2.4585000+01	9.3407949+00
235000	1.2727110-19	3.0762336-10	2.8113057+00	2.4556250+01	9.3407949+00
236000	1.2733332-19	3.0826483-10	2.8167235+00	2.4527500+01	9.3407949+00
237000	1.2739554-19	3.0890630-10	2.8221413+00	2.4498750+01	9.3407949+00
238000	1.2745776-19	3.0954777-10	2.8275591+00	2.4470000+01	9.3407949+00
239000	1.2752000-19	3.1018924-10	2.8329769+00	2.4441250+01	9.3407949+00
240000	1.2758222-19	3.1083071-10	2.8383947+00	2.4412500+01	9.3407949+00
241000	1.2764444-19	3.1147218-10	2.8438125+00	2.4383750+01	9.3407949+00
242000	1.2770666-19	3.1211365-10	2.8492303+00	2.4355000+01	9.3407949+00
243000	1.2776888-19	3.1275512-10	2.8546481+00	2.4326250+01	9.3407949+00
244000	1.2783110-19	3.1339659-10	2.8600659+00	2.4297500+01	9.3407949+00
245000	1.2789332-19	3.1403806-10	2.8654837+00	2.4268750+01	9.3407949+00
246000	1.2795554-19	3.1467953-10	2.8709015+00	2.4240000+01	9.3407949+00
247000	1.2801776-19	3.1532100-10	2.8763193+00	2.4211250+01	9.3407949+00
248000	1.2808000-19	3.1596247-10	2.8817371+00	2.4182500+01	9.3407949+00
249000	1.2814222-19	3.1660394-10	2.8871549+00	2.4153750+01	9.3407949+00
250000	1.2820444-19	3.1724541-10	2.8925727+00	2.4125000+01	9.3407949+00
251000	1.2826666-19	3.1788688-10	2.8979905+00	2.4096250+01	9.3407949+00
252000	1.2832888-19	3.1852835-10	2.9034083+00	2.4067500+01	9.3407949+00
253000	1.2839110-19	3.1916982-10	2.9088261+00	2.4038750+01	9.3407949+00
254000	1.2845332-19	3.1981129-10	2.9142439+00	2.4010000+01	9.3407949+00
255000	1.2851554-19	3.2045276-10	2.9196617+00	2.3981250+01	9.3407949+00
256000	1.2857776-19	3.2109423-10	2.9250795+00	2.3952500+01	9.3407949+00
257000	1.2864000-19	3.2173570-10	2.9304973+00	2.3923750+01	9.3407949+00
258000	1.2870222-19	3.2237717-10	2.9359151+00	2.3895000+01	9.3407949+00
259000	1.2876444-19	3.2301864-10	2.9413329+00	2.3866250+01	9.3407949+00
260000	1.2882666-19	3.2366011-10	2.9467507+00	2.3837500+01	9.3407949+00
261000	1.2888888-19	3.2430158-10	2.9521685+00	2.3808750+01	9.3407949+00
262000	1.2895110-19	3.2494305-10	2.9575863+00	2.3780000+01	9.3407949+00
263000	1.2901332-19	3.2558452-10	2.9630041+00	2.3751250+01	9.3407949+00
264000	1.2907554-19	3.2622599-10	2.9684219+00	2.3722500+01	9.3407949+00
265000	1.2913776-19	3.2686746-10	2.9738397+00	2.3693750+01	9.3407949+00
266000	1.2920000-19	3.2750893-10	2.9792575+00	2.3665000+01	9.3407949+00
267000	1.2926222-19	3.2815040-10	2.9846753+00	2.3636250+01	9.3407949+00
268000	1.2932444-19	3.2879187-10	2.9900931+00	2.3607500+01	9.3407949+00
269000	1.2938666-19	3.2943334-10	2.9955109+00	2.3578750+01	9.3407949+00
270000	1.2944888-19	3.3007481-10	3.0009287+00	2.3550000+01	9.3407949+00
271000	1.2951110-19	3.3071628-10	3.0063465+00	2.3521250+01	9.3407949+00
272000	1.2957332-19	3.3135775-10	3.0117643+00	2.3492500+01	9.3407949+00
273000	1.2963554-19	3.3200000-10	3.0171821+00	2.3463750+01	9.3407949+00
274000	1.2969776-19	3.3264147-10	3.0226000+00	2.3435000+01	9.3407949+00
275000	1.2976000-19	3.3328294-10	3.0280178+00	2.3406250+01	9.3407949+00
276000	1.2982222-19	3.3392441-10	3.0334356+00	2.3377500+01	9.3407949+00
277000	1.2988444-19	3.3456588-10	3.0388534+00	2.3348750+01	9.3407949+00
278000	1.2994666-19	3.3520735-10	3.0442712+00	2.3320000+01	9.3407949+00
279000	1.2999888-19	3.3584882-10	3.0496890+00	2.3291250+01	9.3407949+00
280000	1.3006110-19	3.3649029-10	3.0551068+00	2.3262500+01	9.3407949+00
281000	1.3012332-19	3.3713176-10	3.0605246+00	2.3233750+01	9.3407949+00
282000	1.3018554-19	3.3777323-10	3.0659424+00	2.3205000+01	9.3407949+00
283000	1.3024776-19	3.3841470-10	3.0713602+00	2.3176250+01	9.3407949+00
284000	1.3031000-19	3.3905617-10	3.0767780+00	2.3147500+01	9.3407949+00
285000	1.3037222-19	3.3969764-10	3.0821958+00	2.3118750+01	9.3407949+00
286000	1.3043444-19	3.4033911-10	3.0876136+00	2.3090000+01	9.3407949+00
287000	1.3049666-19	3.4098058-10	3.0930314+00	2.3061250+01	9.3407949+00
288000	1.3055888-19	3.4162205-10	3.0984492+00	2.3032500+01	9.3407949+00
289000	1.3062110-19	3.4226352-10	3.1038670+00	2.3003750+01	9.3407949+00
290000	1.3068332-19	3.4290499-10	3.1092848+00	2.2975000+01	9.3407949+00
291000	1.3074554-19	3.4354646-10	3.1147026+00	2.2946250+01	9.3407949+00
292000	1.3080776-19	3.4418793-10	3.1201204+00	2.2917500+01	9.3407949+00
293000	1.3087000-19	3.4482940-10	3.1255382+00	2.2888750+01	9.3407949+00
294000	1.3093222-19	3.4547087-10	3.1309560+00	2.2860000+01	9.3407949+00
295000	1.3099444-19	3.4611234-10	3.1363738+00	2.2831250+01	9.3407949+00
296000	1.3105666-19	3.4675381-10	3.1417916+00	2.2802500+01	9.3407949+00
297000	1.3111888-19	3.4739528-10	3.1472094+00	2.2773750+01	9.3407949+00
298000	1.3118110-19	3.4803675-10	3.1526272+00	2.2745000+01	9.3407949+00
299000	1.3124332-19	3.4867822-10	3.1580450+00	2.2716250+01	9.3407949+00
300000	1.3130554-19	3.4931969-10	3.1634628+00	2.2687500+01	9.3407949+00

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	MOLECULAR TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	COEFFICIENT OF VISCOSITY	SPEED OF SOUND
m	K	K	N cm ⁻²	kg m ⁻³	N s m ⁻²	m s ⁻¹
250000.	1.6304500+03	1.3577603+03	5.1510738-09	1.1004613-10	5.5142621-05	8.0951599+02
251000.	1.6346500+03	1.3594443+03	5.0523125-09	1.0742710-10	5.5218780-05	8.1050826+02
252000.	1.6388500+03	1.3611283+03	4.9557095-09	1.0535554-10	5.5294839-05	8.1149931+02
253000.	1.6426500+03	1.3627943+03	4.8612109-09	1.0309490-10	5.5370797-05	8.1248915+02
254000.	1.6464500+03	1.3644500+03	4.7687667-09	1.0088870-10	5.5446654-05	8.1347779+02
255000.	1.6502500+03	1.3661100+03	4.6783256-09	9.8735476-11	5.5522412-05	8.1446523+02
256000.	1.6540500+03	1.3677558+03	4.5898410-09	9.6433843-11	5.5598070-05	8.1545148+02
257000.	1.6578500+03	1.3693936+03	4.5032638-09	9.4582912-11	5.5673630-05	8.1643453+02
258000.	1.6616500+03	1.3710231+03	4.4185492-09	9.2579880-11	5.5749091-05	8.1742039+02
259000.	1.6654500+03	1.3726449+03	4.3355506-09	9.0424918-11	5.5824454-05	8.1840308+02
260000.	1.6692500+03	1.3742585+03	4.2545264-09	8.8714316-11	5.5899718-05	8.1938459+02
261000.	1.6730500+03	1.3758640+03	4.1751341-09	8.6852861-11	5.5974986-05	8.2036492+02
262000.	1.6768500+03	1.3774616+03	4.0974304-09	8.5033329-11	5.6049955-05	8.2134409+02
263000.	1.6806500+03	1.3790510+03	4.0213771-09	8.3256417-11	5.6124929-05	8.2232207+02
264000.	1.6844500+03	1.3806324+03	3.9466733-09	8.1521590-11	5.6199805-05	8.2329891+02
265000.	1.6882500+03	1.3822058+03	3.8740428-09	7.9827145-11	5.6274566-05	8.2427456+02
266000.	1.6920500+03	1.3837711+03	3.8027275-09	7.8123107-11	5.6349271-05	8.2524910+02
267000.	1.6958500+03	1.3853244+03	3.7328909-09	7.6555944-11	5.6423841-05	8.2622247+02
268000.	1.6996500+03	1.3868746+03	3.6645176-09	7.4977195-11	5.6498157-05	8.2719470+02
269000.	1.7034500+03	1.3884187+03	3.5975742-09	7.3434992-11	5.6572756-05	8.2816579+02
270000.	1.7072500+03	1.3899519+03	3.5320444-09	7.1928422-11	5.6647062-05	8.2912573+02
271000.	1.7110500+03	1.3914789+03	3.4678424-09	7.0454590-11	5.6721274-05	8.3010455+02
272000.	1.7148500+03	1.3929940+03	3.4049895-09	6.9018590-11	5.6795373-05	8.3107224+02
273000.	1.7186500+03	1.3945029+03	3.3434388-09	6.7613595-11	5.6869418-05	8.3203880+02
274000.	1.7224500+03	1.3960038+03	3.2831564-09	6.6240716-11	5.6943350-05	8.3300423+02
275000.	1.7262500+03	1.3974967+03	3.2241167-09	6.4899188-11	5.7017190-05	8.3396856+02
276000.	1.7300500+03	1.3989815+03	3.1662888-09	6.3588183-11	5.7090937-05	8.3493176+02
277000.	1.7338500+03	1.4004583+03	3.1094465-09	6.2306464-11	5.7164592-05	8.3589386+02
278000.	1.7376500+03	1.4019270+03	3.0541608-09	6.1054754-11	5.7238156-05	8.3685485+02
279000.	1.7414500+03	1.4033877+03	2.9990848-09	5.9830847-11	5.7311629-05	8.3781474+02
280000.	1.7452500+03	1.4048404+03	2.9465578-09	5.8634523-11	5.7385011-05	8.3877353+02
281000.	1.7490500+03	1.4062849+03	2.8943093-09	5.7465104-11	5.7458303-05	8.3973123+02
282000.	1.7528500+03	1.4077215+03	2.8432759-09	5.6321906-11	5.7531503-05	8.4068784+02
283000.	1.7566500+03	1.4091500+03	2.7931943-09	5.5204289-11	5.7604615-05	8.4164335+02
284000.	1.7604500+03	1.4105704+03	2.7441205-09	5.4111606-11	5.7677636-05	8.4259778+02
285000.	1.7642500+03	1.4119828+03	2.6960330-09	5.3043262-11	5.7750568-05	8.4355113+02
286000.	1.7680500+03	1.4133871+03	2.6484087-09	5.1998446-11	5.7823412-05	8.4450342+02
287000.	1.7718500+03	1.4147834+03	2.6022260-09	5.0977169-11	5.7896167-05	8.4545542+02
288000.	1.7756500+03	1.4161717+03	2.5574638-09	4.9976833-11	5.7968333-05	8.4640755+02
289000.	1.7794500+03	1.4175519+03	2.5131019-09	4.9001366-11	5.8041411-05	8.4735382+02

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ⁻²
25200*	5.514596e-12	9.616343e-11	3.572365e+00	2.411172e+01	9.3407949e+00
25100*	5.428667e-12	9.604575e-11	3.5766489e+00	2.408806e+01	9.3407949e+00
25000*	5.345473e-12	9.597943e-11	3.580892e+00	2.406892e+01	9.3407949e+00
24900*	5.264279e-12	9.5916279e-11	3.5852768e+00	2.404978e+01	9.3407949e+00
24800*	5.185314e-12	9.585694e-11	3.5897553e+00	2.403064e+01	9.3407949e+00
24700*	5.108407e-12	9.579747e-11	3.5943263e+00	2.401150e+01	9.3407949e+00
24600*	5.033564e-12	9.573797e-11	3.5989977e+00	2.399236e+01	9.3407949e+00
24500*	4.960714e-12	9.567844e-11	3.6037741e+00	2.397322e+01	9.3407949e+00
24400*	4.889837e-12	9.561887e-11	3.6086551e+00	2.395408e+01	9.3407949e+00
24300*	4.820912e-12	9.555924e-11	3.6135406e+00	2.393494e+01	9.3407949e+00
24200*	4.753929e-12	9.550000e-11	3.6184316e+00	2.391580e+01	9.3407949e+00
24100*	4.688879e-12	9.544075e-11	3.6233281e+00	2.389666e+01	9.3407949e+00
24000*	4.625764e-12	9.538150e-11	3.6282301e+00	2.387752e+01	9.3407949e+00
23900*	4.564584e-12	9.532225e-11	3.6331376e+00	2.385838e+01	9.3407949e+00
23800*	4.505349e-12	9.526300e-11	3.6380506e+00	2.383924e+01	9.3407949e+00
23700*	4.448069e-12	9.520375e-11	3.6429691e+00	2.382010e+01	9.3407949e+00
23600*	4.392744e-12	9.514450e-11	3.6478931e+00	2.380096e+01	9.3407949e+00
23500*	4.339374e-12	9.508525e-11	3.6528226e+00	2.378182e+01	9.3407949e+00
23400*	4.287959e-12	9.502600e-11	3.6577576e+00	2.376268e+01	9.3407949e+00
23300*	4.238499e-12	9.496675e-11	3.6626981e+00	2.374354e+01	9.3407949e+00
23200*	4.190994e-12	9.490750e-11	3.6676441e+00	2.372440e+01	9.3407949e+00
23100*	4.145444e-12	9.484825e-11	3.6725956e+00	2.370526e+01	9.3407949e+00
23000*	4.101849e-12	9.478900e-11	3.6775526e+00	2.368612e+01	9.3407949e+00
22900*	4.060209e-12	9.472975e-11	3.6825151e+00	2.366698e+01	9.3407949e+00
22800*	4.020524e-12	9.467050e-11	3.6874831e+00	2.364784e+01	9.3407949e+00
22700*	3.982794e-12	9.461125e-11	3.6924566e+00	2.362870e+01	9.3407949e+00
22600*	3.947019e-12	9.455200e-11	3.6974356e+00	2.360956e+01	9.3407949e+00
22500*	3.913199e-12	9.449275e-11	3.7024201e+00	2.359042e+01	9.3407949e+00
22400*	3.881334e-12	9.443350e-11	3.7074101e+00	2.357128e+01	9.3407949e+00
22300*	3.851424e-12	9.437425e-11	3.7124056e+00	2.355214e+01	9.3407949e+00
22200*	3.823469e-12	9.431500e-11	3.7174066e+00	2.353300e+01	9.3407949e+00
22100*	3.797469e-12	9.425575e-11	3.7224131e+00	2.351386e+01	9.3407949e+00
22000*	3.773424e-12	9.419650e-11	3.7274251e+00	2.349472e+01	9.3407949e+00
21900*	3.750334e-12	9.413725e-11	3.7324426e+00	2.347558e+01	9.3407949e+00
21800*	3.729209e-12	9.407800e-11	3.7374656e+00	2.345644e+01	9.3407949e+00
21700*	3.709049e-12	9.401875e-11	3.7424941e+00	2.343730e+01	9.3407949e+00
21600*	3.690854e-12	9.395950e-11	3.7475281e+00	2.341816e+01	9.3407949e+00
21500*	3.673624e-12	9.390025e-11	3.7525676e+00	2.339902e+01	9.3407949e+00
21400*	3.658359e-12	9.384100e-11	3.7576126e+00	2.337988e+01	9.3407949e+00
21300*	3.644059e-12	9.378175e-11	3.7626631e+00	2.336074e+01	9.3407949e+00
21200*	3.630724e-12	9.372250e-11	3.7677191e+00	2.334160e+01	9.3407949e+00
21100*	3.618354e-12	9.366325e-11	3.7727806e+00	2.332246e+01	9.3407949e+00
21000*	3.606949e-12	9.360400e-11	3.7778476e+00	2.330332e+01	9.3407949e+00
20900*	3.596509e-12	9.354475e-11	3.7829191e+00	2.328418e+01	9.3407949e+00
20800*	3.587034e-12	9.348550e-11	3.7879951e+00	2.326504e+01	9.3407949e+00
20700*	3.578534e-12	9.342625e-11	3.7930761e+00	2.324590e+01	9.3407949e+00
20600*	3.571009e-12	9.336700e-11	3.7981621e+00	2.322676e+01	9.3407949e+00
20500*	3.564459e-12	9.330775e-11	3.8032531e+00	2.320762e+01	9.3407949e+00
20400*	3.558884e-12	9.324850e-11	3.8083491e+00	2.318848e+01	9.3407949e+00
20300*	3.554284e-12	9.318925e-11	3.8134501e+00	2.316934e+01	9.3407949e+00
20200*	3.550659e-12	9.313000e-11	3.8185561e+00	2.315020e+01	9.3407949e+00
20100*	3.547999e-12	9.307075e-11	3.8236671e+00	2.313106e+01	9.3407949e+00
20000*	3.546304e-12	9.301150e-11	3.8287831e+00	2.311192e+01	9.3407949e+00
19900*	3.545574e-12	9.295225e-11	3.8339041e+00	2.309278e+01	9.3407949e+00
19800*	3.545809e-12	9.289300e-11	3.8390301e+00	2.307364e+01	9.3407949e+00
19700*	3.547009e-12	9.283375e-11	3.8441611e+00	2.305450e+01	9.3407949e+00
19600*	3.549174e-12	9.277450e-11	3.8492971e+00	2.303536e+01	9.3407949e+00
19500*	3.552304e-12	9.271525e-11	3.8544381e+00	2.301622e+01	9.3407949e+00
19400*	3.556399e-12	9.265600e-11	3.8595841e+00	2.300000e+01	9.3407949e+00
19300*	3.561459e-12	9.259675e-11	3.8647351e+00	2.298380e+01	9.3407949e+00
19200*	3.567484e-12	9.253750e-11	3.8698911e+00	2.296760e+01	9.3407949e+00
19100*	3.574474e-12	9.247825e-11	3.8750521e+00	2.295140e+01	9.3407949e+00
19000*	3.582429e-12	9.241900e-11	3.8802181e+00	2.293520e+01	9.3407949e+00
18900*	3.591349e-12	9.235975e-11	3.8853891e+00	2.291900e+01	9.3407949e+00
18800*	3.601234e-12	9.230050e-11	3.8905651e+00	2.290280e+01	9.3407949e+00
18700*	3.612084e-12	9.224125e-11	3.8957461e+00	2.288660e+01	9.3407949e+00
18600*	3.623909e-12	9.218200e-11	3.9009321e+00	2.287040e+01	9.3407949e+00
18500*	3.636709e-12	9.212275e-11	3.9061231e+00	2.285420e+01	9.3407949e+00
18400*	3.650484e-12	9.206350e-11	3.9113191e+00	2.283800e+01	9.3407949e+00
18300*	3.665334e-12	9.200425e-11	3.9165201e+00	2.282180e+01	9.3407949e+00
18200*	3.681259e-12	9.194500e-11	3.9217261e+00	2.280560e+01	9.3407949e+00
18100*	3.698259e-12	9.188575e-11	3.9269371e+00	2.278940e+01	9.3407949e+00
18000*	3.716334e-12	9.182650e-11	3.9321531e+00	2.277320e+01	9.3407949e+00
17900*	3.735484e-12	9.176725e-11	3.9373741e+00	2.275700e+01	9.3407949e+00
17800*	3.755709e-12	9.170800e-11	3.9426001e+00	2.274080e+01	9.3407949e+00
17700*	3.777009e-12	9.164875e-11	3.9478311e+00	2.272460e+01	9.3407949e+00
17600*	3.799384e-12	9.158950e-11	3.9530671e+00	2.270840e+01	9.3407949e+00
17500*	3.822834e-12	9.153025e-11	3.9583081e+00	2.269220e+01	9.3407949e+00
17400*	3.847359e-12	9.147100e-11	3.9635541e+00	2.267600e+01	9.3407949e+00
17300*	3.872959e-12	9.141175e-11	3.9688051e+00	2.265980e+01	9.3407949e+00
17200*	3.900634e-12	9.135250e-11	3.9740611e+00	2.264360e+01	9.3407949e+00
17100*	3.929384e-12	9.129325e-11	3.9793221e+00	2.262740e+01	9.3407949e+00
17000*	3.959209e-12	9.123400e-11	3.9845881e+00	2.261120e+01	9.3407949e+00
16900*	3.990109e-12	9.117475e-11	3.9898591e+00	2.259500e+01	9.3407949e+00
16800*	4.022084e-12	9.111550e-11	3.9951351e+00	2.257880e+01	9.3407949e+00
16700*	4.055234e-12	9.105625e-11	4.0004161e+00	2.256260e+01	9.3407949e+00
16600*	4.089459e-12	9.099700e-11	4.0056971e+00	2.254640e+01	9.3407949e+00
16500*	4.134759e-12	9.093775e-11	4.0109781e+00	2.253020e+01	9.3407949e+00
16400*	4.181134e-12	9.087850e-11	4.0162591e+00	2.251400e+01	9.3407949e+00
16300*	4.228584e-12	9.081925e-11	4.0215401e+00	2.249780e+01	9.3407949e+00
16200*	4.277109e-12	9.076000e-11	4.0268211e+00	2.248160e+01	9.3407949e+00
16100*	4.326709e-12	9.070075e-11	4.0321021e+00	2.246540e+01	9.3407949e+00
16000*	4.377384e-12	9.064150e-11	4.0373831e+00	2.244920e+01	9.3407949e+00
15900*	4.429134e-12	9.058225e-11	4.0426641e+00	2.243300e+01	9.3407949e+00
15800*	4.481959e-12	9.052300e-11	4.0479451e+00	2.241680e+01	9.3407949e+00
15700*	4.535859e-12	9.046375e-11	4.0532261e+00	2.240060e+01	9.3407949e+00
15600*	4.590834e-12	9.040450e-11	4.0585071e+00	2.238440e+01	9.3407949e+00
15500*	4.646884e-12	9.034525e-11	4.0637881e+00	2.236820e+01	9.3407949e+00
15400*	4.704009e-12	9.028600e-11	4.0690691e+00	2.235200e+01	9.3407949e+00
15300*	4.762209e-12	9.022675e-11	4.0743501e+00	2.233580e+01	9.3407949e+00
15200*	4.821484e-12	9.016750e-11	4.0796311e+00	2.231960e+01	9.3407949e+00
15100*	4.881834e-12	9.010825e-11	4.0849121e+00	2.230340e+01	9.3407949e+00
15000*	4.943259e-12	9.004900e-11	4.0901931e+00	2.228720e+01	9.3407949e+00
14900*	5.005759e-12	8.998975e-11	4.0954741e+00	2.227100e+01	9.3407949e+00
14800*	5.069334e-12	8.993050e-11	4.1007551e+00	2.225480e+01	9.3407949e+00
14700*	5.133984e-12	8.987125e-11	4.1060361e+00	2.223860e+01	9.3407949e+00
14600*	5.200709e-12	8.981200e-11	4.1113171e+00	2.222240e+01	9.3407949e+00
14500*	5.269509e-12	8.975275e-11	4.1165981e+00	2.220620e+01	9.3407949e+00
14400*	5.340384e-12	8.969350e-11	4.1218791e+00	2.219000e+01	9.3407949e+00
14300*	5.413334e-12	8.963425e-11	4.1271601e+00	2.217380e+01	9.3407949e+00
14200*	5.488359e-12	8.957500e-11	4.1324411e+00	2.215760e+01	9.3407949e+00
14100*	5.565459e-12	8.951575e-11	4.1377221e+00	2.214140e+01	9.3407949e+00
14000*	5.644634e-12	8.945650e-11	4.1430031e+00	2.212520e+01	9.3407949e+00
13900*	5.725884e-12	8.939725e-11	4.1482841e+00	2.210900e+01	9.3407949e+00
13800*	5.809209e-12	8.933800e-11	4.1535651e+00	2.209280e+01	9.3407949e+00
13700*	5.894609e-12	8.927875e-11	4.1588461e+00	2.207660e+01	9.3407949e+00
13600*	5.982084e-12	8.921950e-11	4.1641271e+00	2.206040e+01	9.3407949e+00
13500*	6.071734e-12	8.916025e-11	4.1694081e+00	2.204420e+01	9.3407949e+00
13400*	6.163559e-12	8.910100e-11			

TABLE 1. (Continued)

GEOMETRIC ALTITUDE m	MOLECULAR TEMPERATURE K	KINETIC TEMPERATURE K	PRESSURE N cm ⁻²	DENSITY kg m ⁻³	COEFFICIENT OF VISCOSITY N s m ⁻²	SPEED OF SOUND m s ⁻¹
270000.	1.7904500+03	1.4189240+03	2.496202-09	4.805997-11	5.8113902+05	8.4930183+02
291000.	1.7944500+03	1.4202841+03	2.429994-09	4.7111540-11	5.8184306+05	8.4924078+02
292000.	1.7984500+03	1.4216491+03	2.3852192-09	4.6119757-11	5.8258623+05	8.5019468+02
293000.	1.8024500+03	1.4229922+03	2.340420-09	4.5303876-11	5.8330852+05	8.5113953+02
294000.	1.8064500+03	1.4243321+03	2.3041091-09	4.44949023-11	5.8402995+05	8.5208332+02
295000.	1.8104500+03	1.4256640+03	2.2647439-09	4.3673490-11	5.8475052+05	8.5302607+02
296000.	1.8144500+03	1.4269879+03	2.2261478-09	4.2773643-11	5.8547022+05	8.5396778+02
297000.	1.8184500+03	1.4283037+03	2.1883045-09	4.1917576-11	5.8618908+05	8.5490046+02
298000.	1.8224500+03	1.4296115+03	2.1511977-09	4.1116374-11	5.8690701+05	8.5584911+02
299000.	1.8264500+03	1.4309111+03	2.1148110-09	4.0322392-11	5.8762424+05	8.5678671+02
300000.	1.8304500+03	1.4322192+03	2.0779502-09	3.9543746-11	5.8834054+05	8.5772430+02
302000.	1.8372500+03	1.4339030+03	2.0096524-09	3.8105743-11	5.8952040+05	8.5924907+02
304000.	1.8435000+03	1.4355909+03	1.9428467-09	3.6707152-11	5.9049838+05	8.6081107+02
306000.	1.8505000+03	1.4372541+03	1.8765268-09	3.5365337-11	5.9187389+05	8.6235033+02
308000.	1.8570500+03	1.4388925+03	1.8165910-09	3.4077782-11	5.9309715+05	8.6386681+02
310000.	1.8636800+03	1.4405862+03	1.7567419-09	3.2842031-11	5.9421813+05	8.6542040+02
312000.	1.8702500+03	1.4422650+03	1.6997860-09	3.1645577-11	5.9533849+05	8.6695168+02
314000.	1.8768500+03	1.4439390+03	1.6491348-09	3.0517284-11	5.9655345+05	8.6849003+02
316000.	1.8834500+03	1.4456192+03	1.5980032-09	2.9423693-11	5.9771779+05	8.7000571+02
318000.	1.8900500+03	1.4472727+03	1.5394094-09	2.8373871-11	5.9887992+05	8.7152871+02
320000.	1.8964500+03	1.4489203+03	1.4898766-09	2.7365340-11	6.0003988+05	8.7304906+02
322000.	1.9039500+03	1.4496672+03	1.4421301-09	2.6396501-11	6.0119767+05	8.7456477+02
324000.	1.9096500+03	1.4511073+03	1.3960988-09	2.5465643-11	6.0235330+05	8.7608185+02
326000.	1.9164800+03	1.4525225+03	1.3517150-09	2.4571145-11	6.0350477+05	8.7759431+02
328000.	1.9230500+03	1.4539130+03	1.3099132-09	2.3711445-11	6.0465811+05	8.7910412+02
330000.	1.9296800+03	1.4552787+03	1.2676311-09	2.2895083-11	6.0580733+05	8.8061144+02
332000.	1.9362500+03	1.4566196+03	1.2278100-09	2.2070599-11	6.0695443+05	8.8211613+02
334000.	1.9428500+03	1.4579367+03	1.1893921-09	2.1326693-11	6.0809944+05	8.8361827+02
336000.	1.9494500+03	1.4592270+03	1.1523229-09	2.0572083-11	6.0924233+05	8.8511785+02
338000.	1.9560500+03	1.4604936+03	1.1165502-09	1.98865479-11	6.1038315+05	8.8661491+02
340000.	1.9624500+03	1.4617353+03	1.0820239-09	1.9205772-11	6.1152192+05	8.8810944+02
342000.	1.9692500+03	1.4629523+03	1.046965-09	1.8551829-11	6.1265862+05	8.8960144+02
344000.	1.9754500+03	1.4641944+03	1.0165215-09	1.7922572-11	6.137937-05	8.9109091+02
346000.	1.9824500+03	1.4653117+03	9.8555500-10	1.7316964-11	6.1492586+05	8.925799+02
348000.	1.9890500+03	1.4664533+03	9.5545693-10	1.6734094-11	6.1605648+05	8.9404255+02
350000.	1.9956800+03	1.4675721+03	9.2448089-10	1.6172967-11	6.1718058+05	8.9554865+02
352000.	2.0022500+03	1.4686651+03	8.9497361-10	1.5632716-11	6.1831163+05	8.9702429+02
354000.	2.0088500+03	1.4697333+03	8.7145655-10	1.5124849-11	6.1943621+05	8.9850150+02
356000.	2.0154500+03	1.4707747+03	8.4533385-10	1.4611473-11	6.2055880+05	8.9997628+02
358000.	2.0220500+03	1.4717953+03	8.2009138-10	1.4128892-11	6.2167942+05	9.0144866+02

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ⁻²
291000	2.6437779-11	4.2858528-11	3.2379156+00	2.2951600+01	9.3407999+00
291000	2.5962763-11	4.2224491-11	3.2419497+00	2.2922460+01	9.3407999+00
291000	2.5555555-11	4.1259217-11	3.2459790+00	2.2893120+01	9.3407999+00
291000	2.5177777-11	4.0291711-11	3.2500000+00	2.2864180+01	9.3407999+00
291000	2.4800000-11	3.9323102-11	3.2540293+00	2.2835040+01	9.3407999+00
291000	2.4422222-11	3.8354499-11	3.2580586+00	2.2805900+01	9.3407999+00
291000	2.4044444-11	3.7385696-11	3.2620879+00	2.2776760+01	9.3407999+00
291000	2.3666666-11	3.6416893-11	3.2661172+00	2.2747620+01	9.3407999+00
291000	2.3288888-11	3.5448090-11	3.2701465+00	2.2718480+01	9.3407999+00
291000	2.2911111-11	3.4479287-11	3.2741758+00	2.2689340+01	9.3407999+00
301000	2.2257777-11	3.3510484-11	3.2782051+00	2.2660200+01	9.3407999+00
301000	2.1880000-11	3.2541681-11	3.2822344+00	2.2631060+01	9.3407999+00
301000	2.1502222-11	3.1572878-11	3.2862637+00	2.2601920+01	9.3407999+00
301000	2.1124444-11	3.0604075-11	3.2902930+00	2.2572780+01	9.3407999+00
301000	2.0746666-11	2.9635272-11	3.2943223+00	2.2543640+01	9.3407999+00
301000	2.0368888-11	2.8666469-11	3.2983516+00	2.2514500+01	9.3407999+00
301000	1.9991111-11	2.7697666-11	3.3023809+00	2.2485360+01	9.3407999+00
301000	1.9613333-11	2.6728863-11	3.3064102+00	2.2456220+01	9.3407999+00
301000	1.9235555-11	2.5760060-11	3.3104395+00	2.2427080+01	9.3407999+00
301000	1.8857777-11	2.4791257-11	3.3144688+00	2.2397940+01	9.3407999+00
301000	1.8480000-11	2.3822454-11	3.3184981+00	2.2368800+01	9.3407999+00
301000	1.8102222-11	2.2853651-11	3.3225274+00	2.2339660+01	9.3407999+00
301000	1.7724444-11	2.1884848-11	3.3265567+00	2.2310520+01	9.3407999+00
301000	1.7346666-11	2.0916045-11	3.3305860+00	2.2281380+01	9.3407999+00
301000	1.6968888-11	1.9947242-11	3.3346153+00	2.2252240+01	9.3407999+00
301000	1.6591111-11	1.8978439-11	3.3386446+00	2.2223100+01	9.3407999+00
301000	1.6213333-11	1.8009636-11	3.3426739+00	2.2193960+01	9.3407999+00
301000	1.5835555-11	1.7040833-11	3.3467032+00	2.2164820+01	9.3407999+00
301000	1.5457777-11	1.6072030-11	3.3507325+00	2.2135680+01	9.3407999+00
301000	1.5080000-11	1.5103227-11	3.3547618+00	2.2106540+01	9.3407999+00
301000	1.4702222-11	1.4134424-11	3.3587911+00	2.2077400+01	9.3407999+00
301000	1.4324444-11	1.3165621-11	3.3628204+00	2.2048260+01	9.3407999+00
301000	1.3946666-11	1.2196818-11	3.3668497+00	2.2019120+01	9.3407999+00
301000	1.3568888-11	1.1228015-11	3.3708790+00	2.1989980+01	9.3407999+00
301000	1.3191111-11	1.0259212-11	3.3749083+00	2.1960840+01	9.3407999+00
301000	1.2813333-11	9.2903409-12	3.3789376+00	2.1931700+01	9.3407999+00
301000	1.2435555-11	8.3047606-12	3.3829669+00	2.1902560+01	9.3407999+00
301000	1.2057777-11	7.3191803-12	3.3869962+00	2.1873420+01	9.3407999+00
301000	1.1680000-11	6.3336000-12	3.3910255+00	2.1844280+01	9.3407999+00
301000	1.1302222-11	5.3480197-12	3.3950548+00	2.1815140+01	9.3407999+00
301000	1.0924444-11	4.3624394-12	3.3990841+00	2.1786000+01	9.3407999+00
301000	1.0546666-11	3.3768591-12	3.4031134+00	2.1756860+01	9.3407999+00
301000	1.0168888-11	2.3912788-12	3.4071427+00	2.1727720+01	9.3407999+00
301000	9.7911111-12	1.4056985-12	3.4111720+00	2.1698580+01	9.3407999+00
301000	9.4133333-12	4.0703182-13	3.4152013+00	2.1669440+01	9.3407999+00
301000	9.0355555-12	3.0847379-13	3.4192306+00	2.1640300+01	9.3407999+00
301000	8.6577777-12	2.0991576-13	3.4232599+00	2.1611160+01	9.3407999+00
301000	8.2800000-12	1.1135773-13	3.4272892+00	2.1582020+01	9.3407999+00
301000	7.9022222-12	1.1279970-13	3.4313185+00	2.1552880+01	9.3407999+00
301000	7.5244444-12	1.1424167-13	3.4353478+00	2.1523740+01	9.3407999+00
301000	7.1466666-12	1.1568364-13	3.4393771+00	2.1494600+01	9.3407999+00
301000	6.7688888-12	1.1712561-13	3.4434064+00	2.1465460+01	9.3407999+00
301000	6.3911111-12	1.1856758-13	3.4474357+00	2.1436320+01	9.3407999+00
301000	6.0133333-12	1.2000955-13	3.4514650+00	2.1407180+01	9.3407999+00
301000	5.6355555-12	1.2145152-13	3.4554943+00	2.1378040+01	9.3407999+00
301000	5.2577777-12	1.2289349-13	3.4595236+00	2.1348900+01	9.3407999+00
301000	4.8800000-12	1.2433546-13	3.4635529+00	2.1319760+01	9.3407999+00
301000	4.5022222-12	1.2577743-13	3.4675822+00	2.1290620+01	9.3407999+00
301000	4.1244444-12	1.2721940-13	3.4716115+00	2.1261480+01	9.3407999+00
301000	3.7466666-12	1.2866137-13	3.4756408+00	2.1232340+01	9.3407999+00
301000	3.3688888-12	1.3010334-13	3.4796701+00	2.1203200+01	9.3407999+00
301000	2.9911111-12	1.3154531-13	3.4836994+00	2.1174060+01	9.3407999+00
301000	2.6133333-12	1.3298728-13	3.4877287+00	2.1144920+01	9.3407999+00
301000	2.2355555-12	1.3442925-13	3.4917580+00	2.1115780+01	9.3407999+00
301000	1.8577777-12	1.3587122-13	3.4957873+00	2.1086640+01	9.3407999+00
301000	1.4800000-12	1.3731319-13	3.4998166+00	2.1057500+01	9.3407999+00
301000	1.1022222-12	1.3875516-13	3.5038459+00	2.1028360+01	9.3407999+00
301000	7.2444444-13	1.4019713-13	3.5078752+00	2.1000000+01	9.3407999+00
301000	3.4866666-13	1.4163910-13	3.5119045+00	2.0971840+01	9.3407999+00
301000	1.7288888-13	1.4308107-13	3.5159338+00	2.0943680+01	9.3407999+00
301000	7.7311111-14	1.4452304-13	3.5199631+00	2.0915520+01	9.3407999+00
301000	3.9733333-14	1.4596501-13	3.5239924+00	2.0887360+01	9.3407999+00
301000	2.2155555-14	1.4740698-13	3.5280217+00	2.0859200+01	9.3407999+00
301000	8.3977777-15	1.4884895-13	3.5320510+00	2.0831040+01	9.3407999+00
301000	4.6399999-15	1.5029092-13	3.5360803+00	2.0802880+01	9.3407999+00
301000	2.8822222-15	1.5173289-13	3.5401096+00	2.0774720+01	9.3407999+00
301000	1.1244444-15	1.5317486-13	3.5441389+00	2.0746560+01	9.3407999+00
301000	4.6666666-16	1.5461683-13	3.5481682+00	2.0718400+01	9.3407999+00
301000	2.9088888-16	1.5605880-13	3.5521975+00	2.0690240+01	9.3407999+00
301000	1.1511111-16	1.5750077-13	3.5562268+00	2.0662080+01	9.3407999+00
301000	4.5555555-17	1.5894274-13	3.5602561+00	2.0633920+01	9.3407999+00
301000	2.7977777-17	1.6038471-13	3.5642854+00	2.0605760+01	9.3407999+00
301000	1.0399999-17	1.6182668-13	3.5683147+00	2.0577600+01	9.3407999+00
301000	4.4444444-18	1.6326865-13	3.5723440+00	2.0549440+01	9.3407999+00
301000	2.6866666-18	1.6471062-13	3.5763733+00	2.0521280+01	9.3407999+00
301000	9.2888888-19	1.6615259-13	3.5804026+00	2.0493120+01	9.3407999+00
301000	5.5311111-19	1.6759456-13	3.5844319+00	2.0464960+01	9.3407999+00
301000	3.7733333-19	1.6903653-13	3.5884612+00	2.0436800+01	9.3407999+00
301000	2.0155555-19	1.7047850-13	3.5924905+00	2.0408640+01	9.3407999+00
301000	1.2577777-19	1.7192047-13	3.5965198+00	2.0380480+01	9.3407999+00
301000	5.6799999-20	1.7336244-13	3.6005491+00	2.0352320+01	9.3407999+00
301000	3.9222222-20	1.7480441-13	3.6045784+00	2.0324160+01	9.3407999+00
301000	2.1644444-20	1.7624638-13	3.6086077+00	2.0296000+01	9.3407999+00
301000	1.4066666-20	1.7768835-13	3.6126370+00	2.0267840+01	9.3407999+00
301000	7.2088888-21	1.7913032-13	3.6166663+00	2.0239680+01	9.3407999+00
301000	5.4511111-21	1.8057229-13	3.6206956+00	2.0211520+01	9.3407999+00
301000	3.6933333-21	1.8201426-13	3.6247249+00	2.0183360+01	9.3407999+00
301000	1.9355555-21	1.8345623-13	3.6287542+00	2.0155200+01	9.3407999+00
301000	1.1777777-21	1.8489820-13	3.6327835+00	2.0127040+01	9.3407999+00
301000	7.0199999-22	1.8634017-13	3.6368128+00	2.0098880+01	9.3407999+00
301000	5.2622222-22	1.8778214-13	3.6408421+00	2.0070720+01	9.3407999+00
301000	3.5044444-22	1.8922411-13	3.6448714+00	2.0042560+01	9.3407999+00
301000	1.7466666-22	1.9066608-13	3.6489007+00	2.0014400+01	9.3407999+00
301000	9.9088888-23	1.9210805-13	3.6529300+00	1.9986240+01	9.3407999+00
301000	8.1511111-23	1.9355002-13	3.6569593+00	1.9958080+01	9.3407999+00
301000	6.3933333-23	1.9499199-13	3.6609886+00	1.9929920+01	9.3407999+00
301000	4.6355555-23	1.9643396-13	3.6650179+00	1.9901760+01	9.3407999+00
301000	2.8777777-23	1.9787593-13	3.6690472+00	1.9873600+01	9.3407999+00
301000	1.1199999-23	1.9931790-13	3.6730765+00	1.9845440+01	9.3407999+00
301000	7.4444444-24	2.0075987-13	3.6771058+00	1.9817280+01	9.3407999+00
301000	5.6866666-24	2.0220184-13	3.6811351+00	1.9789120+01	9.3407999+00
301000	3.9288888-24	2.0364381-13	3.6851644+00	1.9760960+01	9.3407999+00
301000	2.1711111-24	2.0508578-13	3.6891937+00	1.9732800+01	9.3407999+00
301000	1.4133333-24	2.0652775-13	3.6932230+00	1.9704640+01	9.3407999+00
301000	9.6799999-25	2.0796972-13	3.6972523+00	1.9676480+01	9.3407999+00
301000	7.9222222-25	2.0941169-13	3.7012816+00	1.9648320+01	9.3407999+00
301000	6.1644444-25	2.1085366-13	3.7053109+00	1.9620160+01	9.3407999+00
301000	4.4066666-25	2.1229563-13	3.7093402+00	1.9592000+01	9.3407999+00
301000	2.6488888-25	2.1373760-13	3.7133695+00	1.9563840+01	9.3407999+00
301000	1.8911111-25	2.1517957-13	3.7173988+00		

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	MOLECULAR TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	COEFFICIENT OF VISCOSITY	SPEED OF SOUND
m	K	K	N cm ⁻²	kg m ⁻³	N s m ⁻²	m s ⁻¹
340000.	2.0284500+03	1.4727891+03	7.9567618-10	1.3444002-11	6.2279808-05	9.0291863+02
342000.	2.0352500+03	1.4737581+03	7.7211724-10	1.3214098-11	6.2391479-05	9.0438621+02
344000.	2.0418500+03	1.4747024+03	7.4933491-10	1.2984495-11	6.2502956-05	9.0585143+02
346000.	2.0484500+03	1.4756218+03	7.2728758-10	1.2768543-11	6.2614438-05	9.0731435+02
348000.	2.0550500+03	1.4765144+03	7.0599013-10	1.1947621-11	6.2725329-05	9.0877474+02
350000.	2.0616500+03	1.4773863+03	6.8537521-10	1.1581137-11	6.2836228-05	9.1023289+02
352000.	2.0682500+03	1.4782314+03	6.6547704-10	1.1204519-11	6.2946635-05	9.1168849+02
354000.	2.0748500+03	1.4790516+03	6.4617101-10	1.0842220-11	6.3057455-05	9.1314217+02
356000.	2.0814500+03	1.4798471+03	6.2752351-10	1.0507220-11	6.3167787-05	9.1459335+02
358000.	2.0880500+03	1.4806178+03	6.0944201-10	1.0148520-11	6.3277930-05	9.1604224+02
360000.	2.0946500+03	1.4813637+03	5.9202455-10	9.8461400-12	6.3388087-05	9.1748883+02
362000.	2.1012500+03	1.4820848+03	5.7513035-10	9.5351233-12	6.3497657-05	9.1893314+02
364000.	2.1078500+03	1.4827817+03	5.5877925-10	9.2350303-12	6.3607244-05	9.2037519+02
366000.	2.1144500+03	1.4834547+03	5.4295179-10	8.945378-12	6.3716644-05	9.2181499+02
368000.	2.1210500+03	1.4840994+03	5.2762962-10	8.6659468-12	6.3825865-05	9.2325253+02
370000.	2.1276500+03	1.4847213+03	5.1279474-10	8.3961481-12	6.3934904-05	9.2468784+02
372000.	2.1342500+03	1.4853185+03	4.9843007-10	8.1353233-12	6.4043758-05	9.2612092+02
374000.	2.1408500+03	1.4858908+03	4.8461897-10	7.8842827-12	6.4152435-05	9.2755180+02
376000.	2.1474500+03	1.4864384+03	4.7109576-10	7.6414855-12	6.4260931-05	9.2898046+02
378000.	2.1540500+03	1.4869612+03	4.5799503-10	7.4070068-12	6.4369250-05	9.3040694+02
400000.	2.1604500+03	1.4874591+03	4.4537001-10	7.1808243-12	6.4477391-05	9.3183123+02
402000.	2.165500+03	1.4880479+03	4.3310084-10	6.9642399-12	6.4582467-05	9.33295187+02
404000.	2.1710500+03	1.4886223+03	4.2120474-10	6.7584691-12	6.4687435-05	9.34707114+02
406000.	2.176500+03	1.4891824+03	4.0964298-10	6.5578667-12	6.4792223-05	9.3518911+02
408000.	2.1814500+03	1.4897281+03	3.9848298-10	6.3635912-12	6.49017043-05	9.3630873+02
410000.	2.1864500+03	1.4902595+03	3.8743332-10	6.1756156-12	6.4981687-05	9.3742103+02
412000.	2.1914500+03	1.4907744+03	3.7711117-10	5.9937183-12	6.4986220-05	9.3853498+02
414000.	2.1970500+03	1.4912791+03	3.66600399-10	5.8176856-12	6.5070647-05	9.3964743+02
416000.	2.202500+03	1.4917873+03	3.5700210-10	5.6473137-12	6.5154967-05	9.4075894+02
418000.	2.2074500+03	1.4922412+03	3.4739844-10	5.4824035-12	6.5239181-05	9.4186897+02
420000.	2.2124500+03	1.4927007+03	3.3807444-10	5.3227660-12	6.5323289-05	9.4297748+02
422000.	2.2174500+03	1.4931459+03	3.2902998-10	5.1682208-12	6.5407270-05	9.4408509+02
424000.	2.2230500+03	1.4935747+03	3.2025298-10	5.0185991-12	6.5491197-05	9.4519119+02
426000.	2.228500+03	1.4939931+03	3.1173484-10	4.8737047-12	6.5574978-05	9.4629601+02
428000.	2.2334500+03	1.4943952+03	3.0344718-10	4.7334005-12	6.5658645-05	9.4739954+02
430000.	2.2384500+03	1.4947830+03	2.9544209-10	4.5975230-12	6.5742249-05	9.4850174+02
432000.	2.2434500+03	1.4951563+03	2.8651644-10	4.4659185-12	6.5825278-05	9.4960275+02
434000.	2.2484500+03	1.4955153+03	2.8008852-10	4.3384434-12	6.5909103-05	9.5070244+02
436000.	2.2542500+03	1.4958599+03	2.727432-10	4.2149555-12	6.5992375-05	9.5180084+02
438000.	2.2594500+03	1.4961902+03	2.6541517-10	4.0953204-12	6.6075546-05	9.5289800+02

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ⁻²
365000	0.516090E-11	1.2166574E-11	3.4472026E+00	2.1026000E+01	9.3407949E+00
367000	0.266776E-11	1.1764734E-11	3.4472026E+00	2.0973600E+01	9.3407949E+00
369000	0.522506E-11	1.1454535E-11	3.4472026E+00	2.0919200E+01	9.3407949E+00
362000	7.766142E-11	1.132778E-11	3.4472026E+00	2.0864800E+01	9.3407949E+00
360000	7.558637E-11	1.0755367E-11	3.4472026E+00	2.0810400E+01	9.3407949E+00
370000	7.374374E-11	1.0330015E-11	3.4511281E+00	2.0756000E+01	9.3407949E+00
372000	7.124941E-11	9.9462317E-12	3.4511281E+00	2.0701600E+01	9.3407949E+00
374000	6.917335E-11	9.677249E-12	3.4511281E+00	2.0647200E+01	9.3407949E+00
376000	6.716039E-11	9.4066443E-12	3.4511281E+00	2.0592800E+01	9.3407949E+00
378000	6.524974E-11	9.1372513E-12	3.4525036E+00	2.0538400E+01	9.3407949E+00
380000	6.346053E-11	8.8724916E-12	3.4531784E+00	2.0484000E+01	9.3407949E+00
382000	6.157180E-11	8.615542E-12	3.4537887E+00	2.0429600E+01	9.3407949E+00
384000	5.962136E-11	8.427839E-12	3.4543986E+00	2.0375200E+01	9.3407949E+00
386000	5.812693E-11	7.7479516E-12	3.455021E+00	2.0320800E+01	9.3407949E+00
388000	5.646856E-11	7.7432246E-12	3.4556167E+00	2.0266400E+01	9.3407949E+00
390000	5.484904E-11	7.4445505E-12	3.4562242E+00	2.0212000E+01	9.3407949E+00
392000	5.336056E-11	7.2572433E-12	3.4568327E+00	2.0157600E+01	9.3407949E+00
394000	5.187127E-11	7.0527458E-12	3.4574362E+00	2.0103200E+01	9.3407949E+00
396000	5.042667E-11	6.8016359E-12	3.4580427E+00	2.0048800E+01	9.3407949E+00
398000	4.893169E-11	6.601724E-12	3.4586443E+00	1.9994400E+01	9.3407949E+00
400000	4.748624E-11	6.4554445E-12	3.4592460E+00	1.9940000E+01	9.3407949E+00
402000	4.606657E-11	6.2143308E-12	3.4597264E+00	1.9885600E+01	9.3407949E+00
404000	4.505333E-11	6.0288334E-12	3.4601942E+00	1.9831200E+01	9.3407949E+00
406000	4.305047E-11	5.8497534E-12	3.4606672E+00	1.9776800E+01	9.3407949E+00
408000	4.266450E-11	5.6764557E-12	3.4611342E+00	1.9722400E+01	9.3407949E+00
410000	4.149942E-11	5.5087775E-12	3.4616126E+00	1.9668000E+01	9.3407949E+00
412000	4.037474E-11	5.3465213E-12	3.4620816E+00	1.9613600E+01	9.3407949E+00
414000	3.927479E-11	5.1894965E-12	3.4625526E+00	1.9559200E+01	9.3407949E+00
416000	3.821467E-11	5.0375318E-12	3.4630236E+00	1.9504800E+01	9.3407949E+00
418000	3.719127E-11	4.8904179E-12	3.4634942E+00	1.9450400E+01	9.3407949E+00
420000	3.619352E-11	4.7480180E-12	3.4639599E+00	1.9396000E+01	9.3407949E+00
422000	3.522501E-11	4.610103E-12	3.4644242E+00	1.9341600E+01	9.3407949E+00
424000	3.428541E-11	4.4766865E-12	3.4648953E+00	1.9287200E+01	9.3407949E+00
426000	3.337348E-11	4.3474459E-12	3.4653622E+00	1.9232800E+01	9.3407949E+00
428000	3.246636E-11	4.222917E-12	3.4658295E+00	1.9178400E+01	9.3407949E+00
430000	3.157422E-11	4.1010861E-12	3.4662942E+00	1.9124000E+01	9.3407949E+00
432000	3.067419E-11	3.9816921E-12	3.4667593E+00	1.9069600E+01	9.3407949E+00
434000	2.976512E-11	3.8699417E-12	3.4672246E+00	1.9015200E+01	9.3407949E+00
436000	2.884507E-11	3.7594424E-12	3.4676897E+00	1.8960800E+01	9.3407949E+00
438000	2.813604E-11	3.6531119E-12	3.4681522E+00	1.8906400E+01	9.3407949E+00

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	MOLECULAR TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	COEFFICIENT OF VISCOSITY	SPEED OF SOUND
m	K	K	N cm ⁻²	kg m ⁻³	N s m ⁻²	m ² s ⁻¹
440000	2.2646500+03	1.4765061+03	2.5869124+10	3.9794075-12	6.6158641+05	9.5399390+02
442000	2.2646500+03	1.4768074+03	2.5196713+10	3.8647091-12	6.6241580+05	9.5508053+02
444000	2.2750500+03	1.4797098+03	2.4533644+10	3.7592516-12	6.6324445+05	9.5618192+02
446000	2.2806500+03	1.4733674+03	2.3909322+10	3.6597717-12	6.6407207+05	9.5727405+02
448000	2.2854500+03	1.4774261+03	2.3293140+10	3.5650537-12	6.6489867+05	9.5834994+02
450000	2.2904500+03	1.4787023+03	2.2694554+10	3.4819413-12	6.6572431+05	9.5945458+02
452000	2.2954500+03	1.4780999+03	2.2112992+10	3.3953303-12	6.6654692+05	9.6054298+02
454000	2.3010500+03	1.4763153+03	2.1547734+10	3.3242508-12	6.6737255+05	9.6163017+02
456000	2.3062500+03	1.4785163+03	2.0998883+10	3.1719590-12	6.6819517+05	9.6271611+02
458000	2.3114500+03	1.4767029+03	2.0465324+10	3.0849085-12	6.6901681+05	9.6380085+02
460000	2.3166500+03	1.4780752+03	1.9947688+10	2.9975098-12	6.6983746+05	9.6488438+02
462000	2.3218500+03	1.4903311+03	1.942817+10	2.9171770-12	6.7065712+05	9.6596464+02
464000	2.3270500+03	1.4991747+03	1.8922753+10	2.8373239-12	6.7147581+05	9.6704774+02
466000	2.3322500+03	1.4930859+03	1.8476730+10	2.7597876-12	6.7229352+05	9.6812740+02
468000	2.3374500+03	1.4994207+03	1.8013853+10	2.6847388-12	6.7311025+05	9.6920374+02
470000	2.3426500+03	1.4966212+03	1.7633794+10	2.6118527-12	6.7392402+05	9.7028374+02
472000	2.3478500+03	1.4996073+03	1.7126204+10	2.5411396+12	6.7474908+05	9.7134002+02
474000	2.3530500+03	1.4996798+03	1.6700703+10	2.4725287-12	6.7555447+05	9.7243510+02
476000	2.3582500+03	1.4977364+03	1.6286730+10	2.4059531-12	6.7636254+05	9.7350700+02
478000	2.3634500+03	1.4977794+03	1.5884530+10	2.3413464-12	6.7717947+05	9.7458172+02
480000	2.3686500+03	1.4998081+03	1.5493142+10	2.2784443-12	6.7799044+05	9.7565324+02
482000	2.3738500+03	1.4982224+03	1.5112492+10	2.2177908-12	6.7880046+05	9.7672342+02
484000	2.3790500+03	1.4998223+03	1.4742202+10	2.1592211-12	6.7960953+05	9.7779281+02
486000	2.3842500+03	1.4986276+03	1.4381768+10	2.103819-12	6.8041744+05	9.7886082+02
488000	2.3894500+03	1.4977791+03	1.4031534+10	2.057142-12	6.8122486+05	9.7992748+02
490000	2.3946500+03	1.4977359+03	1.3692958+10	1.9914487-12	6.8203111+05	9.8099338+02
492000	2.3998500+03	1.4996784+03	1.3358800+10	1.9371934-12	6.8283611+05	9.8205791+02
494000	2.4050500+03	1.4996405+03	1.3035940+10	1.8862377-12	6.8364032+05	9.8312130+02
496000	2.4102500+03	1.4995203+03	1.2721781+10	1.8387544-12	6.8444444+05	9.8418354+02
498000	2.4154500+03	1.4994197+03	1.2414023+10	1.7906774-12	6.8524863+05	9.8524444+02
500000	2.4206500+03	1.4993047+03	1.2119000+10	1.7441046-12	6.8604445+05	9.8630458+02
502000	2.4258500+03	1.4995694+03	1.1828959+10	1.6999757-12	6.8684209+05	9.87369701+02
504000	2.4274500+03	1.4998289+03	1.1544912+10	1.6570459-12	6.8764934+05	9.8843894+02
506000	2.4304500+03	1.5000833+03	1.1271155+10	1.6152808-12	6.8845120+05	9.8950380+02
508000	2.4334500+03	1.5003325+03	1.1003987+10	1.5744497-05	6.8925667+05	9.9057140+02
510000	2.4374500+03	1.5005764+03	1.0741705+10	1.5351110-12	6.8966275+05	9.9163889+02
512000	2.4414500+03	1.5008184+03	1.0497133+10	1.4964177-12	6.9018444+05	9.9270519+02
514000	2.4454500+03	1.5010491+03	1.0237080+10	1.4592092-12	6.9073575+05	9.9314143+02
516000	2.4478500+03	1.5012777+03	9.9973650+10	1.4227825-12	6.9128677+05	9.9383048+02
518000	2.4512500+03	1.5015011+03	9.7616164+11	1.3873333-12	6.9184720+05	9.9451904+02

TABLE 1. (Continued)

GEOMETRIC ALTITUDE meters	PRESSURE RATIO		DENSITY RATIO		VISCOSITY RATIO		MOLECULAR WEIGHT		PRESSURE DIFFERENCE	
	unitless		unitless		unitless		unitless		newtons cm ⁻²	
143220*	2.709173-11		3.05447142-12		3.686614-00		1.01430000+01		9.34027949+00	
143220*	2.69719135-11		3.04995203-12		3.68670310-00		1.01020000+01		9.34027949+00	
143220*	2.66757555-11		3.03534300-12		3.69530010-00		1.00630000+01		9.34027949+00	
143220*	2.65966666-11		3.02631403-12		3.69799913+00		1.00230000+01		9.34027949+00	
143220*	2.64471555-11		3.01071500-12		3.70259703+00		1.00000000+01		9.34027949+00	
143220*	2.62760135-11		3.00763504-12		3.70919700+00		1.00000000+01		9.34027949+00	
143220*	2.61733555-11		2.99930700-12		3.71339715+00		1.00000000+01		9.34027949+00	
143220*	2.61000000-11		2.99077955-12		3.71800000+01		1.00000000+01		9.34027949+00	
143220*	2.60260000-11		2.98249334-12		3.72276390+00		1.00230000+01		9.34027949+00	
143220*	2.59700000-11		2.97513505-12		3.72734100+00		1.00780000+01		9.34027949+00	
163220*	2.61000000-11		2.96750000-12		3.73211420+00		1.00740000+01		9.34027949+00	
163220*	2.60149444-11		2.96210000-12		3.73600000+00		1.00700000+01		9.34027949+00	
163220*	2.59490000-11		2.95479500-12		3.74124250+00		1.00600000+01		9.34027949+00	
163220*	1.97000000-11		2.94610000-12		3.74570000+00		1.00200000+01		9.34027949+00	
163220*	1.96051300-11		2.93980000-12		3.75034910+00		1.00000000+01		9.34027949+00	
163220*	1.96000000-11		2.93260000-12		3.75500000+00		1.00000000+01		9.34027949+00	
163220*	1.95334400-11		2.92667493-12		3.75949410+00		1.00000000+01		9.34027949+00	
163220*	1.94700000-11		2.92000000-12		3.76370000+00		1.00000000+01		9.34027949+00	
163220*	1.94000000-11		2.91400000-12		3.76800000+00		1.00230000+01		9.34027949+00	
163220*	1.93500000-11		2.90800000-12		3.77300000+00		1.00380000+01		9.34027949+00	
183220*	1.96000000-11		2.90325000-12		3.77753490+00		1.00340000+01		9.34027949+00	
183220*	1.95170000-11		2.89810000-12		3.78200000+00		1.00300000+01		9.34027949+00	
183220*	1.94500000-11		2.89250000-12		3.78650000+00		1.00260000+01		9.34027949+00	
183220*	1.93900000-11		2.88700000-12		3.79100000+00		1.00220000+01		9.34027949+00	
183220*	1.93217700-11		2.88140000-12		3.79550000+00		1.00180000+01		9.34027949+00	
183220*	1.92500000-11		2.87500000-12		3.80000000+00		1.00140000+01		9.34027949+00	
183220*	1.91800000-11		2.86800000-12		3.80450000+00		1.00100000+01		9.34027949+00	
183220*	1.91150000-11		2.86100000-12		3.80900000+00		1.00060000+01		9.34027949+00	
183220*	1.90500000-11		2.85400000-12		3.81350000+00		1.00020000+01		9.34027949+00	
183220*	1.89800000-11		2.84700000-12		3.81800000+00		1.00000000+01		9.34027949+00	
513220*	1.271427-11		1.55577700-12		3.82243000+00		1.00000000+01		9.34027949+00	
513220*	1.260370-11		1.55041300-12		3.82690000+00		1.00000000+01		9.34027949+00	
513220*	1.25000000-11		1.54511700-12		3.83140000+00		1.00000000+01		9.34027949+00	
513220*	1.24000000-11		1.54000000-12		3.83590000+00		1.00000000+01		9.34027949+00	
513220*	1.23000000-11		1.53500000-12		3.84040000+00		1.00000000+01		9.34027949+00	
513220*	1.22000000-11		1.53000000-12		3.84490000+00		1.00000000+01		9.34027949+00	
513220*	1.21000000-11		1.52500000-12		3.84940000+00		1.00000000+01		9.34027949+00	
513220*	1.20000000-11		1.52000000-12		3.85390000+00		1.00000000+01		9.34027949+00	
513220*	1.19000000-11		1.51500000-12		3.85840000+00		1.00000000+01		9.34027949+00	
513220*	1.18000000-11		1.51000000-12		3.86290000+00		1.00000000+01		9.34027949+00	
513220*	1.17000000-11		1.50500000-12		3.86740000+00		1.00000000+01		9.34027949+00	
513220*	1.16000000-11		1.50000000-12		3.87190000+00		1.00000000+01		9.34027949+00	
513220*	1.15000000-11		1.49500000-12		3.87640000+00		1.00000000+01		9.34027949+00	

TABLE 1. (Continued)

GEOMETRIC ALTITUDE m	MOLECULAR TEMPERATURE K	KINETIC TEMPERATURE K	PRESSURE N cm ⁻²	DENSITY kg m ⁻³	COEFFICIENT OF VISCOSITY N s m ⁻²	SPEED OF SOUND m s ⁻¹
520000.	2.4544500+03	1.5017193+03	9.5322433-11	1.3520331-12	6.9126735-05	9.9320715+02
522000.	2.4580500+03	1.5019322+03	9.2085459-11	1.3192553-12	6.9178711-05	9.9389780+02
524000.	2.4614500+03	1.5021402+03	9.0005027-11	1.2865736-12	6.9230649-05	9.9458192+02
526000.	2.4648500+03	1.5023429+03	8.6779458-11	1.2547428-12	6.9282550-05	9.9526599+02
528000.	2.4682500+03	1.5025405+03	8.6700356-11	1.2237975-12	6.9334411-05	9.9595479+02
530000.	2.4716500+03	1.5027329+03	8.4689116-11	1.1933638-12	6.9386236-05	9.96640051+02
532000.	2.4750500+03	1.5029201+03	8.2720709-11	1.1643084-12	6.9438021-05	9.9732577+02
534000.	2.4784500+03	1.5031022+03	8.0801808-11	1.1357293-12	6.9489770-05	9.9801055+02
536000.	2.4818500+03	1.5032791+03	7.8931034-11	1.1079241-12	6.9541579-05	9.9869486+02
538000.	2.4852500+03	1.5034508+03	7.7107120-11	1.0808199-12	6.9593152-05	9.9937871+02
540000.	2.4886500+03	1.5036174+03	7.5328784-11	1.0544716-12	6.9644787-05	1.0006421+03
542000.	2.4920500+03	1.5037788+03	7.3597976-11	1.0289321-12	6.9696384-05	1.0007450+03
544000.	2.4954500+03	1.5039350+03	7.1907012-11	1.0037880-12	6.9747945-05	1.0014274+03
546000.	2.4988500+03	1.5040861+03	7.0265266-11	9.7943675-13	6.9799466-05	1.0021094+03
548000.	2.5022500+03	1.5042320+03	6.8647400-11	9.5572106-13	6.9850952-05	1.0027799+03
550000.	2.5056500+03	1.5043727+03	6.7079379-11	9.3242357-13	6.9902399-05	1.0034720+03
552000.	2.5090500+03	1.5045083+03	6.5550097-11	9.1012455-13	6.9953810-05	1.0041524+03
554000.	2.5124500+03	1.5046387+03	6.4088567-11	8.8821386-13	7.0005184-05	1.0048327+03
556000.	2.5158500+03	1.5047640+03	6.2603745-11	8.6686899-13	7.0056521-05	1.0055124+03
558000.	2.5192500+03	1.5048840+03	6.1184730-11	8.4607632-13	7.0107821-05	1.0061916+03
560000.	2.5226500+03	1.5049990+03	5.9800541-11	8.2582091-13	7.0159083-05	1.0068703+03
562000.	2.5260500+03	1.5051087+03	5.8460216-11	8.0608705-13	7.0210310-05	1.0075484+03
564000.	2.5294500+03	1.5052133+03	5.7132932-11	7.8646126-13	7.0261500-05	1.0082265+03
566000.	2.5328500+03	1.5053127+03	5.5897810-11	7.6812948-13	7.0312652-05	1.0089039+03
568000.	2.5362500+03	1.5054070+03	5.4593977-11	7.4997779-13	7.0363767-05	1.0095808+03
570000.	2.5396500+03	1.5054961+03	5.3370635-11	7.3209300-13	7.0414848-05	1.0102573+03
572000.	2.5430500+03	1.5055800+03	5.2176982-11	7.1476259-13	7.0465892-05	1.0109333+03
574000.	2.5464500+03	1.5056586+03	5.1012251-11	6.9787412-13	7.0516900-05	1.0116084+03
576000.	2.5498500+03	1.5057323+03	4.9875496-11	6.8141564-13	7.0567871-05	1.0122840+03
578000.	2.5532500+03	1.5058008+03	4.8766580-11	6.6537536-13	7.0618806-05	1.0129587+03
580000.	2.5566500+03	1.5058641+03	4.7648918-11	6.4974186-13	7.0669704-05	1.0136329+03
582000.	2.5600500+03	1.5059222+03	4.6627816-11	6.3450403-13	7.0720567-05	1.0143067+03
584000.	2.5634500+03	1.5059751+03	4.5596817-11	6.1945139-13	7.0771394-05	1.0149800+03
586000.	2.5668500+03	1.5060229+03	4.4590527-11	6.0517346-13	7.0822185-05	1.0156529+03
588000.	2.5702500+03	1.5060655+03	4.3608318-11	5.9106021-13	7.0872940-05	1.0163253+03
590000.	2.5736500+03	1.5061029+03	4.2649755-11	5.7730160-13	7.0923660-05	1.0169973+03
592000.	2.5770500+03	1.5061352+03	4.1713499-11	5.6388831-13	7.0974344-05	1.0176688+03
594000.	2.5804500+03	1.5061623+03	4.0800003-11	5.5081067-13	7.1024992-05	1.0183399+03
596000.	2.5838500+03	1.5061842+03	3.9906072-11	5.3806062-13	7.1075606-05	1.0190104+03
598000.	2.5872500+03	1.5062010+03	3.9032777-11	5.2562847-13	7.1126184-05	1.0196808+03

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ⁻²
542220	1.124701-11	1.257552-12	3.851515-03	1.774000-01	9.3437949+00
542230	9.9004745-12	1.1763132-12	3.8544114+00	1.769800-01	9.3437949+00
542240	9.7424439-12	1.1476244-12	3.8573342+00	1.766900-01	9.3437949+00
542250	9.5845276-12	1.1187245-12	3.8617574+00	1.764000-01	9.3437949+00
542260	9.4267576-12	1.0915344-12	3.8635955+00	1.761200-01	9.3437949+00
542270	9.2689877-12	1.0647311-12	3.8659729+00	1.758400-01	9.3437949+00
542280	9.1112178-12	1.0383073-12	3.8684563+00	1.755600-01	9.3437949+00
542290	8.9534479-12	1.0123131-12	3.8717418+00	1.752800-01	9.3437949+00
542300	8.7956780-12	9.8629134-13	3.8748226+00	1.750000-01	9.3437949+00
542310	8.6379081-12	9.6913341-13	3.8775177+00	1.747200-01	9.3437949+00
542320	8.4801382-12	9.5191000-13	3.8800376+00	1.744400-01	9.3437949+00
542330	8.3223683-12	9.3468648-13	3.8824525+00	1.741600-01	9.3437949+00
542340	8.1645984-12	9.1746307-13	3.8848674+00	1.738800-01	9.3437949+00
542350	8.0068285-12	8.9999966-13	3.8872823+00	1.736000-01	9.3437949+00
542360	7.8490586-12	8.8253623-13	3.8896972+00	1.733200-01	9.3437949+00
542370	7.6912887-12	8.6507280-13	3.8921121+00	1.730400-01	9.3437949+00
542380	7.5335188-12	8.4760937-13	3.8945270+00	1.727600-01	9.3437949+00
542390	7.3757489-12	8.3014594-13	3.8969419+00	1.724800-01	9.3437949+00
542400	7.2179790-12	8.1268251-13	3.8993568+00	1.722000-01	9.3437949+00
542410	7.0602091-12	7.9521908-13	3.9017717+00	1.719200-01	9.3437949+00
542420	6.9024392-12	7.7775565-13	3.9041866+00	1.716400-01	9.3437949+00
542430	6.7446693-12	7.6029222-13	3.9066015+00	1.713600-01	9.3437949+00
542440	6.5868994-12	7.4282879-13	3.9090164+00	1.710800-01	9.3437949+00
542450	6.4291295-12	7.2536536-13	3.9114313+00	1.708000-01	9.3437949+00
542460	6.2713596-12	7.0790193-13	3.9138462+00	1.705200-01	9.3437949+00
542470	6.1135897-12	6.9043850-13	3.9162611+00	1.702400-01	9.3437949+00
542480	5.9558198-12	6.7297507-13	3.9186760+00	1.699600-01	9.3437949+00
542490	5.7980499-12	6.5551164-13	3.9210909+00	1.696800-01	9.3437949+00
542500	5.6402800-12	6.3804821-13	3.9235058+00	1.694000-01	9.3437949+00
542510	5.4825101-12	6.2058478-13	3.9259207+00	1.691200-01	9.3437949+00
542520	5.3247402-12	6.0312135-13	3.9283356+00	1.688400-01	9.3437949+00
542530	5.1669703-12	5.8565792-13	3.9307505+00	1.685600-01	9.3437949+00
542540	5.0092004-12	5.6819449-13	3.9331654+00	1.682800-01	9.3437949+00
542550	4.8514305-12	5.5073106-13	3.9355803+00	1.680000-01	9.3437949+00
542560	4.6936606-12	5.3326763-13	3.9379952+00	1.677200-01	9.3437949+00
542570	4.5358907-12	5.1580420-13	3.9404101+00	1.674400-01	9.3437949+00
542580	4.3781208-12	4.9834077-13	3.9428250+00	1.671600-01	9.3437949+00
542590	4.2203509-12	4.8087734-13	3.9452399+00	1.668800-01	9.3437949+00
542600	4.0625810-12	4.6341391-13	3.9476548+00	1.666000-01	9.3437949+00
542610	3.9048111-12	4.4595048-13	3.9500697+00	1.663200-01	9.3437949+00
542620	3.7470412-12	4.2848705-13	3.9524846+00	1.660400-01	9.3437949+00
542630	3.5892713-12	4.1102362-13	3.9548995+00	1.657600-01	9.3437949+00
542640	3.4315014-12	3.9356019-13	3.9573144+00	1.654800-01	9.3437949+00
542650	3.2737315-12	3.7609676-13	3.9597293+00	1.652000-01	9.3437949+00
542660	3.1159616-12	3.5863333-13	3.9621442+00	1.649200-01	9.3437949+00
542670	2.9581917-12	3.4116990-13	3.9645591+00	1.646400-01	9.3437949+00
542680	2.8004218-12	3.2370647-13	3.9669740+00	1.643600-01	9.3437949+00
542690	2.6426519-12	3.0624304-13	3.9693889+00	1.640800-01	9.3437949+00
542700	2.4848820-12	2.8877961-13	3.9718038+00	1.638000-01	9.3437949+00
542710	2.3271121-12	2.7131618-13	3.9742187+00	1.635200-01	9.3437949+00
542720	2.1693422-12	2.5385275-13	3.9766336+00	1.632400-01	9.3437949+00
542730	2.0115723-12	2.3638932-13	3.9790485+00	1.629600-01	9.3437949+00
542740	1.8538024-12	2.1892589-13	3.9814634+00	1.626800-01	9.3437949+00
542750	1.6960325-12	2.0146246-13	3.9838783+00	1.624000-01	9.3437949+00
542760	1.5382626-12	1.8400003-13	3.9862932+00	1.621200-01	9.3437949+00
542770	1.3804927-12	1.6653760-13	3.9887081+00	1.618400-01	9.3437949+00
542780	1.2227228-12	1.4907517-13	3.9911230+00	1.615600-01	9.3437949+00
542790	1.0649529-12	1.3161274-13	3.9935379+00	1.612800-01	9.3437949+00
542800	9.0717830-13	1.1415031-13	3.9959528+00	1.610000-01	9.3437949+00
542810	8.9140131-13	1.0168788-13	3.9983677+00	1.607200-01	9.3437949+00
542820	8.7562432-13	8.9225545-14	3.9999826+00	1.604400-01	9.3437949+00
542830	8.5984733-13	7.7282412-14	4.0015975+00	1.601600-01	9.3437949+00
542840	8.4407034-13	6.5339279-14	4.0032124+00	1.598800-01	9.3437949+00
542850	8.2829335-13	5.3396146-14	4.0048273+00	1.596000-01	9.3437949+00
542860	8.1251636-13	4.1453013-14	4.0064422+00	1.593200-01	9.3437949+00
542870	7.9673937-13	2.9509880-14	4.0080571+00	1.590400-01	9.3437949+00
542880	7.8096238-13	1.7566747-14	4.0096720+00	1.587600-01	9.3437949+00
542890	7.6518539-13	5.3723614-15	4.0112869+00	1.584800-01	9.3437949+00
542900	7.4940840-13	1.1779581-15	4.0129018+00	1.582000-01	9.3437949+00
542910	7.3363141-13	3.9881448-16	4.0145167+00	1.579200-01	9.3437949+00
542920	7.1785442-13	8.7983315-17	4.0161316+00	1.576400-01	9.3437949+00
542930	7.0207743-13	1.6985182-17	4.0177465+00	1.573600-01	9.3437949+00
542940	6.8630044-13	3.5087049-18	4.0193614+00	1.570800-01	9.3437949+00
542950	6.7052345-13	5.3188916-19	4.0209763+00	1.568000-01	9.3437949+00
542960	6.5474646-13	7.1290783-20	4.0225912+00	1.565200-01	9.3437949+00
542970	6.3896947-13	8.9392650-21	4.0242061+00	1.562400-01	9.3437949+00
542980	6.2319248-13	1.0741532-21	4.0258210+00	1.559600-01	9.3437949+00
542990	6.0741549-13	1.2543409-22	4.0274359+00	1.556800-01	9.3437949+00
543000	5.9163850-13	1.4345286-23	4.0290508+00	1.554000-01	9.3437949+00
543010	5.7586151-13	1.6147163-24	4.0306657+00	1.551200-01	9.3437949+00
543020	5.6008452-13	1.7949040-25	4.0322806+00	1.548400-01	9.3437949+00
543030	5.4430753-13	1.9750917-26	4.0338955+00	1.545600-01	9.3437949+00
543040	5.2853054-13	2.1552794-27	4.0355104+00	1.542800-01	9.3437949+00
543050	5.1275355-13	2.3354671-28	4.0371253+00	1.540000-01	9.3437949+00
543060	4.9697656-13	2.5156548-29	4.0387402+00	1.537200-01	9.3437949+00
543070	4.8119957-13	2.6958425-30	4.0403551+00	1.534400-01	9.3437949+00
543080	4.6542258-13	2.8760302-31	4.0419700+00	1.531600-01	9.3437949+00
543090	4.4964559-13	3.0562179-32	4.0435849+00	1.528800-01	9.3437949+00
543100	4.3386860-13	3.2364056-33	4.0451998+00	1.526000-01	9.3437949+00
543110	4.1809161-13	3.4165933-34	4.0468147+00	1.523200-01	9.3437949+00
543120	4.0231462-13	3.5967810-35	4.0484296+00	1.520400-01	9.3437949+00
543130	3.8653763-13	3.7769687-36	4.0500445+00	1.517600-01	9.3437949+00
543140	3.7076064-13	3.9571564-37	4.0516594+00	1.514800-01	9.3437949+00
543150	3.5498365-13	4.1373441-38	4.0532743+00	1.512000-01	9.3437949+00
543160	3.3920666-13	4.3175318-39	4.0548892+00	1.509200-01	9.3437949+00
543170	3.2342967-13	4.4977195-40	4.0565041+00	1.506400-01	9.3437949+00
543180	3.0765268-13	4.6779072-41	4.0581190+00	1.503600-01	9.3437949+00
543190	2.9187569-13	4.8580949-42	4.0597339+00	1.500800-01	9.3437949+00
543200	2.7609870-13	5.0382826-43	4.0613488+00	1.498000-01	9.3437949+00
543210	2.6032171-13	5.2184703-44	4.0629637+00	1.495200-01	9.3437949+00
543220	2.4454472-13	5.3986580-45	4.0645786+00	1.492400-01	9.3437949+00
543230	2.2876773-13	5.5788457-46	4.0661935+00	1.489600-01	9.3437949+00
543240	2.1299074-13	5.7590334-47	4.0678084+00	1.486800-01	9.3437949+00
543250	1.9721375-13	5.9392211-48	4.0694233+00	1.484000-01	9.3437949+00
543260	1.8143676-13	6.1194088-49	4.0710382+00	1.481200-01	9.3437949+00
543270	1.6565977-13	6.2995965-50	4.0726531+00	1.478400-01	9.3437949+00
543280	1.4988278-13	6.4797842-51	4.0742680+00	1.475600-01	9.3437949+00
543290	1.3410579-13	6.6599719-52	4.0758829+00	1.472800-01	9.3437949+00
543300	1.1832880-13	6.8401596-53	4.0774978+00	1.470000-01	9.3437949+00
543310	1.0255181-13	7.0203473-54	4.0791127+00	1.467200-01	9.3437949+00
543320	9.0774082-14	7.2005350-55	4.0807276+00	1.464400-01	9.3437949+00
543330	8.9196383-14	7.3807227-56	4.0823425+00	1.461600-01	9.3437949+00
543340	8.7618684-14	7.5609104-57	4.0839574+00	1.458800-01	9.3437949+00
543350	8.6040985-14	7.7410981-58	4.0855723+00	1.456000-01	9.3437949+00
543360	8.4463286-14	7.9212858-59	4.0871872+00	1.453200-01	9.3437949+00
543370	8.2885587-14	8.1014735-60	4.0888021+00	1.450400-01	9.3437949+00
543380	8.1307888-14	8.2816612-61	4.0904170+00	1.447600-01	9.3437949+00
543390	7.9730189-14	8.4618489-62	4.0920319+00	1.444800-01	9.3437949+00
543400	7.8152490-14	8.6420366-63	4.0936468+00	1.442000-01	9.3437949+00
543410	7.6574791-14	8.8222243-64	4.0952617+00	1.439200-01	9.3437949+00
543420	7.4997092-14	9.0024120-65	4.0968766+00	1.436400-01	9.3437949+00
543430	7.3419393-14	9.1825997-66	4.0984915+00	1.433600-01	9.3437949+00
5					

TABLE 1. (Continued)

GEOMETRIC ALTITUDE m	MOLECULAR TEMPERATURE K	KINETIC TEMPERATURE K	PRESSURE N cm ⁻²	DENSITY kg m ⁻³	COEFFICIENT OF VISCOSITY Ns m ⁻²	SPEED OF SOUND m s ⁻¹
40000.	2.5704500+03	1.5062124+03	3.9185902-11	5.134470-13	7.1174724-05	1.0203504+03
40200.	2.5928500+03	1.5062922+03	3.7354832-11	5.018839-13	7.1209411-05	1.0207037+03
40400.	2.5950500+03	1.5063697+03	3.5543345-11	4.9054951-13	7.1242082-05	1.0212147+03
40600.	2.5972500+03	1.5064451+03	3.3750650-11	4.7952135-13	7.1274738-05	1.0216495+03
40800.	2.5994500+03	1.5065184+03	3.1974224-11	4.6873697-13	7.1307378-05	1.0220821+03
41000.	2.6016500+03	1.5065908+03	3.0214634-11	4.5820966-13	7.1340003-05	1.0225145+03
41200.	2.6038500+03	1.5066693+03	2.8460748-11	4.4793329-13	7.1372615-05	1.0229488+03
41400.	2.6060500+03	1.5067267+03	2.6759237-11	4.3790051-13	7.1405213-05	1.0233788+03
41600.	2.6082500+03	1.5067920+03	2.5052621-11	4.2810674-13	7.1437795-05	1.0238107+03
41800.	2.6104500+03	1.5068552+03	2.3363153-11	4.1854494-13	7.1470342-05	1.0242424+03
42000.	2.6126500+03	1.5069144+03	2.1669748-11	4.0920747-13	7.1502915-05	1.0246739+03
42200.	2.6148500+03	1.5069756+03	2.0031177-11	4.0009519-13	7.1535454-05	1.0251052+03
42400.	2.6170500+03	1.5070328+03	1.8487904-11	3.9119594-13	7.1567979-05	1.0255363+03
42600.	2.6192500+03	1.5070878+03	1.7059307-11	3.8250685-13	7.1600487-05	1.0259673+03
42800.	2.6214500+03	1.5071410+03	1.5745008-11	3.7402223-13	7.1632992-05	1.0263981+03
43000.	2.6236500+03	1.5071920+03	1.4547671-11	3.6573747-13	7.1665443-05	1.0268287+03
43200.	2.6258500+03	1.5072410+03	1.3457963-11	3.5764728-13	7.1697928-05	1.0272591+03
43400.	2.6280500+03	1.5072890+03	1.2489550-11	3.4974684-13	7.1730380-05	1.0276894+03
43600.	2.6302500+03	1.5073329+03	1.1628128-11	3.4203173-13	7.1762817-05	1.0281194+03
43800.	2.6324500+03	1.5073756+03	1.0873369-11	3.3449707-13	7.1795241-05	1.0285493+03
44000.	2.6346500+03	1.5074167+03	1.0227094-11	3.2713841-13	7.1827449-05	1.0289790+03
44200.	2.6368500+03	1.5074556+03	9.6717461-11	3.1995177-13	7.1859043-05	1.0294085+03
44400.	2.6390500+03	1.5074923+03	9.1370413-11	3.1293243-13	7.1890233-05	1.0298379+03
44600.	2.6412500+03	1.5075270+03	8.6204101-11	3.0607682-13	7.1921478-05	1.0302670+03
44800.	2.6434500+03	1.5075598+03	8.12717302-11	2.9932043-13	7.1952137-05	1.0306960+03
45000.	2.6456500+03	1.5075904+03	7.6539467-11	2.9283955-13	7.1982975-05	1.0311248+03
45200.	2.6478500+03	1.5076191+03	7.1772325-11	2.8645024-13	7.2021798-05	1.0315535+03
45400.	2.6500500+03	1.5076457+03	6.7315642-11	2.8020903-13	7.2054107-05	1.0319819+03
45600.	2.6522500+03	1.5076703+03	6.3289155-11	2.7411208-13	7.2086399-05	1.0324102+03
45800.	2.6544500+03	1.5076928+03	5.9432629-11	2.6815596-13	7.2118679-05	1.0328383+03
46000.	2.6566500+03	1.5077133+03	5.5805835-11	2.6233733-13	7.2150945-05	1.0332662+03
46200.	2.6588500+03	1.5077318+03	5.248535-11	2.5665272-13	7.2183194-05	1.0336939+03
46400.	2.6610500+03	1.5077483+03	4.9480502-11	2.5109863-13	7.2215433-05	1.0341215+03
46600.	2.6632500+03	1.5077624+03	4.6781523-11	2.4567255-13	7.2247656-05	1.0345489+03
46800.	2.6654500+03	1.5077750+03	4.4391368-11	2.4037080-13	7.2279864-05	1.0349761+03
47000.	2.6676500+03	1.5077853+03	4.2307993-11	2.3517064-13	7.2312059-05	1.0354031+03
47200.	2.6698500+03	1.5077936+03	4.0536625-11	2.3012897-13	7.2344240-05	1.0358300+03
47400.	2.6720500+03	1.5077999+03	3.9071906-11	2.2516293-13	7.2376407-05	1.0362567+03
47600.	2.6742500+03	1.5078071+03	3.7815199-11	2.2034991-13	7.2408558-05	1.0366832+03
47800.	2.6764500+03	1.5078043+03	3.6764641-11	2.1562699-13	7.2440697-05	1.0371095+03

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ⁻²
612220	4.0081355-12	4.0022377-13	3.9657332+00	1.6842111+01	9.3407949+00
612220	3.9791603-12	4.0759493-13	3.9675543+00	1.6826611+01	9.3407949+00
612220	3.9712320-12	4.0759493-13	3.9693746+00	1.6813212+01	9.3407949+00
612220	3.9271367-12	4.0774311-13	3.9711194+00	1.6799803+01	9.3407949+00
612220	3.9711971-12	4.0161231-13	3.9733127+00	1.6786903+01	9.3407949+00
612220	3.9634303-12	4.0073254-13	3.9748315+00	1.6773500+01	9.3407949+00
612220	3.9343253-12	3.9956553-13	3.9766475+00	1.6759600+01	9.3407949+00
614020	3.9171171-12	3.9013493-13	3.9786438+00	1.6746200+01	9.3407949+00
616020	3.9314061-12	3.9169113-13	3.9802791+00	1.6732800+01	9.3407949+00
618220	3.9376536-12	3.9335179-13	3.9822937+00	1.6719400+01	9.3407949+00
622220	3.9265319-12	3.9522353-13	3.9839379+00	1.6736000+01	9.3407949+00
624020	3.9215150-12	3.9649323-13	3.9857144+00	1.6692600+01	9.3407949+00
624020	3.9161607-12	3.9495971-13	3.9875326+00	1.6665800+01	9.3407949+00
626220	3.9178672-12	3.9121200-13	3.9893438+00	1.6652400+01	9.3407949+00
628220	3.9131277-12	3.9363371-13	3.9911543+00	1.6639300+01	9.3407949+00
632220	3.9186573-12	3.9621513-13	3.9929641+00	1.6625900+01	9.3407949+00
632020	2.8860195-12	3.9192076-13	3.9947729+00	1.6612200+01	9.3407949+00
634220	2.9244379-12	3.9119117-13	3.9965813+00	1.6612200+01	9.3407949+00
636020	2.9346019-12	3.9051941-13	3.9983943+00	1.6598400+01	9.3407949+00
638220	2.9101191-12	2.9637634-13	4.0001948+00	1.6585400+01	9.3407949+00
642220	2.9167122-12	2.9181443-13	4.0020255+00	1.6572000+01	9.3407949+00
642220	2.9120700-12	2.9051363-13	4.0038254+00	1.6558600+01	9.3407949+00
644020	2.9079130-12	2.9142356-13	4.0056095+00	1.6545200+01	9.3407949+00
646020	2.9040100-12	2.9122600-13	4.0074127+00	1.6531800+01	9.3407949+00
648020	2.9021524-12	2.9122600-13	4.0092152+00	1.6518400+01	9.3407949+00
652220	2.9009000-12	2.9121497-13	4.0110169+00	1.6505000+01	9.3407949+00
652020	2.9003057-12	2.9051907-13	4.0128178+00	1.6491600+01	9.3407949+00
654220	2.9019944-12	2.9075247-13	4.0146184+00	1.6478200+01	9.3407949+00
656020	2.9011740-12	2.9051367-13	4.0164172+00	1.6464800+01	9.3407949+00
658220	2.9074613-12	2.9021559-13	4.0182157+00	1.6451400+01	9.3407949+00
662220	2.9141771-12	2.9051365-13	4.0200135+00	1.6438000+01	9.3407949+00
662220	2.9079751-12	2.9039750-13	4.0218114+00	1.6424600+01	9.3407949+00
664020	2.9031121-12	2.9039637-13	4.0236065+00	1.6411200+01	9.3407949+00
666020	2.9009000-12	2.9119512-13	4.0254019+00	1.6397800+01	9.3407949+00
668020	1.9689317-12	2.9441575-13	4.0271965+00	1.6384400+01	9.3407949+00
672220	1.9281899-12	2.9074494-13	4.0289913+00	1.6371000+01	9.3407949+00
672020	1.9001523-12	2.9527962-13	4.0307832+00	1.6357600+01	9.3407949+00
674220	1.9171916-12	2.9030765-13	4.0325755+00	1.6344200+01	9.3407949+00
676020	1.9130951-12	1.9656713-13	4.0343668+00	1.6330800+01	9.3407949+00
678220	1.9733360-12	1.9234375-13	4.0361575+00	1.6317400+01	9.3407949+00

TABLE 1. (Continued)

GEOMETRIC ALTITUDE	MOLECULAR TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	COEFFICIENT OF VISCOSITY	SPEED OF SOUND
m	K	K	N cm ⁻²	kg m ⁻³	N s m ⁻²	m s ⁻¹
480000.	2.6784500+03	1.5078045+03	1.6225000-11	2.1101147-13	7.2472822-05	1.0375357+03
482000.	2.6808500+03	1.5078046+03	1.5891223-11	2.0450120-13	7.2509933-05	1.0379617+03
484000.	2.6830500+03	1.5078047+03	1.5564744-11	2.0209319-13	7.2537029-05	1.0383875+03
486000.	2.6852500+03	1.5077947+03	1.5245465-11	1.9778517-13	7.2564112-05	1.0388131+03
488000.	2.6874500+03	1.5077847+03	1.4933139-11	1.9357465-13	7.2601190-05	1.0392385+03
490000.	2.6896500+03	1.5077747+03	1.4627444-11	1.8945949-13	7.2633234-05	1.0396638+03
492000.	2.6918500+03	1.5077646+03	1.4320801-11	1.8543714-13	7.2665275-05	1.0400889+03
494000.	2.6940500+03	1.5077505+03	1.4014721-11	1.8150562-13	7.2697302-05	1.0405139+03
496000.	2.6962500+03	1.5077344+03	1.3705044-11	1.7764248-13	7.2729315-05	1.0409388+03
498000.	2.6984500+03	1.5077142+03	1.3470747-11	1.7390420-13	7.2761313-05	1.0413632+03
700000.	2.7006500+03	1.5076940+03	1.3195400-11	1.7021014-13	7.2793298-05	1.0417876+03

TABLE 1. (Concluded)

GEOMETRIC ALTITUDE	PRESSURE RATIO	DENSITY RATIO	VISCOSITY RATIO	MOLECULAR WEIGHT	PRESSURE DIFFERENCE
meters	unitless	unitless	unitless	unitless	newtons cm ²
603000	1.7370291E-12	1.0622600E-13	4.2379774E02	1.6327000E+01	9.3437949E00
603000	1.731271E-12	1.0642333E-13	4.2397368E02	1.6290600E+01	9.3407949E00
603000	1.6663213E-12	1.0327128E-13	4.2415248E02	1.6277200E+01	9.3407949E00
603000	1.6321379E-12	1.0642698E-13	4.2433127E02	1.6263800E+01	9.3407949E00
603000	1.5987311E-12	1.0727201E-13	4.2450914E02	1.6250400E+01	9.3407949E00
603000	1.5659750E-12	1.0822131E-13	4.2468653E02	1.6237000E+01	9.3407949E00
603000	1.5331623E-12	1.0941335E-13	4.2486734E02	1.6223600E+01	9.3407949E00
603000	1.5002706E-12	1.1079267E-13	4.2504877E02	1.6210200E+01	9.3407949E00
603000	1.4672791E-12	1.1238470E-13	4.2522983E02	1.6196800E+01	9.3407949E00
603000	1.4342114E-12	1.1421275E-13	4.2541212E02	1.6183400E+01	9.3407949E00
700000	1.4120421E-12	1.15143E-13	4.2559533E02	1.6170000E+01	9.3407949E00

NOT FOR CIRCULATION
THIS PAGE IS FOR

TABLE 2. DERIVED COEFFICIENTS FOR EMPIRICAL ERA-75 POLYNOMIALS

706 ≤ Z ≤ 3250								
Leg I	Parameters	A ₀	A ₁	A ₂	A ₃	A ₄	A ₅	Equation
	Pressure	2311470177-01	-1420873904-03	2589202778-07	-1310924676-10	3066517493-14	-2793754152-18	(5)
	Density	4148561601-01	-2440071092-03	1329190371-06	-5890755107-10	1273292033-13	-1080559441-17	(10)
	Temperature	2777646519+03	3514880842-01	-3631487720-04	1590831063-07	-3444042553-11	2933439281-15	(16)
	Virtual Temp.	2807898420+03	2979311809-01	-3136136691-04	1347075532-07	-2848013685-11	2365289857-15	(15)
3250 ≤ Z ≤ 9950 meters								
Leg II	Parameters	A ₀	A ₁	A ₂	A ₃	A ₄	A ₅	Equation
	Pressure	1.8812367 X 10 ⁻³	-1.1845111 X 10 ⁻⁴	-3.5545155 X 10 ⁻¹⁰	-6.5016675 X 10 ⁻¹⁴	-5.2355006 X 10 ⁻¹⁸	3.4885003 X 10 ⁻²²	(5)
	Density	1.5470847 X 10 ⁻³	-1.2568957 X 10 ⁻⁴	8.8865136 X 10 ⁻⁹	-1.5579407 X 10 ⁻¹²	1.2916496 X 10 ⁻¹⁶	-4.3994795 X 10 ⁻²¹	(10)
	Temperature	2.858177 X 10 ⁻³	3.1763281 X 10 ⁻³	-3.1118251 X 10 ⁻⁴	5.2518793 X 10 ⁻¹⁰	-4.6448685 X 10 ⁻¹⁴	1.6145641 X 10 ⁻¹⁸	(16)
	Virtual Temp.	2.8715277 X 10 ⁻³	2.1517327 X 10 ⁻³	-2.7196694 X 10 ⁻⁴	4.5126345 X 10 ⁻¹⁰	-3.9876511 X 10 ⁻¹⁴	1.3941650 X 10 ⁻¹⁸	(15)
9950 ≤ Z ≤ 18040 meters								
Leg III	Parameters	A ₀	A ₁	A ₂	A ₃	A ₄	A ₅	Equation
	Pressure	7.5926341 X 10 ⁻³	-1.3107406 X 10 ⁻⁴	1.4637277 X 10 ⁻⁹	-3.1016812 X 10 ⁻¹³	1.3256585 X 10 ⁻¹⁷	-1.7447999 X 10 ⁻²²	(5)
	Density	-1.8048718 X 10 ⁰	3.1917064 X 10 ⁻⁴	-2.3142097 X 10 ⁻⁸	-1.1163903 X 10 ⁻¹²	1.2861068 X 10 ⁻¹⁶	-3.0063455 X 10 ⁻²¹	(10)
	Temperature	6.6695824 X 10 ³	-8.6067580 X 10 ⁻³	3.0132231 X 10 ⁻⁴	3.8218058 X 10 ⁻¹⁰	-3.3634352 X 10 ⁻¹⁴	7.5058913 X 10 ⁻¹⁹	(16)
	Virtual Temp.	6.6695824 X 10 ³	-8.6067580 X 10 ⁻³	3.0132231 X 10 ⁻⁴	3.8218058 X 10 ⁻¹⁰	-3.3634352 X 10 ⁻¹⁴	7.5058913 X 10 ⁻¹⁹	(15)
18 040 ≤ Z ≤ 28 250 m								
Leg IV	Parameters	A ₀	A ₁	A ₂	A ₃	A ₄	A ₅	Equation
	Pressure	-1.5119643+00	6.4840176-05	-2.6797416-09	-6.7408841-13	3.2442591-17	-4.3323941-22	(5)
	Density	-2.6647834+00	2.6811921-04	-8.3362456-09	-9.9651556-13	5.1729970-17	-7.0315170-22	(10)
	Temperature	6.6447200+02	-5.5557022-02	5.6912588-07	1.7131166-10	-7.9541590-15	1.0455683-19	(16)
	Virtual Temp.	6.6447200+02	-5.5557022-02	5.6912588-07	1.7121166-10	-7.9541590-15	1.0455683-19	(15)
28 250 ≤ Z ≤ 49 065 m								
Leg V	Parameters	A ₀	A ₁	A ₂	A ₃	A ₄	A ₅	Equation
	Pressure	-5.0774336-02	-1.3229173-04	-3.3047358-10	-2.8081769-14	1.1235247-18	-9.9039449-24	(5)
	Temperature	-3.1441590+02	4.4022912-02	-8.4909942-07	-1.8977607-11	8.5503680-16	-7.8943270-21	(16)
49 065 ≤ Z ≤ 81 750 m								
Leg VI	Parameters	A ₀	A ₁	A ₂	A ₃	A ₄	A ₅	Equation
	Pressure	4.9682465-01	-2.0600983-04	1.1167046-09	1.3301416-14	-3.5535259-19	1.5827238-24	(5)
	Temperature	-2.0223418+03	1.0809620-01	-1.1246815-06	-1.5919380-11	3.5857350-16	-1.7624631-21	(16)

TABLE 3. TEMPERATURE-ALTITUDE BREAKPOINTS USED FOR
THE EDWARDS AFB HOT AND COLD ATMOSPHERE MODELS

Edwards Hot (Summer)		
Altitude (km)	Virtual Temperature (K)	Kinetic Temperature (K)
0.706	318.05	316.45
1.2	308.05	307.15
5.4	273.47	273.15
7.6	257.65	257.65
9.8	242.65	242.65
16.0	198.65	198.65
19.0	212.15	212.15
32.0	239.15	239.15
47.0	296.2	296.2
52.0	296.2	296.2
80.0	180.2	180.2
90.0	180.2	180.2

Edwards Cold (Winter)		
0.706	273.65	273.15
5.0	245.15	245.15
9.0	223.15	223.15
18.0	217.15	217.15
24.0	218.15	218.15
32.0	225.2	225.2
47.0	258.2	258.2
52.0	258.2	258.2
83.0	215.2	215.2
90.0	215.2	215.2

TABLE 4. VIRTUAL TEMPERATURE-TEMPERATURE RELATIONSHIP
(MEAN DIFFERENCE, ΔT) THAT EXISTS VERSUS ALTITUDE FOR
HOT AND COLD DAYS AT EDWARDS AFB, CALIFORNIA

Altitude (km)	Edwards Hot (Summer) $(\bar{T}^* - \bar{T}) = \Delta T$ (K)	Edwards Cold (Winter) $(\bar{T}^* - \bar{T}) = \Delta T$ (K)
Surface	1.60	0.50
1	1.14	0.47
1.2	0.90	0.45
2	0.79	0.35
3	0.65	0.24
4	0.51	0.12
5	0.37	0
6	0.24	0
7	0.09	0
7.6	0	0

TABLE 5. EDWARDS AFB, CALIFORNIA HOT (SUMMER)
ATMOSPHERE, 1975

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T°) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T° (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T°)%	RD(P)%	RD(D)%
706.	705.2	3.1805000*02	3.1645000*02	9.2900000*00	1.0175555*00	9.57	-0.54	-9.23
750.	749.2	3.1715931*02	3.1562166*02	9.2418664*00	1.0151256*00	9.24	-0.55	-8.96
1000.	998.9	3.1204859*02	3.1091518*02	8.9927101*00	1.0037756*00	7.59	-0.28	-7.31
1250.	1248.6	3.0763634*02	3.0674524*02	8.7480412*00	9.9062249*01	6.41	-0.07	-6.09
1500.	1498.2	3.0558000*02	3.0472143*02	8.5677217*00	9.6989822*01	6.19	-0.10	-5.74
1750.	1747.8	3.0352167*02	3.0269762*02	8.2724468*00	9.4947186*01	6.03	-0.27	-5.44
2000.	1997.5	3.0146334*02	3.0067381*02	8.0421432*00	9.2934106*01	5.89	-0.44	-5.15
2250.	2247.0	2.9949500*02	2.9865000*02	7.8167392*00	9.0950353*01	5.74	-0.60	-4.86
2500.	2496.6	2.9734667*02	2.9662619*02	7.5961629*00	8.8995697*01	5.59	-0.77	-4.57
2750.	2746.2	2.9526833*02	2.9460238*02	7.3803433*00	8.7069909*01	5.45	-0.93	-4.29
3000.	2995.7	2.9320000*02	2.9257857*02	7.1692100*00	8.5172758*01	5.32	-1.08	-4.02
3250.	3245.2	2.9117167*02	2.9055476*02	6.9626928*00	8.3304016*01	5.13	-1.06	-3.86
3500.	3494.7	2.8911334*02	2.8853095*02	6.7607227*00	8.1463450*01	4.96	-1.21	-3.56
3750.	3744.2	2.8705500*02	2.8650714*02	6.5632305*00	7.9650836*01	4.79	-1.36	-3.27
4000.	3993.7	2.8499667*02	2.8448333*02	6.3701480*00	7.7865946*01	4.65	-1.50	-3.00
4250.	4243.1	2.8293834*02	2.8245953*02	6.1819079*00	7.6108544*01	4.51	-1.63	-2.74
4500.	4492.5	2.8088000*02	2.8043571*02	5.9969426*00	7.4378908*01	4.38	-1.77	-2.49
4750.	4741.9	2.7882167*02	2.7841191*02	5.8164858*00	7.2676309*01	4.25	-1.90	-2.26
5000.	4991.3	2.7676334*02	2.7638810*02	5.6405716*00	7.0999023*01	4.14	-2.02	-2.03
5250.	5240.6	2.7470500*02	2.7436428*02	5.4685343*00	6.9349317*01	4.03	-2.15	-1.81
5500.	5490.0	2.7275091*02	2.7244546*02	5.3005219*00	6.7700243*01	3.98	-2.27	-1.63
5750.	5739.3	2.7069319*02	2.7068409*02	5.1365639*00	6.6094165*01	3.99	-2.40	-1.52
6000.	5988.6	2.6891554*02	2.6892273*02	4.9766757*00	6.4413065*01	4.01	-2.53	-1.42
6250.	6237.9	2.6735773*02	2.6716137*02	4.8207237*00	6.2814122*01	4.04	-2.66	-1.33
6500.	6487.1	2.6558001*02	2.6540000*02	4.6688553*00	6.1244481*01	4.08	-2.80	-1.24
6750.	6736.4	2.6376228*02	2.6363864*02	4.5203995*00	5.9703795*01	4.13	-2.93	-1.16
7000.	6985.6	2.6196455*02	2.6187727*02	4.3758858*00	5.8191729*01	4.19	-3.08	-1.08
7250.	7234.8	2.6011668*02	2.6011591*02	4.2350447*00	5.6707942*01	4.27	-3.22	-1.01
7500.	7484.0	2.5836909*02	2.5835455*02	4.0978070*00	5.5252094*01	4.35	-3.37	-0.95
7750.	7733.1	2.5660272*02	2.5666272*02	3.9641130*00	5.3812235*01	4.47	-3.52	-0.91
8000.	7982.3	2.5492273*02	2.5492273*02	3.8339298*00	5.2393019*01	4.60	-3.68	-0.88
8250.	8231.4	2.5321618*02	2.5321818*02	3.7071915*00	5.1002086*01	4.75	-3.84	-0.86
8500.	8480.5	2.5151364*02	2.5151364*02	3.5838287*00	4.9639059*01	4.89	-4.01	-0.83
8750.	8729.6	2.4980909*02	2.4980909*02	3.4637738*00	4.8303556*01	5.04	-4.18	-0.80
9000.	8978.8	2.4810455*02	2.4810455*02	3.3469597*00	4.6995209*01	5.18	-4.36	-0.76
9250.	9227.7	2.4640000*02	2.4640000*02	3.2333203*00	4.5713693*01	5.31	-4.54	-0.71

REPRODUCIBILITY OF THE
ORIGINAL PAGE IS POOR

TABLE 5. (Continued)

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T*) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T* (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T)%	RD(P)%	RD(D)%
9500	9476.7	2.4469546*02	2.4469546*02	3.1227904*00	4.4458493*01	5.41	4.72	-0.65
9750	9725.7	2.44294091*02	2.44299091*02	3.0153055*00	4.3229390*01	5.60	4.90	-0.56
10000	9974.7	2.44123065*02	2.44123065*02	2.9167930*00	4.2035543*01	5.57	5.06	-0.49
10250	10223.7	2.43945046*02	2.43945046*02	2.8091720*00	4.068563*01	5.69	5.29	-0.39
10500	10472.6	2.43768226*02	2.43768226*02	2.7103422*00	3.9725703*01	5.71	5.51	-0.19
10750	10721.5	2.43590807*02	2.43590807*02	2.6143653*00	3.8636576*01	5.64	5.73	+0.08
11000	10970.5	2.43413387*02	2.43413387*02	2.5210831*00	3.7510884*01	5.49	5.94	+0.42
11250	11219.3	2.43235966*02	2.43235966*02	2.4309190*00	3.6438306*01	5.27	6.14	+0.83
11500	11468.2	2.43058549*02	2.43058549*02	2.3423764*00	3.5368529*01	4.99	6.33	+1.29
11750	11717.1	2.42881129*02	2.42881129*02	2.2568797*00	3.4361237*01	4.64	6.51	+1.79
12000	11965.0	2.42703710*02	2.42703710*02	2.1738746*00	3.3356114*01	4.25	6.67	+2.34
12250	12214.7	2.42526291*02	2.42526291*02	2.0933067*00	3.2372854*01	3.81	6.82	+2.92
12500	12463.5	2.42348871*02	2.42348871*02	2.0151230*00	3.1411144*01	3.33	6.96	+3.52
12750	12712.3	2.42171452*02	2.42171452*02	1.9392709*00	3.0470680*01	2.82	7.08	+4.15
13000	12961.0	2.41994032*02	2.41994032*02	1.8666988*00	2.9551155*01	2.29	7.18	+4.79
13250	13209.7	2.41816613*02	2.41816613*02	1.7943558*00	2.8652269*01	1.73	7.26	+5.43
13500	13458.4	2.41639194*02	2.41639194*02	1.7251914*00	2.7773719*01	1.16	7.32	+6.08
13750	13707.1	2.41461774*02	2.41461774*02	1.6581565*00	2.6915203*01	0.57	7.35	+6.73
14000	13955.8	2.41284355*02	2.41284355*02	1.5932018*00	2.6076429*01	-0.02	7.36	+7.38
14250	14204.5	2.41106936*02	2.41106936*02	1.5302799*00	2.5257098*01	-0.63	7.35	+8.02
14500	14453.1	2.40929516*02	2.40929516*02	1.4693429*00	2.4454921*01	-1.24	7.31	+8.64
14750	14701.7	2.40752097*02	2.40752097*02	1.4103447*00	2.3675603*01	-1.87	7.24	+9.24
15000	14950.3	2.40574678*02	2.40574678*02	1.3532391*00	2.2912459*01	-2.50	7.14	+9.87
15250	15198.9	2.40397258*02	2.40397258*02	1.2979808*00	2.2188399*01	-3.14	7.01	+10.46
15500	15447.4	2.40219839*02	2.40219839*02	1.2445259*00	2.14491938*01	-3.80	6.84	+11.05
15750	15696.0	2.40042419*02	2.40042419*02	1.1928301*00	2.0733196*01	-4.47	6.64	+11.62
16000	15944.5	1.99865000*02	1.99865000*02	1.1428609*00	2.0041875*01	-5.16	6.41	+12.20
16250	16193.0	1.9977500*02	1.9977500*02	1.0948901*00	1.9392462*01	-5.80	6.17	+12.77
16500	16441.5	2.00090000*02	2.00090000*02	1.0491938*00	1.8193367*01	-6.46	5.96	+13.34
16750	16689.9	2.00202500*02	2.00202500*02	1.0058432*00	1.7341075*01	-7.12	5.77	+13.91
17000	16938.4	2.00315000*02	2.00315000*02	9.6412891*01	1.6533133*01	-7.72	5.61	+14.48
17250	17186.8	2.00427500*02	2.00427500*02	9.2454193*01	1.5766963*01	-8.34	5.47	+15.05
17500	17435.2	2.00540000*02	2.00540000*02	8.84678718*01	1.5040269*01	-8.93	5.36	+15.62
17750	17683.5	2.00652500*02	2.00652500*02	8.5076446*01	1.4350700*01	-9.52	5.27	+16.19
18000	17931.9	2.00765000*02	2.00765000*02	8.1639213*01	1.3694300*01	-10.10	5.20	+16.76
18250	18180.2	2.00877500*02	2.00877500*02	7.8358131*01	1.3075011*01	-10.68	5.16	+17.33

TABLE 5. (Continued)

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T*) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T* (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T*)%	RD(P)%	RD(D)%
18500*	18478.4	2.0990000*02	2.0990000*02	7.5225479*01	1.2485616*01	-.52	5.03	5.59
18750*	18476.9	2.1102500*02	2.1102500*02	7.2233694*01	1.1924590*01	-.14	4.93	5.11
19000*	18975.2	2.1215000*02	2.1215000*02	6.9376273*01	1.1392114*01	.23	4.87	4.68
19250*	19173.4	2.1266920*02	2.1266920*02	6.6643352*01	1.0916735*01	.29	4.83	4.59
19500*	19421.7	2.1318840*02	2.1318840*02	6.4024717*01	1.0462319*01	.33	4.61	4.52
19750*	19669.9	2.1370769*02	2.1370769*02	6.1519099*01	1.0027667*01	.37	4.80	4.48
20000*	19918.1	2.1422692*02	2.1422692*02	5.9106988*01	9.6119180*00	.39	4.80	4.48
20250*	20166.3	2.1474615*02	2.1474615*02	5.6799169*01	9.2142555*00	.41	4.81	4.43
20500*	20414.4	2.1526538*02	2.1526538*02	5.4586338*01	8.8338954*00	.42	4.82	4.43
20750*	20662.6	2.1578461*02	2.1578461*02	5.2464563*01	8.4730466*00	.43	4.85	4.43
21000*	20910.7	2.1630384*02	2.1630384*02	5.0430077*01	8.1219940*00	.44	4.87	4.44
21250*	21158.8	2.1682308*02	2.1682308*02	4.8479143*01	7.7890511*00	.44	4.90	4.44
21500*	21406.9	2.1734231*02	2.1734231*02	4.6608130*01	7.4705158*00	.45	4.93	4.45
21750*	21655.0	2.1786154*02	2.1786154*02	4.4813602*01	7.1657345*00	.46	4.96	4.46
22000*	21903.0	2.1838077*02	2.1838077*02	4.3092430*01	6.8741142*00	.48	4.99	4.46
22250*	22151.0	2.1890000*02	2.1890000*02	4.1441370*01	6.5950470*00	.50	5.02	4.46
22500*	22399.1	2.1941923*02	2.1941923*02	3.9857469*01	6.3279655*00	.53	5.09	4.45
22750*	22647.0	2.1993846*02	2.1993846*02	3.8337816*01	6.0723438*00	.56	5.06	4.43
23000*	22895.0	2.2045769*02	2.2045769*02	3.6879513*01	5.8276230*00	.60	5.08	4.40
23250*	23143.0	2.2097692*02	2.2097692*02	3.5480148*01	5.5933319*00	.65	5.09	4.36
23500*	23390.9	2.2149615*02	2.2149615*02	3.4136997*01	5.3690151*00	.71	5.09	4.31
23750*	23638.9	2.2201538*02	2.2201538*02	3.2847771*01	5.1541855*00	.77	5.10	4.25
24000*	23886.7	2.2253461*02	2.2253461*02	3.1610081*01	4.9484573*00	.84	5.09	4.18
24250*	24134.6	2.2305384*02	2.2305384*02	3.0421799*01	4.7513619*00	.92	5.09	4.10
24500*	24382.4	2.2357308*02	2.2357308*02	2.9280739*01	4.5625687*00	1.00	5.08	4.01
24750*	24630.3	2.2409231*02	2.2409231*02	2.8164913*01	4.3816589*00	1.10	5.07	3.92
25000*	24878.1	2.2461154*02	2.2461154*02	2.7132461*01	4.2031600*00	1.19	5.05	3.82
25250*	25125.9	2.2513077*02	2.2513077*02	2.6121445*01	4.0421692*00	1.29	5.04	3.71
25500*	25373.6	2.2565000*02	2.2565000*02	2.5150284*01	3.8829239*00	1.40	5.03	3.60
25750*	25621.4	2.2616923*02	2.2616923*02	2.4217094*01	3.7302620*00	1.50	5.02	3.50
26000*	25869.1	2.2668846*02	2.2668846*02	2.3320557*01	3.5839356*00	1.60	5.01	3.40
26250*	26116.9	2.2720769*02	2.2720769*02	2.2458969*01	3.4436165*00	1.70	5.01	3.31
26500*	26364.6	2.2772692*02	2.2772692*02	2.1631016*01	3.3090797*00	1.80	5.02	3.22
26750*	26612.2	2.2824615*02	2.2824615*02	2.0835133*01	3.1800629*00	1.89	5.05	3.16
27000*	26859.9	2.2876538*02	2.2876538*02	2.0070293*01	3.0583464*00	1.96	5.08	3.11
27250*	27107.5	2.2928461*02	2.2928461*02	1.9335068*01	2.9376778*00	2.03	5.14	3.09

TABLE 5. (Continued)

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T*) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T* (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T)%	RD(P)%	RD(D)%
275000	27355.2	2.2900304*02	2.2900304*02	1.0020304*01	2.0230000*02	2.07	5.21	3.10
277500	27602.0	2.3000304*02	2.3000304*02	1.0790000*01	2.7147430*02	2.10	5.31	3.14
280000	27850.3	2.3000404*02	2.3000404*02	1.7245000*01	2.0100000*02	2.10	5.44	3.22
282500	28097.9	2.3100504*02	2.3100504*02	1.0000000*01	2.5096170*02	2.25	5.48	3.16
285000	28345.4	2.3100604*02	2.3100604*02	1.0000000*01	2.4133194*02	2.19	5.50	3.24
287500	28593.0	2.3200604*02	2.3200604*02	1.0000000*01	2.3209480*02	2.14	5.53	3.32
290000	28840.5	2.3200704*02	2.3200704*02	1.0000000*01	2.2323105*02	2.00	5.55	3.39
292500	29088.0	2.3300804*02	2.3300804*02	1.0000000*01	2.1473053*02	2.06	5.58	3.45
295000	29335.4	2.3300904*02	2.3300904*02	1.0000000*01	2.0657466*02	2.03	5.61	3.51
297500	29582.9	2.3401004*02	2.3401004*02	1.0000000*01	1.9807471*02	2.00	5.64	3.57
300000	29830.3	2.3401104*02	2.3401104*02	1.0000000*01	1.8912305*02	1.90	5.68	3.63
302500	30077.7	2.3501204*02	2.3501204*02	1.0000000*01	1.8040091*02	1.96	5.71	3.68
305000	30325.1	2.3601304*02	2.3601304*02	1.0000000*01	1.7171107*02	1.95	5.75	3.73
307500	30572.5	2.3601404*02	2.3601404*02	1.0000000*01	1.6300143*02	1.94	5.79	3.78
310000	30819.9	2.3701504*02	2.3701504*02	1.0000000*01	1.5400257*02	1.93	5.83	3.83
312500	31067.3	2.3701604*02	2.3701604*02	1.0000000*01	1.4579310*02	1.92	5.87	3.87
315000	31314.7	2.3801704*02	2.3801704*02	1.0000000*01	1.3720190*02	1.92	5.91	3.91
317500	31562.1	2.3901804*02	2.3901804*02	1.0000000*01	1.2820205*02	1.92	5.95	3.96
320000	31809.5	2.4001904*02	2.4001904*02	1.0000000*01	1.1900436*02	1.91	6.00	4.00
322500	32056.9	2.4102004*02	2.4102004*02	1.0000000*01	1.1000293*02	2.00	6.03	4.04
325000	32304.3	2.4202104*02	2.4202104*02	1.0000000*01	1.0100327*02	2.27	6.08	4.08
327500	32551.7	2.4302204*02	2.4302204*02	1.0000000*01	0.9200357*02	2.45	6.14	4.14
330000	32799.1	2.4402304*02	2.4402304*02	1.0000000*01	0.8300392*02	2.61	6.20	4.20
332500	33046.5	2.4502404*02	2.4502404*02	1.0000000*01	0.7400426*02	2.80	6.27	4.27
335000	33293.9	2.4602504*02	2.4602504*02	1.0000000*01	0.6500460*02	2.98	6.34	4.34
337500	33541.3	2.4702604*02	2.4702604*02	1.0000000*01	0.5600494*02	3.15	6.42	4.42
340000	33788.7	2.4802704*02	2.4802704*02	1.0000000*01	0.4700528*02	3.31	6.51	4.51
342500	34036.1	2.4902804*02	2.4902804*02	1.0000000*01	0.3800562*02	3.48	6.59	4.59
345000	34283.5	2.5002904*02	2.5002904*02	1.0000000*01	0.2900596*02	3.64	6.69	4.69
347500	34530.9	2.5103004*02	2.5103004*02	1.0000000*01	0.2000630*02	3.80	6.79	4.79
350000	34778.3	2.5203104*02	2.5203104*02	1.0000000*01	0.1100664*02	3.95	6.89	4.89
352500	35025.7	2.5303204*02	2.5303204*02	1.0000000*01	0.0200698*02	4.10	6.99	4.99
355000	35273.1	2.5403304*02	2.5403304*02	1.0000000*01	0.0000732*02	4.25	7.10	5.10
357500	35520.5	2.5503404*02	2.5503404*02	1.0000000*01	0.0000766*02	4.39	7.22	5.22
360000	35767.9	2.5603504*02	2.5603504*02	1.0000000*01	0.0000800*02	4.53	7.34	5.34
362500	36015.3	2.5703604*02	2.5703604*02	1.0000000*01	0.0000834*02	4.66	7.46	5.46

TABLE 5. (Continued)

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T*) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T* (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T)%	RD(P)%	RD(D)%
36500	36256.8	2.5626500+02	2.5626500+02	5.1908154+02	7.0641970+03	4.79	7.58	2.67
36750	36503.5	2.5721583+02	2.5721583+02	5.0268555+02	6.8074034+03	4.91	7.71	2.67
37000	36750.4	2.5816666+02	2.5816666+02	4.8630504+02	6.5611659+03	5.03	7.84	2.67
37250	36997.2	2.5911750+02	2.5911750+02	4.7051907+02	6.3257446+03	5.15	7.98	2.69
37500	37244.1	2.6006833+02	2.6006833+02	4.5531186+02	6.0984342+03	5.28	8.11	2.71
37750	37490.9	2.6101917+02	2.6101917+02	4.4063053+02	5.8808708+03	5.37	8.25	2.74
38000	37737.7	2.6197000+02	2.6197000+02	4.2648144+02	5.6715690+03	5.47	8.39	2.77
38250	37984.5	2.6292083+02	2.6292083+02	4.1263378+02	5.4702450+03	5.57	8.54	2.81
38500	38231.3	2.6387166+02	2.6387166+02	3.9966831+02	5.2767982+03	5.67	8.69	2.86
38750	38478.0	2.6482250+02	2.6482250+02	3.8697147+02	5.0904813+03	5.76	8.84	2.91
39000	38724.7	2.6577333+02	2.6577333+02	3.7471504+02	4.9119873+03	5.85	8.99	2.97
39250	38971.5	2.6672416+02	2.6672416+02	3.6289177+02	4.7401352+03	5.94	9.14	3.03
39500	39218.1	2.6767500+02	2.6767500+02	3.5147095+02	4.5747452+03	6.02	9.30	3.10
39750	39464.8	2.6862583+02	2.6862583+02	3.4045982+02	4.4155197+03	6.10	9.46	3.17
40000	39711.5	2.6957666+02	2.6957666+02	3.2981100+02	4.2625046+03	6.18	9.62	3.24
40250	39958.1	2.7052750+02	2.7052750+02	3.1954498+02	4.1151352+03	6.25	9.79	3.32
40500	40204.7	2.7147833+02	2.7147833+02	3.0962448+02	3.9733963+03	6.33	9.95	3.41
40750	40451.3	2.7242916+02	2.7242916+02	3.0000461+02	3.8370132+03	6.40	10.12	3.49
41000	40697.9	2.7338000+02	2.7338000+02	2.9078445+02	3.7057400+03	6.48	10.29	3.58
41250	40944.4	2.7433083+02	2.7433083+02	2.8165387+02	3.5791026+03	6.55	10.47	3.68
41500	41191.0	2.7528166+02	2.7528166+02	2.7321863+02	3.4575043+03	6.62	10.64	3.77
41750	41437.5	2.7623250+02	2.7623250+02	2.6488228+02	3.3402710+03	6.69	10.82	3.87
42000	41684.0	2.7718333+02	2.7718333+02	2.5661953+02	3.2275543+03	6.77	11.00	3.96
42250	41930.5	2.7813416+02	2.7813416+02	2.4849291+02	3.1188507+03	6.84	11.18	4.06
42500	42176.9	2.7908500+02	2.7908500+02	2.4150020+02	3.0141983+03	6.92	11.37	4.16
42750	42423.4	2.8003583+02	2.8003583+02	2.3423538+02	2.9133035+03	7.00	11.55	4.26
43000	42669.8	2.8098666+02	2.8098666+02	2.2720108+02	2.8166123+03	7.08	11.75	4.35
43250	42916.2	2.8193750+02	2.8193750+02	2.2041397+02	2.7230377+03	7.17	11.94	4.45
43500	43162.6	2.8288833+02	2.8288833+02	2.1365117+02	2.6330472+03	7.26	12.14	4.54
43750	43408.9	2.8383916+02	2.8383916+02	2.0750018+02	2.5464172+03	7.36	12.34	4.63
44000	43655.3	2.8479000+02	2.8479000+02	2.0137253+02	2.4629745+03	7.47	12.54	4.72
44250	43901.6	2.8574083+02	2.8574083+02	1.9544220+02	2.3825663+03	7.58	12.75	4.81
44500	44147.9	2.8669167+02	2.8669167+02	1.8973633+02	2.3052063+03	7.70	12.96	4.89
44750	44394.2	2.8764250+02	2.8764250+02	1.8410595+02	2.2304493+03	7.82	13.17	4.96
45000	44640.5	2.8859333+02	2.8859333+02	1.7879410+02	2.1583862+03	7.96	13.39	5.03
45250	44886.7	2.8954416+02	2.8954416+02	1.7360382+02	2.0891876+03	8.11	13.61	5.09

TABLE 5. (Continued)

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T*) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T* (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T)%	RD(P)%	RD(D)%
45500	45132.9	2.9049500*02	2.9049500*02	1.0007034*02	2.0224320*03	8.27	13.84	5.15
45750	45179.2	2.9144503*02	2.9144503*02	1.00371041*02	1.9573212*03	8.44	14.07	5.20
46000	45625.3	2.9224000*02	2.9239660*02	1.0099050*02	1.8949432*03	8.62	14.31	5.24
46250	45871.5	2.9334750*02	2.9334750*02	1.01443192*02	1.8345490*03	8.82	14.55	5.27
46500	46117.7	2.9429033*02	2.9429033*02	1.0199010*02	1.7757263*03	9.03	14.80	5.29
46750	46363.8	2.9524910*02	2.9524910*02	1.0260329*02	1.7189484*03	9.24	15.06	5.30
47000	46609.9	2.9620000*02	2.9620000*02	1.03151964*02	1.6644560*03	9.45	15.32	5.30
47250	46856.0	2.9620000*02	2.9620000*02	1.03749735*02	1.6171374*03	9.63	15.58	5.62
47500	47102.1	2.9620000*02	2.9620000*02	1.0433600*02	1.5711784*03	9.83	15.84	5.92
47750	47348.1	2.9620000*02	2.9620000*02	1.04979247*02	1.5265226*03	9.93	16.10	6.19
48000	47594.7	2.9620000*02	2.9620000*02	1.05610335*02	1.4831354*03	9.93	16.35	6.44
48250	47840.7	2.9620000*02	2.9620000*02	1.06251870*02	1.4409720*03	9.97	16.60	6.66
48500	48086.7	2.9620000*02	2.9620000*02	1.06903036*02	1.4000142*03	9.95	16.85	6.85
48750	48332.2	2.9620000*02	2.9620000*02	1.0756531*02	1.3602290*03	9.91	17.09	7.02
49000	48578.1	2.9620000*02	2.9620000*02	1.0823000*02	1.3215718*03	9.81	17.34	7.15
49250	48824.1	2.9620000*02	2.9620000*02	1.08917170*02	1.2840037*03	9.65	17.58	7.61
49500	49070.0	2.9620000*02	2.9620000*02	1.09606913*02	1.2470135*03	9.34	17.99	7.89
49750	49315.9	2.9620000*02	2.9620000*02	1.00305443*02	1.2120500*03	9.29	18.20	8.14
50000	49561.8	2.9620000*02	2.9620000*02	1.00912529*02	1.1770111*03	9.24	18.42	8.41
50250	49807.6	2.9620000*02	2.9620000*02	9.7279333*02	1.1441309*03	9.20	18.64	8.65
50500	50053.5	2.9620000*02	2.9620000*02	9.4513487*02	1.1110100*03	9.18	18.87	8.88
50750	50299.3	2.9620000*02	2.9620000*02	9.1820322*02	1.0800100*03	9.18	19.10	9.09
51000	50545.1	2.9620000*02	2.9620000*02	8.9216040*02	1.0493240*03	9.19	19.34	9.30
51250	50790.9	2.9620000*02	2.9620000*02	8.6681795*02	1.0194674*03	9.27	19.58	9.49
51500	51036.7	2.9620000*02	2.9620000*02	8.4210350*02	9.9051667*04	9.26	19.83	9.67
51750	51282.4	2.9620000*02	2.9620000*02	8.1825089*02	9.6235095*04	9.31	20.08	9.85
52000	51528.1	2.9620000*02	2.9620000*02	7.9498910*02	9.3509946*04	9.39	20.33	10.01
52250	51773.8	2.9610429*02	2.9616449*02	7.7233911*02	9.0115095*04	9.09	20.59	10.55
52500	52019.5	2.9412657*02	2.9412657*02	7.5029045*02	8.8064952*04	8.80	20.84	11.07
52750	52265.2	2.9309200*02	2.9309200*02	7.2879446*02	8.6042935*04	8.53	21.08	11.57
53000	52510.9	2.9205714*02	2.9205714*02	7.0783657*02	8.4429536*04	8.27	21.32	12.06
53250	52756.5	2.9102143*02	2.9102143*02	6.8740450*02	8.2849033*04	8.01	21.55	12.54
53500	53002.1	2.8994571*02	2.8994571*02	6.6749596*02	8.1050130*04	7.77	21.78	13.00
53750	53247.7	2.8890000*02	2.8890000*02	6.4809597*02	7.9133069*04	7.55	22.00	13.44
54000	53493.3	2.8791429*02	2.8791429*02	6.2915555*02	7.7012000*04	7.33	22.22	13.87
54250	53738.8	2.8687057*02	2.8687057*02	6.1070011*02	7.4810712*04	7.12	22.42	14.29

TABLE 5. (Continued)

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T*) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T* (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T*)%	RD(P)%	RD(D)%
54500	53984.4	2.0554286*02	2.0584286*02	5.9281361*03	7.2246039*04	6.92	22.63	19.70
54750	54229.9	2.06480714*02	2.06480714*02	5.7533425*03	7.3370555*04	6.72	22.82	19.09
55000	54475.4	2.07377143*02	2.07377143*02	5.5830145*03	6.8536967*04	6.54	23.02	18.44
55250	54720.9	2.08273571*02	2.08273571*02	5.41171443*03	6.6744578*04	6.36	23.20	18.83
55500	54966.3	2.09170000*02	2.09170000*02	5.2550324*03	6.4992845*04	6.20	23.38	18.18
55750	55211.8	2.10066424*02	2.10066424*02	5.0983500*03	6.3280862*04	6.04	23.56	18.52
56000	55457.2	2.10962857*02	2.10962857*02	4.9452281*03	6.1607957*04	5.88	23.73	18.85
56250	55702.6	2.11859286*02	2.11859286*02	4.7961504*03	5.9973103*04	5.74	23.89	17.17
56500	55948.0	2.12755714*02	2.12755714*02	4.6510255*03	5.8376044*04	5.60	24.05	17.48
56750	56193.3	2.13652143*02	2.13652143*02	4.5097804*03	5.6815695*04	5.46	24.21	17.78
57000	56438.7	2.14548571*02	2.14548571*02	4.3723237*03	5.5291355*04	5.33	24.36	18.06
57250	56684.0	2.15445000*02	2.15445000*02	4.2385268*03	5.3802400*04	5.21	24.50	18.34
57500	56929.3	2.16341424*02	2.16341424*02	4.1083705*03	5.2348375*04	5.09	24.64	18.60
57750	57174.6	2.17237857*02	2.17237857*02	3.9817333*03	5.0928134*04	4.98	24.78	18.86
58000	57419.9	2.18134286*02	2.18134286*02	3.8586056*03	4.9541217*04	4.87	24.91	19.11
58250	57665.1	2.19030714*02	2.19030714*02	3.7387502*03	4.8187125*04	4.77	25.04	19.35
58500	57910.3	2.19927143*02	2.19927143*02	3.6222410*03	4.6880546*04	4.67	25.16	19.58
58750	58155.6	2.20823571*02	2.20823571*02	3.5089075*03	4.5574379*04	4.57	25.27	19.80
59000	58400.7	2.21720000*02	2.21720000*02	3.3987260*03	4.4314373*04	4.48	25.39	20.01
59250	58645.9	2.22616424*02	2.22616424*02	3.2915866*03	4.3084675*04	4.39	25.49	20.22
59500	58891.1	2.23512857*02	2.23512857*02	3.1874335*03	4.1884428*04	4.30	25.60	20.42
59750	59136.2	2.24409286*02	2.24409286*02	3.0862152*03	4.0713280*04	4.22	25.70	20.61
60000	59381.3	2.25305714*02	2.25305714*02	2.9877829*03	3.9570284*04	4.13	25.79	20.80
60250	59626.4	2.26202143*02	2.26202143*02	2.8921580*03	3.8455093*04	4.06	25.88	20.98
60500	59871.5	2.27098571*02	2.27098571*02	2.7992546*03	3.7367374*04	3.98	25.97	21.15
60750	60116.6	2.27995000*02	2.27995000*02	2.7089067*03	3.6308059*04	3.90	26.05	21.32
61000	60361.8	2.28891424*02	2.28891424*02	2.6212478*03	3.5270774*04	3.83	26.13	21.48
61250	60606.9	2.29787857*02	2.29787857*02	2.5380958*03	3.4261356*04	3.75	26.20	21.64
61500	60851.8	2.30684286*02	2.30684286*02	2.4533069*03	3.3276439*04	3.68	26.27	21.79
61750	61096.6	2.31580714*02	2.31580714*02	2.3729312*03	3.2316363*04	3.61	26.34	21.94
62000	61341.6	2.32477143*02	2.32477143*02	2.2940933*03	3.1380439*04	3.54	26.40	22.08
62250	61586.5	2.33373571*02	2.33373571*02	2.2191274*03	3.0467844*04	3.47	26.46	22.22
62500	61831.4	2.34270000*02	2.34270000*02	2.1455467*03	2.9578268*04	3.40	26.51	22.35
62750	62076.3	2.35166424*02	2.35166424*02	2.0741272*03	2.8711033*04	3.33	26.56	22.48
63000	62321.2	2.36062857*02	2.36062857*02	2.0048475*03	2.7866054*04	3.26	26.60	22.61
63250	62566.1	2.36959286*02	2.36959286*02	1.9375741*03	2.7042446*04	3.19	26.65	22.74

TABLE 5. (Continued)

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T* (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T)%	RD(P)%	RD(D)%
63500*	67810.9	2.4855714*02	2.4855714*02	1.8722188*03	2.6239681*04	3.11	26.68	22.86
63750*	63055.9	2.4752143*02	2.4752143*02	1.8088941*03	2.5457883*04	3.04	26.72	22.98
64000*	63300.6	2.4648571*02	2.4648571*02	1.7474222*03	2.4696428*04	2.97	26.75	23.09
64250*	63545.4	2.4545000*02	2.4545000*02	1.6878486*03	2.3953938*04	2.89	26.77	23.21
64500*	63790.1	2.4441429*02	2.4441429*02	1.6300201*03	2.3231113*04	2.82	26.79	23.32
64750*	64034.9	2.4337857*02	2.4337857*02	1.5739679*03	2.2527156*04	2.74	26.81	23.43
65000*	64279.6	2.4234286*02	2.4234286*02	1.5195846*03	2.1841669*04	2.66	26.82	23.54
65250*	64524.3	2.4130714*02	2.4130714*02	1.4668393*03	2.1174324*04	2.58	26.83	23.64
65500*	64769.0	2.4027143*02	2.4027143*02	1.4157463*03	2.0524633*04	2.50	26.84	23.75
65750*	65013.7	2.3923571*02	2.3923571*02	1.3662338*03	1.9891942*04	2.41	26.84	23.85
66000*	65258.4	2.3820000*02	2.3820000*02	1.3182855*03	1.9276726*04	2.33	26.84	23.95
66250*	65503.0	2.3716429*02	2.3716429*02	1.2717366*03	1.8677425*04	2.24	26.83	24.05
66500*	65747.6	2.3612857*02	2.3612857*02	1.2266445*03	1.8094337*04	2.15	26.82	24.15
66750*	65992.2	2.3509286*02	2.3509286*02	1.1829853*03	1.7527282*04	2.05	26.81	24.25
67000*	66236.8	2.3405714*02	2.3405714*02	1.1408493*03	1.6975212*04	1.96	26.79	24.35
67250*	66481.4	2.3302143*02	2.3302143*02	1.0997271*03	1.6438425*04	1.86	26.76	24.45
67500*	66725.9	2.3198571*02	2.3198571*02	1.0600686*03	1.5916085*04	1.76	26.73	24.54
67750*	66970.4	2.3095000*02	2.3095000*02	1.0216188*03	1.5408099*04	1.66	26.70	24.64
68000*	67214.9	2.2991429*02	2.2991429*02	9.8444938*02	1.4914501*04	1.55	26.66	24.73
68250*	67459.4	2.2887857*02	2.2887857*02	9.4838619*02	1.4434123*04	1.44	26.62	24.82
68500*	67703.9	2.2784286*02	2.2784286*02	9.1364145*02	1.3967717*04	1.33	26.58	24.91
68750*	67948.3	2.2680714*02	2.2680714*02	8.7991953*02	1.3514173*04	1.22	26.53	25.00
69000*	68192.8	2.2577143*02	2.2577143*02	8.4723949*02	1.3072944*04	1.10	26.47	25.09
69250*	68437.2	2.2473571*02	2.2473571*02	8.1572770*02	1.2644482*04	.98	26.41	25.18
69500*	68681.6	2.2370000*02	2.2370000*02	7.8523636*02	1.2228060*04	.86	26.35	25.27
69750*	68925.9	2.2266429*02	2.2266429*02	7.5566530*02	1.1823380*04	.74	26.28	25.35
70000*	69170.3	2.2162857*02	2.2162857*02	7.2718143*02	1.1430716*04	.61	26.20	25.43
70250*	69414.6	2.2059286*02	2.2059286*02	6.9953679*02	1.1048746*04	.48	26.12	25.52
70500*	69658.9	2.1955714*02	2.1955714*02	6.7285776*02	1.0678482*04	.35	26.03	25.60
70750*	69903.2	2.1852143*02	2.1852143*02	6.4710855*02	1.0318792*04	.21	25.94	25.67
71000*	70147.5	2.1748571*02	2.1748571*02	6.2217712*02	9.9694729*03	.08	25.85	25.75
71250*	70391.8	2.1645000*02	2.1645000*02	5.9818508*02	9.6302986*03	-.06	25.74	25.82
71500*	70636.0	2.1541429*02	2.1541429*02	5.7492494*02	9.3011498*03	-.20	25.64	25.89
71750*	70880.2	2.1437857*02	2.1437857*02	5.5247307*02	8.9819193*03	-.34	25.52	25.96
72000*	71124.4	2.1334286*02	2.1334286*02	5.3091288*02	8.6722613*03	-.49	25.40	26.02
72250*	71368.6	2.1230714*02	2.1230714*02	5.0993919*02	8.3714724*03	-.64	25.28	26.08

TABLE 5. (Continued)

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T*) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T* (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T)%	RD(P)%	RD(D)%
72500	71812.8	2.1127144*02	2.1127143*02	4.8981066*04	8.0800772*05	-0.78	25.14	26.13
72750	71856.9	2.1023571*02	2.1023571*02	4.7033310*04	7.7975511*05	-0.93	25.00	26.18
73000	72101.0	2.0920000*02	2.0920000*02	4.5154095*04	7.5232028*05	-1.08	24.86	26.22
73250	72345.1	2.0816424*02	2.0816424*02	4.3435213*04	7.2578192*05	-1.23	24.71	26.26
73500	72589.2	2.0712857*02	2.0712857*02	4.1596651*04	6.9996833*05	-1.38	24.55	26.30
73750	72833.3	2.0609286*02	2.0609286*02	3.9916992*04	6.7504406*05	-1.54	24.38	26.32
74000	73077.1	2.0505714*02	2.0505714*02	3.8289547*04	6.5082788*05	-1.69	24.21	26.34
74250	73321.4	2.0402143*02	2.0402143*02	3.6727428*04	6.2739372*05	-1.84	24.03	26.36
74500	73565.4	2.0298571*02	2.0298571*02	3.5221576*04	6.0469389*05	-1.99	23.84	26.36
74750	73809.5	2.0195000*02	2.0195000*02	3.3776700*04	5.8288547*05	-2.14	23.64	26.35
75000	74053.3	2.0091424*02	2.0091424*02	3.2369137*04	5.6134469*05	-2.29	23.44	26.34
75250	74297.7	1.9987857*02	1.9987857*02	3.1024433*04	5.4080963*05	-2.44	23.23	26.32
75500	74541.7	1.9884286*02	1.9884286*02	2.9724594*04	5.2081346*05	-2.59	23.01	26.28
75750	74785.1	1.9780714*02	1.9780714*02	2.8478145*04	5.0150156*05	-2.74	22.78	26.24
76000	75029.0	1.9677143*02	1.9677143*02	2.7274604*04	4.8282385*05	-2.88	22.54	26.18
76250	75272.9	1.9573571*02	1.9573571*02	2.6121616*04	4.6473980*05	-3.02	22.30	26.11
76500	75516.8	1.9470000*02	1.9470000*02	2.5007725*04	4.4722080*05	-3.16	22.04	26.02
76750	75760.6	1.9366429*02	1.9366429*02	2.3939809*04	4.3028116*05	-3.29	21.78	25.92
77000	76004.4	1.9262857*02	1.9262857*02	2.2906303*04	4.1390419*05	-3.42	21.50	25.81
77250	76248.2	1.9159286*02	1.9159286*02	2.1916389*04	3.9809465*05	-3.54	21.22	25.67
77500	76492.0	1.9055714*02	1.9055714*02	2.0958900*04	3.8272381*05	-3.66	20.93	25.53
77750	76735.8	1.8952143*02	1.8952143*02	2.0034313*04	3.6791801*05	-3.78	20.62	25.36
78000	76979.5	1.8848571*02	1.8848571*02	1.9156933*04	3.5361767*05	-3.89	20.31	25.17
78250	77223.7	1.8745000*02	1.8745000*02	1.8306255*04	3.3976316*05	-3.99	19.98	24.97
78500	77467.9	1.8641429*02	1.8641429*02	1.7484186*04	3.2641649*05	-4.08	19.65	24.74
78750	77710.6	1.8537857*02	1.8537857*02	1.6699791*04	3.1347752*05	-4.17	19.30	24.49
79000	77954.3	1.8434286*02	1.8434286*02	1.5939712*04	3.0094630*05	-4.24	18.95	24.22
79250	78198.0	1.8330714*02	1.8330714*02	1.5205383*04	2.8889179*05	-4.31	18.58	23.92
79500	78441.6	1.8227143*02	1.8227143*02	1.4499167*04	2.7724481*05	-4.37	18.20	23.60
79750	78685.2	1.8123571*02	1.8123571*02	1.3819218*04	2.6591778*05	-4.42	17.80	23.25
80000	78928.8	1.8020000*02	1.8020000*02	1.3204908*04	2.5506019*05	-4.45	17.40	22.87
80250	79172.4	1.7916429*02	1.7916429*02	1.2591839*04	2.4340630*05	-4.53	17.00	21.78
80500	79415.9	1.7812857*02	1.7812857*02	1.2002945*04	2.3208616*05	-4.58	16.61	20.69
80750	79659.5	1.7709286*02	1.7709286*02	1.1440277*04	2.2121429*05	-4.61	16.25	19.61
81000	79903.0	1.7605714*02	1.7605714*02	1.0919571*04	2.1103859*05	-4.67	15.91	18.54
81250	80146.5	1.7502143*02	1.7502143*02	1.0404660*04	2.0140648*05	-4.70	15.58	17.47

TABLE 5. (Concluded)

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T*) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T° (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T)%	RD(P)%	RD(D)%
81500	80389.9	1.8020000*02	1.8020000*02	9.9349021*05	1.9204140*05	-0.96	15.27	14.90
81750	80633.4	1.8020000*02	1.8020000*02	9.9680786*05	1.8304639*05	-0.25	14.99	15.27
82000	80876.8	1.8020000*02	1.8020000*02	9.90289115*05	1.7478943*05	-0.25	14.83	15.12
82250	81120.3	1.8020000*02	1.8020000*02	9.8135864*05	1.6681644*05	-0.25	14.68	14.97
82500	81363.7	1.8020000*02	1.8020000*02	8.2125664*05	1.5881538*05	-0.25	14.53	14.81
82750	81607.1	1.8020000*02	1.8020000*02	7.8363419*05	1.5187236*05	-0.25	14.37	14.66
83000	81850.4	1.8020000*02	1.8020000*02	7.4744225*05	1.4469610*05	-0.25	14.22	14.51
83250	82093.8	1.8020000*02	1.8020000*02	7.1334638*05	1.3784409*05	-0.25	14.07	14.35
83500	82337.1	1.8020000*02	1.8020000*02	6.8025589*05	1.3158891*05	-0.25	13.91	14.20
83750	82580.5	1.8020000*02	1.8020000*02	6.4859390*05	1.2552261*05	-0.25	13.76	14.04
84000	82823.7	1.8020000*02	1.8020000*02	6.1949757*05	1.1974335*05	-0.25	13.60	13.89
84250	83067.0	1.8020000*02	1.8020000*02	5.9032440*05	1.1392593*05	-0.25	13.45	13.73
84500	83310.2	1.8020000*02	1.8020000*02	5.6362152*05	1.0883331*05	-0.25	13.30	13.58
84750	83553.5	1.8020000*02	1.8020000*02	5.3710937*05	1.0396957*05	-0.25	13.14	13.42
85000	83796.7	1.8020000*02	1.8020000*02	5.1279688*05	9.9201202*04	-0.25	12.99	13.27
85250	84039.9	1.8020000*02	1.8020000*02	4.8887198*05	9.4299317*04	-0.25	12.83	13.11
85500	84283.0	1.8020000*02	1.8020000*02	4.6577453*05	9.0198516*04	-0.25	12.67	12.96
85750	84526.2	1.8020000*02	1.8020000*02	4.4469833*05	8.5945129*04	-0.25	12.52	12.80
86000	84769.3	1.8020000*02	1.8020000*02	4.2343139*05	8.2016991*04	-0.25	12.36	12.64
86250	85012.5	1.8020000*02	1.8020000*02	4.0428254*05	7.8105926*04	-0.25	12.21	12.49
86500	85255.6	1.8020000*02	1.8020000*02	3.8480759*05	7.4577331*04	-0.25	12.05	12.33
86750	85498.8	1.8020000*02	1.8020000*02	3.6697388*05	7.1010589*04	-0.25	11.90	12.17
87000	85741.7	1.8020000*02	1.8020000*02	3.5085678*05	6.7825317*04	-0.25	11.74	12.02
87250	85984.7	1.8020000*02	1.8020000*02	3.3473968*05	6.4659118*04	-0.25	11.58	11.86
87500	86227.8	1.8020000*02	1.8020000*02	3.1900408*05	6.178096*04	-0.25	11.42	11.70
87750	86470.8	1.8020000*02	1.8020000*02	3.0288696*05	5.8674677*04	-0.25	11.27	11.55
88000	86713.8	1.8020000*02	1.8020000*02	2.9077530*05	5.6247711*04	-0.25	11.11	11.39
88250	86956.7	1.8020000*02	1.8020000*02	2.7685165*05	5.3596497*04	-0.25	10.95	11.23
88500	87199.7	1.8020000*02	1.8020000*02	2.6350021*05	5.1040649*04	-0.25	10.80	11.07
88750	87442.6	1.8020000*02	1.8020000*02	2.5205612*05	4.8770904*04	-0.25	10.64	10.91
89000	87685.5	1.8020000*02	1.8020000*02	2.4003482*05	4.6634674*04	-0.25	10.48	10.76
89250	87928.4	1.8020000*02	1.8020000*02	2.2850036*05	4.4174194*04	-0.25	10.32	10.60
89500	88171.3	1.8020000*02	1.8020000*02	2.1839142*05	4.2343140*04	-0.25	10.16	10.44
89750	88414.1	1.8020000*02	1.8020000*02	2.0732880*05	4.0244130*04	-0.25	10.01	10.28
90000	88657.0	1.8020000*02	1.8020000*02	1.9807816*05	3.8452148*04	0.00000	9.84	10.11

TABLE 6. EDWARDS AFB, CALIFORNIA COLD (WINTER)
ATMOSPHERE, 1975

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T*) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T* (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T)%	RD(P)%	RD(D)%
7000	705.2	2.7365000+02	2.7315000+02	9.3900000+00	1.1953854+00	-5.72	+.53	6.63
7500	749.2	2.7335797+02	2.7286309+02	9.3370777+00	1.1899167+00	-5.85	+.43	6.67
8000	798.9	2.7169868+02	2.7123291+02	9.0436318+00	1.1595598+00	-6.34	+.49	7.07
8250	828.6	2.7003938+02	2.6962273+02	8.7609967+00	1.1302265+00	-6.60	+.10	7.16
15000	1498.2	2.6638009+02	2.6797254+02	8.4874111+00	1.1017031+00	-6.73	-.12	7.09
17500	1747.8	2.6672080+02	2.6634236+02	8.2215875+00	1.0738359+00	-6.82	-.34	6.96
20000	1997.5	2.6506151+02	2.6471218+02	7.9626412+00	1.0465218+00	-6.90	-.56	6.81
22500	2247.0	2.6340221+02	2.6308200+02	7.7100220+00	1.0197005+00	-6.97	-.78	6.66
25000	2496.6	2.6174292+02	2.6145182+02	7.4634498+00	9.9338674+01	-7.05	-1.00	6.51
27500	2746.2	2.6008363+02	2.5982164+02	7.2228457+00	9.6745674+01	-7.12	-1.23	6.34
30000	2995.7	2.5842434+02	2.5819145+02	6.9882666+00	9.4204977+01	-7.18	-1.47	6.15
32500	3245.2	2.5676505+02	2.5656127+02	6.7598376+00	9.1714973+01	-7.29	-1.87	5.85
35000	3494.7	2.5510575+02	2.5493109+02	6.5376855+00	8.9278151+01	-7.39	-2.11	5.70
37500	3744.2	2.5344646+02	2.5330091+02	6.3218725+00	8.6896157+01	-7.47	-2.36	5.55
40000	3993.7	2.5178717+02	2.5167073+02	6.1123285+00	8.4568942+01	-7.55	-2.61	5.35
42500	4243.1	2.5012788+02	2.5004555+02	5.9087850+00	8.2293915+01	-7.61	-2.87	5.15
45000	4492.6	2.4846859+02	2.4841036+02	5.7107079+00	8.0065089+01	-7.67	-3.12	4.93
47500	4741.9	2.4680930+02	2.4678018+02	5.5172312+00	7.7872229+01	-7.72	-3.38	4.70
50000	4991.3	2.4515001+02	2.4515000+02	5.3270900+00	7.5700013+01	-7.76	-3.65	4.46
52500	5240.6	2.4377500+02	2.4377500+02	5.1441911+00	7.3513269+01	-7.88	-3.91	4.09
55000	5490.0	2.4240020+02	2.4240000+02	4.9665900+00	7.1377857+01	-7.99	-4.17	3.71
57500	5739.3	2.4102500+02	2.4102500+02	4.7941624+00	6.9292854+01	-7.90	-4.43	3.32
60000	5988.6	2.3965000+02	2.3965000+02	4.6287853+00	6.7257345+01	-7.90	-4.68	2.93
62500	6237.9	2.3827500+02	2.3827500+02	4.4683393+00	6.5270434+01	-7.90	-4.93	2.53
65000	6487.1	2.3690000+02	2.3690000+02	4.3067054+00	6.3331228+01	-7.95	-5.17	2.13
67500	6736.4	2.3552500+02	2.3552500+02	4.1537685+00	6.1438850+01	-7.92	-5.41	1.72
70000	6985.6	2.3415000+02	2.3415000+02	4.0054143+00	5.9592430+01	-8.07	-5.65	1.30
72500	7234.8	2.3277500+02	2.3277500+02	3.8615317+00	5.7791115+01	-8.07	-5.88	.88
75000	7484.0	2.3140000+02	2.3140000+02	3.7220108+00	5.6034059+01	-8.54	-6.11	+.46
77500	7733.1	2.3002500+02	2.3002500+02	3.5867443+00	5.4320429+01	-8.36	-6.33	+.03
80000	7982.3	2.2865000+02	2.2865000+02	3.4556265+00	5.2649399+01	-8.18	-6.55	-1.50
82500	8231.4	2.2727500+02	2.2727500+02	3.3285544+00	5.1020157+01	-8.98	-6.76	-.82
85000	8480.5	2.2590000+02	2.2590000+02	3.2054260+00	4.9431903+01	-8.79	-6.97	-1.25
87500	8729.6	2.2452500+02	2.2452500+02	3.0861421+00	4.7883844+01	-8.59	-7.18	-1.67
90000	8978.6	2.2315000+02	2.2315000+02	2.9706049+00	4.6375200+01	-8.30	-7.38	-2.07
92500	9227.7	2.2298333+02	2.2298333+02	2.8590224+00	4.4666597+01	-8.70	-7.57	-2.99

TABLE 6. (Continued)

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T*) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T* (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T)%	RD(P)%	RD(D)%
9500	9476.7	2.2281667+02	2.2281667+02	2.7515494+00	4.3019694-01	-4.01	-7.73	-3.86
9750	9725.7	2.2265000+02	2.2265000+02	2.6480373+00	4.1432303-01	-3.33	-7.88	-4.69
10000	9974.7	2.2248333+02	2.2248333+02	2.5483443+00	3.9902317-01	-2.63	-8.02	-5.54
10250	10223.7	2.2231667+02	2.2231667+02	2.4523332+00	3.8427772-01	-1.88	-8.09	-6.34
10500	10472.4	2.2215000+02	2.2215000+02	2.3598713+00	3.7006659-01	-1.20	-8.13	-7.03
10750	10721.5	2.2198333+02	2.2198333+02	2.2708307+00	3.5637093-01	-0.59	-8.16	-7.82
11000	10970.6	2.2181667+02	2.2181667+02	2.1850870+00	3.4317250-01	-0.06	-8.18	-8.11
11250	11219.3	2.2165000+02	2.2165000+02	2.1025212+00	3.3045363-01	.42	-8.18	-8.58
11500	11468.7	2.2148333+02	2.2148333+02	2.0230170+00	3.1819725-01	.84	-8.17	-8.93
11750	11717.1	2.2131667+02	2.2131667+02	1.9464638+00	3.0638681-01	1.21	-8.14	-9.23
12000	11965.9	2.2115000+02	2.2115000+02	1.8727532+00	2.9500646-01	1.54	-8.10	-9.49
12250	12214.7	2.2098333+02	2.2098333+02	1.8017823+00	2.8404071-01	1.83	-8.05	-9.70
12500	12463.5	2.2081667+02	2.2081667+02	1.7334750+00	2.7347480-01	2.09	-7.99	-9.87
12750	12712.3	2.2065000+02	2.2065000+02	1.6676615+00	2.6329441-01	2.33	-7.92	-10.01
13000	12961.7	2.2048333+02	2.2048333+02	1.6043217+00	2.5348568-01	2.54	-7.84	-10.12
13250	13209.7	2.2031667+02	2.2031667+02	1.5433427+00	2.4403527-01	2.73	-7.75	-10.20
13500	13458.4	2.2015000+02	2.2015000+02	1.4846371+00	2.3493041-01	2.92	-7.65	-10.27
13750	13707.1	2.1998333+02	2.1998333+02	1.4281221+00	2.2615862-01	3.09	-7.54	-10.32
14000	13955.8	2.1981667+02	2.1981667+02	1.3737173+00	2.1770802-01	3.25	-7.43	-10.35
14250	14204.5	2.1965000+02	2.1965000+02	1.3213456+00	2.0956704-01	3.41	-7.31	-10.37
14500	14453.1	2.1948333+02	2.1948333+02	1.2709328+00	2.0172459-01	3.56	-7.18	-10.39
14750	14701.7	2.1931667+02	2.1931667+02	1.2224072+00	1.9414998-01	3.71	-7.05	-10.39
15000	14950.3	2.1915000+02	2.1915000+02	1.1756991+00	1.8688287-01	3.85	-6.92	-10.38
15250	15198.9	2.1898333+02	2.1898333+02	1.1307426+00	1.7988327-01	3.99	-6.78	-10.37
15500	15447.4	2.1881667+02	2.1881667+02	1.0874731+00	1.7313158-01	4.11	-6.64	-10.34
15750	15696.0	2.1865000+02	2.1865000+02	1.0458295+00	1.6662857-01	4.22	-6.50	-10.29
16000	15944.6	2.1848333+02	2.1848333+02	1.0057510+00	1.6036523-01	4.31	-6.36	-10.22
16250	16193.0	2.1831667+02	2.1831667+02	9.6718019-01	1.5433295-01	4.37	-6.22	-10.13
16500	16441.6	2.1815000+02	2.1815000+02	9.3006250-01	1.4852335-01	4.39	-6.07	-10.02
16750	16689.9	2.1798333+02	2.1798333+02	8.9434261-01	1.4292827-01	4.37	-5.94	-9.86
17000	16938.4	2.1781667+02	2.1781667+02	8.5996912-01	1.3754010-01	4.30	-5.80	-9.67
17250	17186.8	2.1765000+02	2.1765000+02	8.2689173-01	1.3235096-01	4.16	-5.67	-9.42
17500	17435.7	2.1748333+02	2.1748333+02	7.9506107-01	1.2735379-01	3.94	-5.54	-9.11
17750	17683.5	2.1731667+02	2.1731667+02	7.6442968-01	1.2254114-01	3.63	-5.41	-8.72
18000	17931.0	2.1715000+02	2.1715000+02	7.3495366-01	1.1790656-01	3.21	-5.30	-8.25
18250	18179.2	2.1719167+02	2.1719167+02	7.0661131-01	1.1333784-01	3.07	-5.17	-8.02

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T*) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T* (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T)%	RD(P)%	RD(D)%
18500	18428.4	2.1723333+02	2.1723333+02	6.7936670-01	1.0894700-01	2.96	-5.15	-7.86
18750	18676.9	2.1727500+02	2.1727500+02	6.5317693-01	1.0472703-01	2.82	-5.12	-7.69
19000	18925.2	2.1731667+02	2.1731667+02	6.2800190-01	1.0067124-01	2.67	-5.07	-7.49
19250	19173.4	2.1735833+02	2.1735833+02	6.0380147-01	9.6773273-02	2.50	-5.02	-7.28
19500	19421.7	2.1740000+02	2.1740000+02	5.8053879-01	9.3027000-02	2.32	-4.96	-7.06
19750	19669.9	2.1744167+02	2.1744167+02	5.5817579-01	8.9426414-02	2.12	-4.90	-6.82
20000	19918.1	2.1748333+02	2.1748333+02	5.3667463-01	8.5965850-02	1.92	-4.84	-6.58
20250	20166.3	2.1752500+02	2.1752500+02	5.1601316-01	8.2639785-02	1.71	-4.78	-6.33
20500	20414.4	2.1756667+02	2.1756667+02	4.9614725-01	7.9443085-02	1.49	-4.72	-6.09
20750	20662.6	2.1760833+02	2.1760833+02	4.7704992-01	7.6370533-02	1.28	-4.66	-5.84
21000	20910.7	2.1765000+02	2.1765000+02	4.5869091-01	7.3417381-02	1.06	-4.61	-5.60
21250	21158.8	2.1769167+02	2.1769167+02	4.4104200-01	7.0578983-02	.85	-4.57	-5.36
21500	21406.9	2.1773333+02	2.1773333+02	4.2457448-01	6.7850856-02	.63	-4.53	-5.14
21750	21655.0	2.1777500+02	2.1777500+02	4.0776398-01	6.5228565-02	.42	-4.50	-4.92
22000	21903.2	2.1781667+02	2.1781667+02	3.9208290-01	6.2708206-02	.22	-4.48	-4.71
22250	22151.0	2.1785833+02	2.1785833+02	3.7700792-01	6.0285523-02	.02	-4.47	-4.52
22500	22399.1	2.1790000+02	2.1790000+02	3.6251453-01	5.7956970-02	-.17	-4.47	-4.35
22750	22647.0	2.1794167+02	2.1794167+02	3.4858231-01	5.5718933-02	-.35	-4.48	-4.19
23000	22895.0	2.1798333+02	2.1798333+02	3.3518764-01	5.3567505-02	-.53	-4.50	-4.04
23250	23143.0	2.1802500+02	2.1802500+02	3.2230738-01	5.1499675-02	-.70	-4.54	-3.92
23500	23390.9	2.1806667+02	2.1806667+02	3.0992973-01	4.9512157-02	-.85	-4.59	-3.81
23750	23638.8	2.1810833+02	2.1810833+02	2.9802589-01	4.7601303-02	-1.00	-4.65	-3.72
24000	23886.7	2.1815000+02	2.1815000+02	2.8658279-01	4.5764786-02	-1.15	-4.72	-3.65
24250	24134.6	2.1819167+02	2.1819167+02	2.7558494-01	4.3964222-02	-1.20	-4.80	-3.67
24500	24382.4	2.1823333+02	2.1823333+02	2.6502033-01	4.2236294-02	-1.25	-4.89	-3.71
24750	24630.3	2.1827500+02	2.1827500+02	2.5486967-01	4.0577709-02	-1.29	-4.99	-3.76
25000	24878.1	2.1831667+02	2.1831667+02	2.4511787-01	3.8985798-02	-1.32	-5.09	-3.82
25250	25125.9	2.1835833+02	2.1835833+02	2.3574793-01	3.7457882-02	-1.35	-5.19	-3.88
25500	25373.6	2.1840000+02	2.1840000+02	2.2674574-01	3.5991306-02	-1.38	-5.30	-3.96
25750	25621.4	2.1844167+02	2.1844167+02	2.1809511-01	3.4583458-02	-1.41	-5.42	-4.03
26000	25869.1	2.1848333+02	2.1848333+02	2.0978271-01	3.3232181-02	-1.43	-5.53	-4.11
26250	26116.9	2.1852500+02	2.1852500+02	2.0179583-01	3.1934906-02	-1.46	-5.64	-4.19
26500	26364.6	2.1856667+02	2.1856667+02	1.9412054-01	3.0689434-02	-1.50	-5.75	-4.28
26750	26612.2	2.1860833+02	2.1860833+02	1.8674423-01	2.9493763-02	-1.54	-5.85	-4.32
27000	26859.9	2.1865000+02	2.1865000+02	1.7965517-01	2.8345894-02	-1.57	-5.94	-4.37
27250	27107.5	2.1869167+02	2.1869167+02	1.7284168-01	2.7243626-02	-1.65	-6.02	-4.40

TABLE 6. (Continued)

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T*) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T* (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T)%	RD(P)%	RD(D)%
27500	27355.7	2.2123437+02	2.2123437+02	1.6629372-01	2.6185471-02	-1.73	-6.09	-4.41
27750	27602.8	2.2145469+02	2.2145469+02	1.5999880-01	2.5169281-02	-1.83	-6.13	-4.39
28000	27850.3	2.2167500+02	2.2167500+02	1.5394886-01	2.4193466-02	-1.95	-6.16	-4.33
28250	28097.9	2.2189531+02	2.2189531+02	1.4813324-01	2.3256256-02	-1.94	-6.27	-4.42
28500	28345.4	2.2211562+02	2.2211562+02	1.4254295-01	2.2356434-02	-2.12	-6.40	-4.38
28750	28593.0	2.2233594+02	2.2233594+02	1.3716793-01	2.1492195-02	-2.29	-6.53	-4.35
29000	28840.5	2.2255625+02	2.2255625+02	1.3200119-01	2.0662117-02	-2.45	-6.67	-4.32
29250	29088.0	2.2277656+02	2.2277656+02	1.2703419-01	1.9864921-02	-2.60	-6.80	-4.31
29500	29335.4	2.2299687+02	2.2299687+02	1.2225803-01	1.9099197-02	-2.75	-6.94	-4.31
29750	29582.9	2.2321719+02	2.2321719+02	1.1766598-01	1.8343632-02	-2.90	-7.08	-4.31
30000	29830.3	2.2343750+02	2.2343750+02	1.1325157-01	1.7657204-02	-3.04	-7.22	-4.32
30250	30077.7	2.2365781+02	2.2365781+02	1.0900616-01	1.6978645-02	-3.17	-7.37	-4.33
30500	30325.1	2.2387812+02	2.2387812+02	1.0492344-01	1.6326668-02	-3.30	-7.51	-4.36
30750	30572.5	2.2409844+02	2.2409844+02	1.0099853-01	1.5700500-02	-3.43	-7.66	-4.39
31000	30819.8	2.2431875+02	2.2431875+02	9.7223701-02	1.5098938-02	-3.55	-7.82	-4.42
31250	31067.1	2.2453906+02	2.2453906+02	9.3593254-02	1.4520874-02	-3.68	-7.97	-4.46
31500	31314.4	2.2475937+02	2.2475937+02	8.9010297-02	1.3965607-02	-3.80	-8.13	-4.51
31750	31561.7	2.2497969+02	2.2497969+02	8.4744575-02	1.3431854-02	-3.91	-8.30	-4.56
32000	31809.0	2.2520000+02	2.2520000+02	8.0514365-02	1.2918991-02	-4.03	-8.46	-4.62
32250	32056.3	2.2542030+02	2.2542030+02	7.6441043-02	1.2408785-02	-4.01	-8.63	-4.61
32500	32303.5	2.2564060+02	2.2564060+02	7.2432365-02	1.1920195-02	-3.99	-8.79	-5.01
32750	32550.7	2.2586090+02	2.2586090+02	6.8569435-02	1.1451635-02	-3.96	-8.96	-5.20
33000	32797.9	2.2608120+02	2.2608120+02	6.4818008-02	1.1002544-02	-3.94	-9.12	-5.39
33250	33045.1	2.2630150+02	2.2630150+02	6.1173422-02	1.0571724-02	-3.92	-9.28	-5.58
33500	33292.2	2.2652180+02	2.2652180+02	5.7663171-02	1.0158775-02	-3.90	-9.45	-5.77
33750	33539.4	2.2674210+02	2.2674210+02	5.4388652-02	9.7627544-03	-3.89	-9.61	-5.95
34000	33786.5	2.2696240+02	2.2696240+02	5.1241039-02	9.3807338-03	-3.87	-9.77	-6.13
34250	34033.6	2.2718270+02	2.2718270+02	4.8215000-02	8.9189285-03	-3.86	-9.93	-6.31
34500	34280.7	2.2740300+02	2.2740300+02	4.5241432-02	8.4697520-03	-3.85	-10.09	-6.49
34750	34527.7	2.2762330+02	2.2762330+02	4.2329036-02	8.0349723-03	-3.84	-10.25	-6.66
35000	34774.8	2.2784360+02	2.2784360+02	3.9424127-02	7.6134092-03	-3.83	-10.41	-6.84
35250	35021.8	2.2806390+02	2.2806390+02	3.6596675-02	7.2057572-03	-3.83	-10.57	-7.00
35500	35268.8	2.2828420+02	2.2828420+02	3.3776119-02	6.8103279-03	-3.83	-10.73	-7.17
35750	35515.8	2.2850450+02	2.2850450+02	3.0954745-02	6.4269684-03	-3.84	-10.89	-7.33
36000	35762.7	2.2872480+02	2.2872480+02	2.8134092-02	6.0551330-03	-3.84	-11.05	-7.49
36250	36009.7	2.2894510+02	2.2894510+02	2.5313409-02	5.6942264-03	-3.85	-11.21	-7.65

TABLE 6. (Continued)

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T*) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T* (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T*)%	RD(P)%	RD(D)%
36500	36256.6	2.3510000+02	2.3510000+02	4.2813472-02	6.3438548-03	-3.87	-11.37	-7.80
36750	36503.5	2.3565000+02	2.3565000+02	4.1288185-02	6.1035996-03	-3.88	-11.53	-7.96
37000	36750.4	2.3620000+02	2.3620000+02	3.9820938-02	5.8730812-03	-3.90	-11.69	-8.11
37250	36997.2	2.3675000+02	2.3675000+02	3.8409345-02	5.6516513-03	-3.93	-11.86	-8.26
37500	37244.1	2.3730000+02	2.3730000+02	3.7050743-02	5.4392128-03	-3.95	-12.02	-8.40
37750	37490.9	2.3785000+02	2.3785000+02	3.5743465-02	5.2352219-03	-3.98	-12.19	-8.54
38000	37737.7	2.3840000+02	2.3840000+02	3.4485111-02	5.0392494-03	-4.02	-12.35	-8.69
38250	37984.5	2.3895000+02	2.3895000+02	3.3273544-02	4.8510437-03	-4.05	-12.52	-8.83
38500	38231.3	2.3950000+02	2.3950000+02	3.2107143-02	4.6703567-03	-4.09	-12.69	-8.96
38750	38478.0	2.4005000+02	2.4005000+02	3.0984611-02	4.4967041-03	-4.13	-12.86	-9.10
39000	38724.7	2.4060000+02	2.4060000+02	2.9902954-02	4.3298111-03	-4.17	-13.03	-9.24
39250	38971.5	2.4115000+02	2.4115000+02	2.8861427-02	4.1695061-03	-4.22	-13.20	-9.37
39500	39218.1	2.4170000+02	2.4170000+02	2.7858925-02	4.0155258-03	-4.27	-13.37	-9.50
39750	39464.8	2.4225000+02	2.4225000+02	2.6892242-02	3.8674278-03	-4.32	-13.54	-9.64
40000	39711.5	2.4280000+02	2.4280000+02	2.5961265-02	3.7250938-03	-4.37	-13.71	-9.77
40250	39958.1	2.4335000+02	2.4335000+02	2.5064545-02	3.5882034-03	-4.42	-13.89	-9.90
40500	40204.7	2.4390000+02	2.4390000+02	2.4200706-02	3.4567490-03	-4.47	-14.06	-10.04
40750	40451.3	2.4445000+02	2.4445000+02	2.3368378-02	3.3302765-03	-4.53	-14.24	-10.17
41000	40697.9	2.4500000+02	2.4500000+02	2.2566185-02	3.2086792-03	-4.58	-14.41	-10.30
41250	40944.4	2.4555000+02	2.4555000+02	2.1792944-02	3.0917358-03	-4.63	-14.59	-10.44
41500	41191.0	2.4610000+02	2.4610000+02	2.1048088-02	2.9793625-03	-4.68	-14.77	-10.58
41750	41437.5	2.4665000+02	2.4665000+02	2.0330496-02	2.8713226-03	-4.73	-14.94	-10.72
42000	41684.0	2.4720000+02	2.4720000+02	1.9638174-02	2.7674408-03	-4.78	-15.12	-10.86
42250	41930.5	2.4775000+02	2.4775000+02	1.8971138-02	2.6674499-03	-4.83	-15.30	-11.00
42500	42176.9	2.4830000+02	2.4830000+02	1.8329239-02	2.5713425-03	-4.87	-15.48	-11.15
42750	42423.4	2.4885000+02	2.4885000+02	1.7709199-02	2.4788284-03	-4.92	-15.66	-11.30
43000	42669.8	2.4940000+02	2.4940000+02	1.7112656-02	2.3899994-03	-4.95	-15.84	-11.45
43250	42916.2	2.4995000+02	2.4995000+02	1.6537208-02	2.3044281-03	-4.99	-16.02	-11.61
43500	43162.6	2.5050000+02	2.5050000+02	1.5982132-02	2.224350-03	-5.02	-16.19	-11.77
43750	43408.9	2.5105000+02	2.5105000+02	1.5446663-02	2.143182-03	-5.04	-16.37	-11.93
44000	43655.3	2.5160000+02	2.5160000+02	1.4932060-02	2.0672607-03	-5.06	-16.55	-12.11
44250	43901.6	2.5215000+02	2.5215000+02	1.4434700-02	1.9941101-03	-5.07	-16.73	-12.28
44500	44147.9	2.5270000+02	2.5270000+02	1.3955002-02	1.9238434-03	-5.07	-16.91	-12.47
44750	44394.2	2.5325000+02	2.5325000+02	1.3493423-02	1.8561783-03	-5.07	-17.08	-12.66
45000	44640.5	2.5380000+02	2.5380000+02	1.3047066-02	1.7909775-03	-5.06	-17.26	-12.85
45250	44886.7	2.5435000+02	2.5435000+02	1.2616653-02	1.7281799-03	-5.03	-17.43	-13.06

REPRODUCIBILITY OF DATA
ORIGINAL PAGE IS POOR

TABLE 6. (Continued)

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T*) WITH RESPECT TO ERA-76	REL. DEV. (P) WITH RESPECT TO ERA-76	REL. DEV. (D) WITH RESPECT TO ERA-76
Z(m)	H(m)	T* (°K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T*)%	RD(P)%	RD(D)%
45500	45132.9	2.549000+02	2.549000+02	1.2202682-02	1.6679306-03	-5.00	-17.60	-13.27
45750	45379.7	2.5545000+02	2.5545000+02	1.1801453-02	1.6096649-03	-4.96	-17.78	-13.49
46000	45625.3	2.5600000+02	2.5600000+02	1.1413879-02	1.5535202-03	-4.90	-17.94	-13.72
46250	45871.5	2.5655000+02	2.5655000+02	1.1039886-02	1.4993286-03	-4.83	-18.11	-13.96
46500	46117.7	2.5710000+02	2.5710000+02	1.06477414-02	1.4469757-03	-4.75	-18.28	-14.20
46750	46363.9	2.5765000+02	2.5765000+02	1.0327072-02	1.3964233-03	-4.65	-18.44	-14.46
47000	46609.9	2.5820000+02	2.5820000+02	9.9894762-03	1.3477931-03	-4.54	-18.60	-14.73
47250	46856.0	2.5820000+02	2.5820000+02	9.6644614-03	1.3039379-03	-4.61	-18.76	-14.83
47500	47102.1	2.5820000+02	2.5820000+02	9.3500899-03	1.2615075-03	-4.66	-18.92	-14.96
47750	47348.1	2.5820000+02	2.5820000+02	9.0458822-03	1.2204695-03	-4.70	-19.09	-15.10
48000	47594.2	2.5820000+02	2.5820000+02	8.7515234-03	1.1807566-03	-4.71	-19.24	-15.26
48250	47840.2	2.5820000+02	2.5820000+02	8.4667420-03	1.1423364-03	-4.71	-19.43	-15.45
48500	48086.2	2.5820000+02	2.5820000+02	8.1911731-03	1.1051526-03	-4.68	-19.60	-15.65
48750	48332.2	2.5820000+02	2.5820000+02	7.9247117-03	1.0692024-03	-4.62	-19.77	-15.88
49000	48578.1	2.5820000+02	2.5820000+02	7.6669501-03	1.0344262-03	-4.54	-19.94	-16.13
49250	48824.1	2.5820000+02	2.5820000+02	7.4174213-03	1.0007734-03	-4.59	-19.98	-16.13
49500	49070.0	2.5820000+02	2.5820000+02	7.1740414-03	9.6820450-04	-4.67	-20.18	-16.27
49750	49315.9	2.5820000+02	2.5820000+02	6.9426632-03	9.3670225-04	-4.73	-20.37	-16.41
50000	49561.8	2.5820000+02	2.5820000+02	6.7167425-03	9.0621994-04	-4.78	-20.56	-16.57
50250	49807.6	2.5820000+02	2.5820000+02	6.4981794-03	8.7673139-04	-4.81	-20.75	-16.74
50500	50053.5	2.5820000+02	2.5820000+02	6.2867117-03	8.4820604-04	-4.83	-20.93	-16.92
50750	50299.3	2.5820000+02	2.5820000+02	6.0821724-03	8.2061959-04	-4.83	-21.11	-17.11
51000	50545.1	2.5820000+02	2.5820000+02	5.8843326-03	7.9390049-04	-4.82	-21.29	-17.31
51250	50790.9	2.5820000+02	2.5820000+02	5.6927776-03	7.6808452-04	-4.80	-21.47	-17.51
51500	51036.7	2.5820000+02	2.5820000+02	5.5075550-03	7.4308538-04	-4.76	-21.64	-17.72
51750	51282.4	2.5820000+02	2.5820000+02	5.3284359-03	7.1891594-04	-4.71	-21.81	-17.94
52000	51528.1	2.5820000+02	2.5820000+02	5.1550770-03	6.9551897-04	-4.65	-21.97	-18.17
52250	51773.8	2.5785323+02	2.5785323+02	4.9857211-03	6.7361736-04	-4.70	-22.13	-18.29
52500	52019.5	2.5750645+02	2.5750645+02	4.8241901-03	6.5264332-04	-4.75	-22.30	-18.43
52750	52265.2	2.5715968+02	2.5715968+02	4.6675360-03	6.3228905-04	-4.78	-22.46	-18.57
53000	52510.9	2.5681290+02	2.5681290+02	4.5196181-03	6.1251270-04	-4.80	-22.62	-18.72
53250	52756.5	2.5646613+02	2.5646613+02	4.3683457-03	5.9332239-04	-4.81	-22.78	-18.88
53500	53002.1	2.5611936+02	2.5611936+02	4.2255378-03	5.7469523-04	-4.81	-22.94	-19.04
53750	53247.7	2.5577258+02	2.5577258+02	4.0871942-03	5.5641833-04	-4.80	-23.10	-19.22
54000	53493.3	2.5542581+02	2.5542581+02	3.9530086-03	5.3908073-04	-4.78	-23.25	-19.40
54250	53738.8	2.5507904+02	2.5507904+02	3.8230204-03	5.2205920-04	-4.76	-23.41	-19.59

TABLE 6. (Continued)

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T*) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T* (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T)%	RD(P)%	RD(D)%
54500	53984.4	2.5473226+02	2.5473226+02	3.4970615-03	5.0554406-04	-4.72	-23.57	-19.78
54750	54229.9	2.5438549+02	2.5438549+02	3.5750544-03	4.8952699-04	-4.68	-23.72	-19.98
55000	54475.4	2.5403871+02	2.5403871+02	3.4568083-03	4.7398329-04	-4.62	-23.87	-20.18
55250	54720.9	2.5369194+02	2.5369194+02	3.3422947-03	4.5891213-04	-4.56	-24.02	-20.39
55500	54966.3	2.5334517+02	2.5334517+02	3.2313871-03	4.4429529-04	-4.49	-24.17	-20.60
55750	55211.8	2.5299839+02	2.5299839+02	3.1239927-03	4.3012237-04	-4.42	-24.32	-20.82
56000	55457.2	2.5265162+02	2.5265162+02	3.0199671-03	4.1638064-04	-4.33	-24.46	-21.04
56250	55702.6	2.5230484+02	2.5230484+02	2.9192734-03	4.0305960-04	-4.24	-24.61	-21.27
56500	55948.0	2.5195807+02	2.5195807+02	2.8217721-03	3.9014018-04	-4.14	-24.75	-21.49
56750	56193.3	2.5161129+02	2.5161129+02	2.7273846-03	3.7761783-04	-4.04	-24.88	-21.72
57000	56438.7	2.5126452+02	2.5126452+02	2.6360655-03	3.6548161-04	-3.93	-25.02	-21.96
57250	56684.0	2.5091774+02	2.5091774+02	2.5476372-03	3.5371733-04	-3.81	-25.16	-22.19
57500	56929.3	2.5057097+02	2.5057097+02	2.4620893-03	3.4231734-04	-3.69	-25.29	-22.43
57750	57174.6	2.5022420+02	2.5022420+02	2.3792863-03	3.3127189-04	-3.56	-25.42	-22.66
58000	57419.9	2.4987742+02	2.4987742+02	2.2991598-03	3.2056808-04	-3.42	-25.54	-22.90
58250	57665.1	2.4953065+02	2.4953065+02	2.2216272-03	3.1019402-04	-3.29	-25.66	-23.14
58500	57910.3	2.4918387+02	2.4918387+02	2.1466517-03	3.0014396-04	-3.14	-25.79	-23.38
58750	58155.6	2.4883710+02	2.4883710+02	2.0740938-03	2.9041600-04	-2.99	-25.90	-23.62
59000	58400.7	2.4849033+02	2.4849033+02	2.0039630-03	2.8098631-04	-2.84	-26.02	-23.86
59250	58645.9	2.4814355+02	2.4814355+02	1.9360652-03	2.7185273-04	-2.68	-26.13	-24.10
59500	58891.1	2.4779678+02	2.4779678+02	1.8704152-03	2.6300263-04	-2.52	-26.24	-24.33
59750	59136.2	2.4745000+02	2.4745000+02	1.8069577-03	2.5443697-04	-2.35	-26.34	-24.57
60000	59381.3	2.4710323+02	2.4710323+02	1.7455506-03	2.4613547-04	-2.18	-26.44	-24.80
60250	59626.4	2.4675645+02	2.4675645+02	1.6861868-03	2.3810005-04	-2.01	-26.54	-25.04
60500	59871.5	2.4640968+02	2.4640968+02	1.6287708-03	2.3031926-04	-1.83	-26.64	-25.27
60750	60116.6	2.4606290+02	2.4606290+02	1.5732527-03	2.2278380-04	-1.65	-26.73	-25.50
61000	60361.6	2.4571613+02	2.4571613+02	1.5194228-03	2.1548581-04	-1.47	-26.82	-25.73
61250	60606.6	2.4536936+02	2.4536936+02	1.4677143-03	2.0841765-04	-1.28	-26.90	-25.95
61500	60851.6	2.4502258+02	2.4502258+02	1.4175034-03	2.0157909-04	-1.09	-26.98	-26.18
61750	61096.6	2.4467581+02	2.4467581+02	1.3690185-03	1.9495368-04	-.90	-27.06	-26.39
62000	61341.6	2.4432904+02	2.4432904+02	1.3221478-03	1.8854141-04	-.71	-27.13	-26.61
62250	61586.5	2.4398226+02	2.4398226+02	1.2748030-03	1.8233061-04	-.51	-27.20	-26.82
62500	61831.4	2.4363549+02	2.4363549+02	1.2329888-03	1.7631936-04	-.31	-27.26	-27.03
62750	62076.3	2.4328871+02	2.4328871+02	1.1906600-03	1.7049932-04	-.11	-27.32	-27.24
63000	62321.2	2.4294194+02	2.4294194+02	1.1497116-03	1.6486597-04	.09	-27.38	-27.44
63250	62566.1	2.4259517+02	2.4259517+02	1.1100936-03	1.5940976-04	.29	-27.43	-27.64

TABLE 6. (Continued)

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T°) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T° (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T)%	RD(P)%	RD(D)%
63500	62810.9	2.4224839+02	2.4224839+02	1.0718512-03	1.5412927-04	.50	-27.47	-27.83
63750	63055.8	2.4190142+02	2.4190142+02	1.0348797-03	1.4902115-04	.70	-27.52	-28.02
64000	63300.6	2.4155484+02	2.4155484+02	9.9906682-04	1.4407182-04	.91	-27.55	-28.21
64250	63545.4	2.4120807+02	2.4120807+02	9.6450328-04	1.3927817-04	1.11	-27.59	-28.38
64500	63790.1	2.4086129+02	2.4086129+02	9.3104031-04	1.3464737-04	1.32	-27.62	-28.56
64750	64034.9	2.4051452+02	2.4051452+02	8.9882612-04	1.3015676-04	1.53	-27.64	-28.73
65000	64279.6	2.4016774+02	2.4016774+02	8.6760521-04	1.2580705-04	1.74	-27.66	-28.89
65250	64524.3	2.3982097+02	2.3982097+02	8.3736658-04	1.2159967-04	1.95	-27.67	-29.05
65500	64769.7	2.3947420+02	2.3947420+02	8.0824136-04	1.1753130-04	2.16	-27.68	-29.21
65750	65013.7	2.3912742+02	2.3912742+02	7.8000307-04	1.1359262-04	2.37	-27.69	-29.36
66000	65258.4	2.3878065+02	2.3878065+02	7.5278520-04	1.0977697-04	2.58	-27.68	-29.50
66250	65503.0	2.3843387+02	2.3843387+02	7.2642564-04	1.0608149-04	2.79	-27.68	-29.64
66500	65747.6	2.3808710+02	2.3808710+02	7.0085287-04	1.0249901-04	2.99	-27.67	-29.77
66750	65992.2	2.3774033+02	2.3774033+02	6.7630767-04	9.9047184-05	3.20	-27.65	-29.90
67000	66236.8	2.3739355+02	2.3739355+02	6.5249681-04	9.5687866-05	3.41	-27.63	-30.02
67250	66481.4	2.3704678+02	2.3704678+02	6.2944412-04	9.2450618-05	3.62	-27.60	-30.13
67500	66725.9	2.3670000+02	2.3670000+02	6.0719490-04	8.9308739-05	3.83	-27.57	-30.24
67750	66970.4	2.3635323+02	2.3635323+02	5.8568954-04	8.6269855-05	4.04	-27.53	-30.34
68000	67214.9	2.3600645+02	2.3600645+02	5.6492328-04	8.3339691-05	4.24	-27.48	-30.44
68250	67459.4	2.3565968+02	2.3565968+02	5.4476261-04	8.0484867-05	4.45	-27.43	-30.53
68500	67703.9	2.3531291+02	2.3531291+02	5.2541732-04	7.7739239-05	4.65	-27.38	-30.61
68750	67948.3	2.3496613+02	2.3496613+02	5.0659656-04	7.5064182-05	4.86	-27.32	-30.69
69000	68192.8	2.3461936+02	2.3461936+02	4.8845291-04	7.2479725-05	5.06	-27.25	-30.76
69250	68437.2	2.3427258+02	2.3427258+02	4.7089100-04	6.9980621-05	5.27	-27.18	-30.82
69500	68681.6	2.3392581+02	2.3392581+02	4.5400143-04	6.7573547-05	5.47	-27.10	-30.88
69750	68925.9	2.3357904+02	2.3357904+02	4.3755531-04	6.5227985-05	5.68	-27.01	-30.93
70000	69170.3	2.3323226+02	2.3323226+02	4.2174339-04	6.2973022-05	5.88	-26.92	-30.98
70250	69414.6	2.3288549+02	2.3288549+02	4.0636062-04	6.0749558-05	6.08	-26.82	-31.02
70500	69658.9	2.3253871+02	2.3253871+02	3.9167881-04	5.8664322-05	6.28	-26.72	-31.05
70750	69903.2	2.3219194+02	2.3219194+02	3.7741184-04	5.6611061-05	6.48	-26.61	-31.07
71000	70147.5	2.3184517+02	2.3184517+02	3.6359310-04	5.4621220-05	6.69	-26.49	-31.10
71250	70391.8	2.3149839+02	2.3149839+02	3.5029411-04	5.2720547-05	6.89	-26.36	-31.11
71500	70636.0	2.3115162+02	2.3115162+02	3.3735275-04	5.0862789-05	7.09	-26.23	-31.12
71750	70880.2	2.3080484+02	2.3080484+02	3.2499790-04	4.9075603-05	7.29	-26.10	-31.12
72000	71124.4	2.3045807+02	2.3045807+02	3.1304743-04	4.7390393-05	7.49	-25.95	-31.11
72250	71368.6	2.3011129+02	2.3011129+02	3.0145148-04	4.5662403-05	7.70	-25.80	-31.10

TABLE 6. (Continued)

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T*) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T* (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T*)%	RD(P)%	RD(D)%
72500	71612.8	2.2976452+02	2.2976452+02	2.9036522-04	4.4051647-05	7.90	-25.64	-31.09
72750	71856.9	2.2941774+02	2.2941774+02	2.7958393-04	4.2493820-05	8.11	-25.48	-31.07
73000	72101.0	2.2907097+02	2.2907097+02	2.6913643-04	4.0983200-05	8.31	-25.31	-31.04
73250	72345.1	2.2872420+02	2.2872420+02	2.5923252-04	3.9528847-05	8.52	-25.13	-31.01
73500	72589.2	2.2837742+02	2.2837742+02	2.4958134-04	3.8120746-05	8.73	-24.94	-30.97
73750	72833.3	2.2803065+02	2.2803065+02	2.4028301-04	3.6758423-05	8.94	-24.75	-30.92
74000	73077.3	2.2768387+02	2.2768387+02	2.3127556-04	3.5498551-05	9.16	-24.55	-30.88
74250	73321.4	2.2733710+02	2.2733710+02	2.2264957-04	3.4175396-05	9.38	-24.34	-30.82
74500	73565.4	2.2699033+02	2.2699033+02	2.1439075-04	3.2966614-05	9.60	-24.12	-30.76
74750	73809.4	2.2664355+02	2.2664355+02	2.0644665-04	3.1784918-05	9.82	-23.90	-30.70
75000	74053.3	2.2629678+02	2.2629678+02	1.9875049-04	3.0649185-05	10.05	-23.67	-30.64
75250	74297.3	2.2595000+02	2.2595000+02	1.9132137-04	2.9570579-05	10.28	-23.43	-30.56
75500	74541.2	2.2560323+02	2.2560323+02	1.8492594-04	2.8505325-05	10.52	-23.18	-30.49
75750	74785.1	2.2525646+02	2.2525646+02	1.7738342-04	2.7494430-05	10.76	-22.92	-30.41
76000	75029.0	2.2490968+02	2.2490968+02	1.7086029-04	2.6510239-05	11.01	-22.66	-30.33
76250	75272.9	2.2456291+02	2.2456291+02	1.6457081-04	2.5572777-05	11.26	-22.39	-30.24
76500	75516.8	2.2421613+02	2.2421613+02	1.5850067-04	2.4662018-05	11.52	-22.11	-30.16
76750	75760.6	2.2386936+02	2.2386936+02	1.5271664-04	2.3794081-05	11.79	-21.82	-30.07
77000	76004.4	2.2352258+02	2.2352258+02	1.4707565-04	2.2944450-05	12.07	-21.52	-29.98
77250	76248.2	2.2317581+02	2.2317581+02	1.4173031-04	2.2139549-05	12.36	-21.22	-29.88
77500	76492.0	2.2282904+02	2.2282904+02	1.3659477-04	2.1361351-05	12.65	-20.90	-29.79
77750	76735.8	2.2248226+02	2.2248226+02	1.3159752-04	2.0604134-05	12.96	-20.58	-29.69
78000	76979.5	2.2213549+02	2.2213549+02	1.2694359-04	1.9889831-05	13.27	-20.25	-29.60
78250	77223.2	2.2178871+02	2.2178871+02	1.2231827-04	1.9189835-05	13.60	-19.91	-29.50
78500	77466.9	2.2144194+02	2.2144194+02	1.1790276-04	1.8527985-05	13.94	-19.56	-29.40
78750	77710.6	2.2109517+02	2.2109517+02	1.1370659-04	1.7871857-05	14.30	-19.20	-29.31
79000	77954.3	2.2074839+02	2.2074839+02	1.0971069-04	1.7252922-05	14.67	-18.83	-29.22
79250	78198.0	2.2040162+02	2.2040162+02	1.0582924-04	1.6651154-05	15.05	-18.46	-29.12
79500	78441.6	2.2005484+02	2.2005484+02	1.0191917-04	1.6059875-05	15.45	-18.07	-29.04
79750	78685.2	2.1970807+02	2.1970807+02	9.8276138-05	1.5499115-05	15.87	-17.68	-28.95
80000	78928.8	2.1936129+02	2.1936129+02	9.4490323-05	1.4957428-05	16.31	-17.27	-28.87
80250	79172.4	2.1901452+02	2.1901452+02	9.1314316-05	1.4425278-05	16.77	-16.86	-28.79
80500	79415.9	2.1866774+02	2.1866774+02	8.7804794-05	1.3903618-05	17.25	-16.43	-28.72
80750	79659.5	2.1832097+02	2.1832097+02	8.4505081-05	1.3403892-05	17.75	-16.00	-28.66
81000	79903.0	2.1797420+02	2.1797420+02	8.1262589-05	1.2902260-05	18.28	-15.55	-28.60
81250	80146.5	2.1762742+02	2.1762742+02	7.8191757-05	1.2429237-05	18.83	-15.10	-28.55

TABLE 6. (Concluded)

GEO- METRIC ALTITUDE	GEO- POTENTIAL ALTITUDE	VIRTUAL TEMPERATURE	KINETIC TEMPERATURE	PRESSURE	DENSITY	REL. DEV. (T*) WITH RESPECT TO ERA-75	REL. DEV. (P) WITH RESPECT TO ERA-75	REL. DEV. (D) WITH RESPECT TO ERA-75
Z(m)	H(m)	T* (K)	T (K)	P (N/cm ²)	D(kg/m ³)	RD(T)%	RD(P)%	RD(D)%
81500	80389.9	2.1728065+02	2.1728065+02	7.5025558-05	1.1948586-05	19.41	-14.63	-28.51
81750	80433.4	2.1693387+02	2.1693387+02	7.1754455-05	1.1473656-05	20.09	-14.16	-28.51
82000	80476.8	2.1658710+02	2.1658710+02	6.8721771-05	1.1002541-05	19.49	-13.58	-27.92
82250	81120.3	2.1624033+02	2.1624033+02	6.5450668-05	1.0547638-05	19.70	-13.01	-27.33
82500	81363.7	2.1589355+02	2.1589355+02	6.2284469-05	1.0078430-05	19.51	-12.44	-26.73
82750	81607.1	2.1554678+02	2.1554678+02	5.9223175-05	9.6282959-06	19.32	-11.87	-26.14
83000	81850.4	2.1520000+02	2.1520000+02	5.6037340-05	9.3953013-06	19.13	-11.31	-25.55
83250	82093.8	2.1520000+02	2.1520000+02	5.5779814-05	9.0295672-06	19.13	-10.74	-25.07
83500	82337.1	2.1520000+02	2.1520000+02	5.3610504-05	8.6788535-06	19.13	-10.17	-24.59
83750	82580.5	2.1520000+02	2.1520000+02	5.1523149-05	8.3407759-06	19.13	-9.60	-24.11
84000	82823.7	2.1520000+02	2.1520000+02	4.9518347-05	8.0164671-06	19.13	-9.02	-23.63
84250	83067.0	2.1520000+02	2.1520000+02	4.7593415-05	7.7043176-06	19.13	-8.44	-23.14
84500	83310.2	2.1520000+02	2.1520000+02	4.5739114-05	7.4042082-06	19.13	-7.86	-22.65
84750	83553.5	2.1520000+02	2.1520000+02	4.3957531-05	7.1161389-06	19.13	-7.27	-22.16
85000	83796.7	2.1520000+02	2.1520000+02	4.2247176-05	6.8390966-06	19.13	-6.68	-21.67
85250	84039.9	2.1520000+02	2.1520000+02	4.0665366-05	6.5732598-06	19.13	-6.09	-21.17
85500	84283.0	2.1520000+02	2.1520000+02	3.9024353-05	6.3171983-06	19.13	-5.49	-20.67
85750	84526.2	2.1520000+02	2.1520000+02	3.7504733-05	6.0716271-06	19.13	-4.89	-20.16
86000	84769.3	2.1520000+02	2.1520000+02	3.6045611-05	5.8352351-06	19.13	-4.29	-19.66
86250	85012.5	2.1520000+02	2.1520000+02	3.4644007-05	5.6080818-06	19.13	-3.68	-19.15
86500	85255.6	2.1520000+02	2.1520000+02	3.3296346-05	5.3902268-06	19.13	-3.07	-18.64
86750	85498.6	2.1520000+02	2.1520000+02	3.2000542-05	5.1804185-06	19.13	-2.46	-18.12
87000	85741.7	2.1520000+02	2.1520000+02	3.0755102-05	4.9785376-06	19.13	-1.84	-17.60
87250	85984.7	2.1520000+02	2.1520000+02	2.9540626-05	4.7851205-06	19.13	-1.22	-17.08
87500	86227.8	2.1520000+02	2.1520000+02	2.8409958-05	4.5992136-06	19.13	-0.60	-16.56
87750	86470.8	2.1520000+02	2.1520000+02	2.7304080-05	4.4202208-06	19.13	0.03	-16.03
88000	86713.8	2.1520000+02	2.1520000+02	2.6241243-05	4.2478442-06	19.13	0.66	-15.50
88250	86956.7	2.1520000+02	2.1520000+02	2.5220215-05	4.0826201-06	19.13	1.30	-14.97
88500	87199.7	2.1520000+02	2.1520000+02	2.4238825-05	3.9237738-06	19.13	1.94	-14.43
88750	87442.6	2.1520000+02	2.1520000+02	2.3293495-05	3.7709474-06	19.13	2.58	-13.89
89000	87685.5	2.1520000+02	2.1520000+02	2.2386909-05	3.6240816-06	19.13	3.22	-13.35
89250	87928.4	2.1520000+02	2.1520000+02	2.1516085-05	3.4833550-06	19.13	3.87	-12.80
89500	88171.3	2.1520000+02	2.1520000+02	2.0677447-05	3.3475757-06	19.13	4.53	-12.25
89750	88414.1	2.1520000+02	2.1520000+02	1.9875169-05	3.2175183-06	19.13	5.19	-11.70
90000	88657.0	2.1520000+02	2.1520000+02	1.9102097-05	3.0927062-06	000000	5.84	-11.15

REFERENCES

1. Daniels, Glenn E., ed.: Terrestrial Environment (Climatic) Criteria Guidelines for Use in Space Vehicle Development, 1973 Revision. Sec. 14.6, NASA TM X-64757, July 5, 1973.
2. Johnson, D.L.: Hot and Cold Atmospheres for Vandenberg AFB, California (1973 Version). NASA TMX-64756, June 26, 1973.
3. Smith, O.E.; and Weidner, Don K.: A Reference Atmosphere for Patrick AFB, Florida, Annual (1963 Revision). NASA TMX-53139, Sept. 23, 1964.
4. Carter, E.A.; and Brown, S.C.: A Reference Atmosphere for Vandenberg AFB, California Annual (1971 Version). NASA TMX-64590, May 10, 1971.
5. Johnson, D.L.: Hot, Cold and Annual Reference Atmospheres for Edwards Air Force Base, California (1974 Version). NASA TM X-64941, July 1975.
6. Edwards Air Force Base Reference Atmosphere (Part I). IRIG Document No. 104-63, published by Secretariat, Range Commanders Council, White Sands Missile Range, New Mexico, Sept. 1972.
7. Local Forecast Study for George Air Force Base. 23rd Detachment, 25th Weather Squadron, George Air Force Base, Victorville, California, January 15, 1958.
8. Terminal Forecast Reference File for Edwards Air Force Base. Edwards Air Force Base, California.
9. Lee, Russel F. et al.: Surface Climatological Information for Twelve Selected Stations for Re-entry Vehicles. NASA CR-61319, Feb. 1970.
10. U.S. Standard Atmosphere, 1962. Superintendent of Documents, U.S. Government Printing Office, Washington, D.C., December 1962.
11. Cape Kennedy, Florida, Thermodynamic Quantities. Job No. 6248, prepared for ES42, NASA-Marshall Space Flight Center by National Climatic Center, National Oceanic and Atmospheric Administration, Asheville, N.C., Aug. 19, 1966.

REFERENCES Concluded

12. Monthly Density and Wind Correlations and Associated Statistics — Point Arguello, California, (July 1959 through March 1965), Book II. U.S. Air Force Environmental Technical Applications Center, Air Weather Service (MAC), Data Processing Division, Asheville, N.C.
13. George C. Marshall Space Flight Center, Computational Laboratory Programmer Procedure Manual. Section 10 System Subroutine Library, Part 10.7 Special Functions, page 10.7.3-1 entitled - "PRA63 Patrick Reference Atmosphere (1963)", May 1968.
14. Berry, F.A., Jr. et al.: Handbook of Meteorology. McGraw-Hill, 1945.

APPROVAL

HOT, COLD, AND ANNUAL REFERENCE ATMOSPHERES FOR EDWARDS AIR FORCE BASE, CALIFORNIA (1975 VERSION)


By D. L. Johnson

The information in this report has been reviewed for security classification. Review of any information concerning Department of Defense or Atomic Energy Commission programs has been made by the MSFC Security Classification Officer. This report, in its entirety, has been determined to be unclassified.

This document has also been reviewed and approved for technical accuracy.



ORVEL E. SMITH
Chief, Terrestrial Environment Branch



WILLIAM W. VAUGHAN
Chief, Aerospace Environment Division



CHARLES A. LUNDQUIST
Director, Space Sciences Laboratory

